Catalogue 2026

EVERYTHING FOR ANIMAL HUSBANDRY

GÖBEL


SEIT 1950





GRT X-SERIES

Powered by Liscop







Page

Electric Fences 1 - 91

Insulator 2
Electric fence accessories 10
Gate handle 18
Conductor material 22
Fence decoiler 32
Posts for fencing 34
Euro netting 48
Electric fence 72
Batteries 91

Animal Husbandry 92 - 179

Calving 94
Bowls and troughs 96
Calf accessories 98
Saugentwöhner 100
Milking 102
Surgical instruments 106
Livestock marking 110
Control and restraining items 112
Hoof & claw care 116
Bandage material 122
Restraints and bindings 126
Pig farming 130
Sheep farming 132
Chicken farming 142
Clippers 148

Equitation 180 - 201

Lunges and leads 182
Halters 184
Manure removal 185
Horse grooming and hygiene 188
Hay nets and dispensers 192
Feeding troughs 196

Stable Equipment 202 - 265

Stable and Farm Supplies 204
LED lamps 210
Tools 218
Grease guns 224
Pumps 226
Measuring devices 252
Scythes and Sickles 254
Linch pins and R-splits 256
Tractor Accessories 238
Lifting and lashing 246
Defense and protection 250
Care and hygiene 262
Frost protection 264

Pet supplies 268 - 281

Anti bark collars 270
Invisible fences 272
Flaps 274
Fountains and feeders 276
Harness 277
Kurgo 278
Toy 280
Ramps 281

Clothing 282 - 291

Boots 284
Gloves 288
Boot cleaner 291

Hunting 292 - 299

PetSafe

sportDOG BRAND

Packaging materials will be charged if they are not exchanged.
All prices incl. VAT (subject to change without notice).

More than seven decades as a distinguished company entitles us to a bit of pride, because what started in 1950 as a modest scythe business has since developed into a business that is recognised throughout Europe.

Specialists in everything that animals and their owners need

Fritz Göbel GmbH & Co. KG is located in Willingen/ Upland, a holiday region right in the heart of Germany. Besides the sons of the founder, Fritz and Karl, also the grandchildren and great-grandchildren are working in the company.

From the beginning, the company felt that one of their primary duties was to quickly expand the range of products provided and to firmly establish all products for animal husbandry on the market. This goal was achieved because the focus of the product assortment was put towards the actual needs of the various target groups within the market segment. Today, Fritz Göbel GmbH & Co. KG is a highly successful supplier of pasture fences for all kinds of applications across Europe and throughout the world. In addition, the commodity range includes a variety of products in the fields of equitation sport, animal husbandry, hunting, stable equipment and dog training.

The basis for our production is an in-house plastics injection moulding plant with nine different plastic injection machines, the largest of which can achieve a clamping force of 420 t. This plant makes it possible to produce parts with an injection weight of up to 1.5 kg.

Our motto:
Open to new challenges, flexible in maximising our options and strong in fulfilling daily tasks. We therefore make use of the opportunity to constantly prove ourselves time and again as a reliable partner.



NEW

We expand our product range constantly to offer an even bigger selection of accessoires.


Cerberus DUO A6 and DUO N10

page 84



Torero plastic post

page 36







Seite 121

Bandagen – new colors

page 123



GRT X-SERIES

Powered by Liscop

The NeXt Generation blades

page 148




Heiniger Xcell

page 160



Heiniger Opal Xtend

page 168





VICTORINOX knives

page 134

Mini Mistboy



page 187





page 201

Salt lickstone



page 193

Hay dispender



page 205

Feed ball toy – new color



Tree watering bag 100 litre

page 230



page 253

Insect spray



Cattle stunning apparatus

page 261



page 288

Working gloves

NanoFlex, TopFlex,
Wet Guard, Master Flex Touch



Forestry Marker ECO

page 298



page 263

Nitrile Disposable Gloves Blue

Electric Fences

Electric fences, electric fence devices, fence materials and accessories for professional livestock and horse keeping in best quality.

Slot insulators

Inhouse

Milled thread - easier to screw into wood posts, own production, almost unbreakable, weatherproof, suitable for stranded wires, wires and tapes.



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10001	**Slot insulator Type C 161** made of polycarbonate, with galvanized metal support 6 mm **yellow transparent**	25	20	7.10



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10009	**Slot insulator** made of polycarbonate, with galvanized metal support 6 mm, suitable for tapes up to 10 mm **yellow transparent**	25	16	8.70





Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10002	**Slot insulators Type S 161** made of polyethylene, with galvanized metal support 6 mm **black**	25	20	7.10
10003	**yellow**	25	20	7.10



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10010	**Slotted extended insulator 13 cm** made of polyethylene, with galvanized metal support 6 mm x 13 cm, suitable for tapes up to 10 mm **yellow**	25	12	12.95

Wide tape insulators

Milled thread - easier to screw into wood posts, own production, almost unbreakable, weatherproof, suitable for tapes up to 40 mm, with rope clamp.

Inhouse



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10013	**Wide tape insulator Multi** made of nylon, with galvanized metal support 6 mm **black**	25	12	10.20

Upland



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10039	**Wide tape insulator Upland** for rope and tapes up to 40 mm. made of polyethylene, with galvanized metal support 6 mm **black**	25	20	8.60



10063



10064

Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10063	**Permanent fence, wide tape insulators** Made of polyethylene, black **up to 20 mm**	10	20	4.49
10064	**up to 40 mm**	10	20	4.49

Inhouse




Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10016	**Wide tape insulator M6 x 30 mm Multi** made of nylon, with galvanized metal support, suitable for tapes up to 40 mm, with rope clamp **black**	25	12	17.40

Inhouse



10014



10015

Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10014	**Wide tape insulators Multi-stem** suitable for tapes up to 40 mm, with rope clamp. made of nylon, with galvanized metal support 6 mm **with 13 cm support**	25	8	17.10
10015	**with 22 cm support**	25	6	20.80

Ring insulators

Milled thread - easier to screw into wood posts. weatherproof, UV-stabilized, for stranded wires and narrow tapes.



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10017	**Ring insulators Type S 461 R** made of polyethylene, with galvanized metal support 5.3 mm **black**	25	20	4.95
10017R	**red**	25	20	5.20

Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10018	**Ring insulator** made of polyethylene, with galvanized metal support 5.3 mm **black**	25	28	5.49

Inhouse



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10019	**Ring insulators Jumbo** made of polyethylene, with continuous galvanized metal support 6 mm **black**	25	20	9.90
10020	**yellow**	25	20	9.90
10021	**green**	25	20	9.90
10023	**red transparent**	25	20	11.10



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10024	**Ring insulator Jumbo** with M6 thread, made of polyethylene, with galvanized metal support 6 mm **black**	25	20	11.30



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10027	**Ring insulators Type S 461 R** made of polyethylene, with galvanized metal support 5.3 mm **black**	50	10	10.30
10028	**100/bucket** **160 bucket = 1 box**			17.95

Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10025	**Ring insulator Mustang** made of polyethylene, with galvanized metal support 6 mm **black**	25	20	7.80



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10026	**Ring insulator** square shape made of polyethylene with galvanized metal support 5.3 mm **black**	25	28	7.00



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10041	**Ring insulator** made of polyethylene, with galvanized metal support M6 x 22 cm, approx. 22 cm length **black**	25	10	19.95

Rope insulators



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10032	**Rope insulator** made of nylon, with galvanized metal support 6 mm **black**	25	10	9.90



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10040	**Rope insulator Upland** with galvanized metal support 6 mm, thread for wood posts **black**	25	14	7.00

Reel insulators



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10029	**Corner Insulators** made of polyethylene, can be rotated, with galvanized metal support 7 mm **black**	25	12	16.40
15029	**black**	SB 4		3.60



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10060	**Reel insulator** made of polyethylene, size 45 x 20 mm, nail opening 4.5 mm **yellow**	25	20	3.70



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10033	**Rope extended insulators** made of nylon, with galvanized metal support 6 mm, black **6 mm x 13 cm**	25	8	17.10
10034	**6 mm x 22 cm**	25	6	20.80

Gate handle insulators





Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10030	**Gate handle insulators** with 2 mounting eyelets, made of polyethylene black **with galvanized metal support 6 mm**	10	30	6.95
15030	**with galvanized metal support 6 mm**	SB 5		3.70

Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10031	**Gate handle insulators** with 2 mounting eyelets, made of nylon, with galvanized metal support 7 mm **black**	10	30	7.95
15031	**black**	SB 5		4.10

Full ring insulators





Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10035	**Full ring insulator** made of polyethylene, with galvanized metal support 6 mm **black**	25	10	9.90

Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10036	**Full ring extended insulators** made of polyethylene, with galvanized metal support **6 mm x 13 cm**	25	8	16.95
10037	**6 mm x 22 cm**	25	6	17.95
10038	**6 mm x 22 cm**	10	8	7.95

Shackle insulators



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10058	**Shackle insulators** made of polyethylene, egg shaped, also suitable as corner insulator **black**	40	5	14.10
15058	**black**	SB 4		1.40

Nail insulators

Inhouse



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10056	**Wide tape block insulator large** made of nylon, suitable for tapes up to 40 mm can be used as corner insulator **black**	10	10	12.00

Inhouse



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10057	**Wide tape block insulator small** made of nylon, suitable for tapes up to 40 mm for nailing and screwing **black**	25	16	5.30

Inhouse



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10055	**Wide tape nail insulator Type S 121** made of nylon, suitable for tapes up to 60 mm with slip lock for nailing and screwing **black**	25	20	5.30

Post insulators



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10086	**Plastic eyelet to plastic post 19 mm** for stranded wires and wire **white**	25	40	11.40



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10087	**Plastic eyelet to plastic post 19 mm** for tapes up to 40 mm **white**	25	40	13.20

Additional insulators



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10088	**Clamp insulator for plastic posts 19 mm** for stranded wire, wire and tape **black**	25	20	14.00



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10090	**Clamp insulator for sheep netting post 13 mm** **black**	10	20	5.50

Additional insulators



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10078	**Additional insulator Klemmfix Nr. 194** made of nylon, with slip-blocker, suitable for tapes up to 40 mm clamps easily to the pos **black**	25	16	11.60



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10077	**Additional insulator with metal clamp Nr. 193** made of polyethylene, with metal clamp **black**	50	7	24.20



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10079	**Additional insulator with locking screw** made of polyethylene, to fix to posts **yellow**	25	20	11.60



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10089	**Insulator with locking screw** to fixate on a post **black**	25	20	11.60



Art.-Nr.	Description	Piece per bag	Bags per box	per bag €
10080	**Additional insulator with lock Nr. 174** made of polyethylene, two-piece item for posts up to 15 mm **black**	25	20	13.95


Insulator screwing tool

Art.-Nr.	Description	€
10101	**Screwing tool Isoflott** screwing tool for almost all screw-in insulators, suitable for cordless screwdrivers	9.90

Art.-Nr.	Description	€
10102	**Manual screwing tool** for ring and slot insulators	3.60




Art.-Nr.	Description	€
10103	**Screwing tool, metal** for almost all screw-in ring insulators, suitable for cordless screwdrivers and electric drills	2.65



10101

10102

Temperature equalisation springs



Art.-Nr.	Description	€
10122	**Temperature equalisation spring** balances temperature variations and holds the wire tense **length 435 mm, spring Ø 43 mm**	5.20
10154	**length 200 mm, spring Ø 25 mm - stainless steel**	8.30
11122	**lenght – 245 mm, spring Ø 43 mm - stainless steel**	9.95

Gate accessories



Art.-Nr.	Description	€
10123	**Gate spring** extendable to 5 m, galvanized **PU 50 pieces**	5.00



Art.-Nr.	Description	€
10130	**Gate spring** extendable to 5 m, white powder coated **PU 50 pieces**	5.00

Wire tensioner



Art.-Nr.	€
10127	2.00

Gate tensioner, made of plastic
for wires and tapes up to 13 mm



Art.-Nr.	€
10151	3.39

Wire tensioner, rotatable
for rapid tensioning of wire, stranded wire and rope. Easy to use, made of aluminum / zinc



Art.-Nr.	€
10152	3.30

Wire tensioner with clip lock
for rapid tensioning of wire, stranded wire and rope. Easy to use, made of aluminum / zinc

50 pieces/box, 1000 pieces/palette



Art.-Nr.	€
10153	8.70

Clamping lever for wire tensioner
for rapid tensioning of wire, stranded wire and rope. Easy to use, made of aluminum / zinc.

Tape connectors



Art.-Nr.	Description	€
10300	Wide tape metal connector 12,5 mm	0.50
10302	20 mm	0.90
15302	20 mm SB 5/bag	4.50
10304	40 mm	0.95
15304	40 mm SB 5/bag	4.75



Art.-Nr.	Description	€
10311	Stainless steel tape connector 20 mm	0.95
15311	20 mm SB 5/bag	4.75
10312	40 mm	1.10
15312	40 mm SB 5/bag	5.80



Art.-Nr.	€
15313	6.00

Wire connection terminal SB 5/bag



Art.-Nr.	Description	€
10305	Rope connector Duplex galvanized 6 mm	1.10
15305	galvanized 6 mm SB 5/bag	5.80
10306	Stainless steel 6 mm	2.00
15306	Stainless steel 6 mm SB 5/bag	10.80
10307	galvanized 8 mm	1.20
15307	Rope connector Duplex 8 mm SB 3/bag	5.80
10308	Stainless steel 8 mm	3.95
15308	Stainless steel 8 mm SB 3/bag	11.20



Art.-Nr.	Description	€
10309	Rope connector galvanized egg shaped 4 - 6.5 mm	1.30
15309	egg shaped 4 - 6.5 mm SB 5/bag	6.70
10310	egg shaped for stranded wires	0.80
15310	egg shaped for stranded wires SB 5/bag	3.30



Art.-Nr.	€
10526	7.50
15526 SB 1/bag	8.20

Stainless Steel power connector for tapes up to 40 mm



Art.-Nr.	€
10527	7.50
15527 SB 1/bag	8.20

Power connector for rope up to 6 mm

Inhouse



Art.-Nr.	Description	€
10301	**Wide tape clip connector black** made of nylon to connect tapes up to 60 mm, easy to use, can be used as start and end pieces 25/bag	13.50
15301	SB 5/bag	4.30



Art.-Nr.	€
10518	2.80
15518 SB 1/bag	3.25

Clip connection cable



Art.-Nr.	€
10519	3.70
15519 SB 1/bag	4.20

Clip current connection cable



Art.-Nr.	€
10528	2.25

Power connector inner conductor / inner conductor

Fence switches



Art.-Nr.	Description	€
10540	**Fence switches** practical on-off-switch for fence system with 4 functions, also ideal for two separate fence systems	9.90
15540	**Fence switches SB-bag**	10.80

Lightning protection



Art.-Nr.	Description	€
10506	**Lightning protection system** to protect your energizer, installation plan enclosed	23.20
19500	**Switch for lightening protection system**	6.60



Connecting cables



Art.-Nr.	€
10507	1.80
15507 SB 1/bag	1.80

Fence connection cable
red inner conductor / plug



Art.-Nr.	€
10508	1.80
15508 SB 1/bag	1.80

Fence connection cable
red inner conductor / eyelet



Art.-Nr.	€
10509	1.80

Fence connection cable
red inner conductor / stripped



Art.-Nr.	€
10511	2.25

Fence connection cable
Super, black
inner conductor / plug



Art.-Nr.	€
10512	2.25

Fence connection cable
Super, black
inner conductor / eyelet



Art.-Nr.	€
10513	2.25

Fence connection cable
Super, black
inner conductor / stripped



Art.-Nr.	€
10515	1.80
15515 SB 1/bag	1.80

Grounding cable
blue, eyelet / plug




Art.-Nr.	€
10516	1.80
15516 SB 1/bag	1.80

Grounding cable
blue, eyelet / eyelet



Art.-Nr.	€
10517	1.80


Grounding cable
blue, eyelet / stripped



Art.-Nr.	Description	€
10523	**Battery terminal set** connection cable for 12 Volt battery, for combination units 9/12 volts. **SB 1/bag**	15.99



Art.-Nr.	Description	€
10530	**Underground cable 10m coil** highly-insulated cable to connect energizer to fence. Coating = 5 mm	10.90
10520	**Underground cable 50 m coil**	44.95
10531	**Underground cable 100 m coil**	69.95



Art.-Nr.	Description	€
10524	**Stainless steel fence terminal for wide tape**	5.40
15524	**SB 1/bag**	6.20



Art.-Nr.	Description	€
10525	**Rope terminal for rope up to 6 mm**	5.40
15525	**SB 1/bag**	6.20



Art.-Nr.	Description	€
15522	**Fence and ground connection cable set**	3.95
	SB 1/bag	



Art.-Nr.	Description	€
10521	**Warning sign "Elektrozaun"** Regulation on all public paths, where an electric fence is installed.	1.40



Art.-Nr.	Description	€
15510	**Fence connection cable alligator clip / eyelet**	4.35
	SB 1/bag	



Art.-Nr.	Description	€
15514	**Grounding cable alligator clip / eyelet**	4.70
	SB 1/bag	



Art.-Nr.	Description	€
19920	**Ground rod 0.50 m galvanized**	11.60
19921	**1 m**	13.20
19922	**Ground pile with plate, galvanized** for solar sets S1510/2510	49.10
19923	**Ground pile 0.75 m with T-handle, galvanized**	12.95



Art.-Nr.	Description	€
15537	**Fence connection cable with 3 alligator clips**	10.95
	SB 1/bag	



Art.-Nr.	Description	€
15536	**Fence connection cable with 2 alligator clips**	6,60
	SB 1/bag	

Fence and equipment tester

Fence testing:

Hang hook of tester to fence. Press brass tip slightly into ground. A short circuit is simulated at the fence; same situation as with animal contact.

Fence equipment testing:

Hold hook and brass tip to equipment terminals (no need to observe polarity). Performance of device is indicated immediately.



Art.-Nr.	Description	€
10539	**LED wolf-defense signal light "Wolfsblitz"** fence tester and defense light combined, no batteries necessary,	29.90



Art.-Nr.	Description	€
10498	**Fence and equipment sensor tester** This testing devices allows comfortable optical monitoring of fences and attached equipment. Three very bright LEDs (light emitting diodes) flash strongly if the fence voltage is above 3000 V. Whether the fence is made of rope, stranded wire, tape, or wire: This tester can be used anywhere and is easily mounted with a clamp. The tester also offers the option to trace the fence for faulty points.	29.10



Art.-Nr.	Description	€
10503	**Fence tester Multilight 6 LED** 6 LEDs indicate the voltage of the fence and equipment. Display range 1000 - 6000 V. Easy to use, CE	8.60



Art.-Nr.	Description	€
10499	**Fence tester with LED-display** – convenient measurement without ground spike – measures at a distance from the fence of max. 0 - 5 cm – indicates the voltage by four luminous green diodes in four stages: 2500 - 8000 V – red LED for undervoltage – LED display for battery status (9 volt block) – including 9 volt block battery	22.00



Art.-Nr.	Description	€
10504	**Fence tester DKZ10** Wireless with digital display, measuring range 500 - 99900 V, no grounding required, with automatic on/off function, CE	103.50



Art.-Nr.	Description	€
10535	**Fence tester Göbel 6 LED** 6 LEDs indicate the voltage of the fence and equipment. Display range up to 10000 V, CE	17.90



Art.-Nr.	Description	€
10536	**Battery tester Digital** Comfortable and easy to use. Very precise 3-digit digital display. Sturdy plastic housing **for 9 V dry cell**	46.30
10537	**for 12 - 24 V, wet-cell battery**	42.90

Gate handle Bayern

with tension limiter


Art.-Nr.	Description	Piece per bag	Bags per box	piece €
10121	**Gate handle model Bayern with tension limiter** black	10	100	2.10
	with open hook			
10146	**made of stainless steel**	10	100	3.60
10129	**with tape connector 40 mm**	10	100	2.40
10150	**with tape connector 40 mm, made of stainless steel**	10	100	4.90

Art.-Nr.	Description	Piece per bag	Bags per box	piece €
10120	**Gate handle model Bayern** black	10	100	2.10
	with closed eyelet			
10145	**made of stainless steel**	10	100	3.60
10128	**with tape connector 40 mm**	10	100	2.40
10149	**with tape connector 40 mm, made of stainless steel**	10	100	4.90











Gate handle Jumbo

Art.-Nr.	Description	Piece per bag	Bags per box	piece €
10109	**Jumbo gate handles open** made of polyethylene, open hook, extra-strong spring	10	100	2.10
	black			
10110	**yellow**	10	100	2.10
10115	**made of polycarbonate, red transparent**	10	100	2.10

Gate handle Upland

Art.-Nr.	Description	Piece per bag	Bags per box	piece €
10131	**Gate handle, open, model Upland**	10	100	1.80
	black			
10132	**yellow**	10	100	1.80
10133	**white**	10	100	1.80

Art.-Nr.	Description	Piece per bag	Bags per box	piece €
10134	**Gate handle, closed, model Upland**	10	100	1.80
	black			
10135	**yellow**	10	100	1.80

Gate handle kits



Art.-Nr.	Description	€
10125	**Gate handle kit with elastic rope,** consists of: Gate handle Gate handle insulator Ring insulator **elastic rope 3.20 m, extendable to 6.20 m** **box 25/pieces**	17.95
10126	**4.90 m, extendable to 9.50 m** **box 25/pieces**	21.95



Art.-Nr.	Description	€
10124	**Gate handle - set**, consists of: **10123** – gate spring, separat on page 13 **10109** – gate handle, separat on page 22 **10030** – gate handle insulator, separat on page 7 **10017** – ring insulator, separat on page 4	8.70
10136	**Gate handle - kit with 2 Gate handle insulators** **10121** – gate handle, separat on page 23 **2 x 10030** – gate handle insulator, separat on page 7	6.60



Art.-Nr.	Description	€
10138	**Gate handle with integrated long spring** kit includes 2x 10030 (black gate handle insulator with two mounting eyelets. made of polyethylene with galvanized metal support 6 mm)	6.20

FlexGate



Art.-Nr.	Description	€
10139	**Flexible gate with ca. 6.0 m long rope** ca. 6 mm PE **box 30/pieces**	28.80

With **FLEXGATE** you can easily electrify paddock entrances. With every opening, the rope is rolled into the housing by a steel spring.

Advantages:
gate handle does not lie on the ground, does not sag and does not get dirty, no tripping hazard for persons and animals, tail hairs are prevented from being trapped

Elastic rope



Art.-Nr.	Description	€
10155	**Current carrying elastic rope, 6 mm** **50 m reel**	67.95
10156	**25 m reel**	33.95

Tapes – Maximum Visibility for Greater Safety

Features & Benefits
Electric fence tapes are made of woven plastic fibers with integrated conductors and are available in various widths. Their greatest advantage is excellent visibility.
· maximum visual visibility
· clear, calm fence line
· high level of safety through early animal recognition
· ideal for sensitive animals
· attractive appearance
High-quality tapes are characterized by UV-stable materials, a strong woven structure, and durable conductors.
Typical Applications
· horse paddocks and pastures
· open stables
· fencing along paths or farm areas
· areas with increased safety requirements



Special wide tape

Art-Nr.	Length	Width	Color	Stainless steel wire	Resistance	Breaking load	PU	€
10219	250 m	10 mm	white	4 x 0,16 mm	11 Ohm/m	60 kg	10 pieces/box, 210 pieces/palette	**14.95**
10214	200 m	13 mm	white	6 x 0,20 mm	3,87 Ohm/m	60 kg	12 pieces/box, 240 pieces/palette	**14.95**
10215	500 m	13 mm	white	6 x 0,20 mm	3,87 Ohm/m	60 kg	4 pieces/box, 96 pieces/palette	**33.45**
10209	200 m	20 mm	white	4 x 0,16 mm	10,8 Ohm/m	70 kg	10 pieces/box, 200 pieces/palette	**14.80**
10211	200 m	20 mm	white	4 x 0,20 mm 2 x 0,30 mm	2,75 Ohm/m	120 kg	10 pieces/box, 200 pieces/palette	**18.25**
10213	200 m	20 mm	white	9 x 0,20 mm	2,75 Ohm/m	150 kg	12 pieces/box, 160 pieces/palette	**19.35**
10204	200 m	40 mm	white	8 x 0,16 mm	5,4 Ohm/m	90 kg	4 pieces/box, 96 pieces/palette	**21.95**
10207	200 m	40 mm	white	15 x 0,20 mm	1,17 Ohm/m	130 kg	4 pieces/box, 60 pieces/palette	**29.95**
10206	200 m	40 mm	white	9 x 0,20 mm 4 x 0,30 mm	1,21 Ohm/m	200 kg	4 pieces/box, 100 pieces/palette	**29.35**
10203	200 m	60 mm	white	8 x 0,40 mm	0,9 Ohm/m	350 kg	6 pieces/box, 80 pieces/palette	**52.95**



Special wide tape

Art-Nr.	Length	Width	Color	Stainless steel wire	Resistance	Breaking load	PU	€
10210	200 m	20 mm	yellow-orange	4 x 0,16 mm	10,8 Ohm/m	70 kg	10 pieces/box, 200 pieces/palette	**14.80**
10212	200 m	20 mm	yellow-orange	4 x 0,20 mm 2 x 0,30 mm	2,75 Ohm/m	120 kg	10 pieces/box, 200 pieces/palette	**18.35**
10220	250 m	10 mm	yellow-orange	4 x 0,16 mm	11 Ohm/m	60 kg	6 pieces/box, 80 pieces/palette	**14.95**



Wild defense wide tape

Art-Nr.	Length	Width	Color	Stainless steel wire	Resistance	Breaking load	PU	€
10238	200 m	20 mm	blue	4 x 0,16 mm	10,8 Ohm/m	70 kg	10 pieces/box, 200 pieces/palette	**15.75**



Torero wide tape

Art-Nr.	Length	Width	Color	Stainless steel wire	Copper wire	Resistance	Breaking load	PU	€
10233	200 m	10 mm	white/red	3 x 0,20 mm	1 x 0,30 mm	0,24 Ohm/m	50 kg	10 pieces/box, 240 pieces/palette	**19.95**
10232	200 m	20 mm	white/red	5 x 0,20 mm	1 x 0,30 mm	0,23 Ohm/m	100 kg	10 pieces/box, 200 pieces/palette	**30.95**
10231	200 m	38 mm	white/red	9 x 0,20 mm	1 x 0,30 mm	0,22 Ohm/m	200 kg	4 pieces/box, 96 pieces/palette	**47.45**

Polywire – Lightweight, Flexible and Versatile

Features & Benefits
Polywires consist of plastic fibers with integrated metal conductors. They are especially lightweight and flexible and easy to handle.
· low weight
· easy to install and relocate
· flexible application options
· cost-effective solution for large areas
· good conductivity depending on the number of conductors
The quality of polywire largely depends on the number and material of the conductor strands: the more high-quality conductors, the better the electrical performance.
Typical Applications
· mobile electric fencing
· rotational and strip grazing
· cattle and sheep farming
· temporary fencing



Super Jumbo stranded wire

Art-Nr.	Length	Color	Stainless steel wire	Resistance	Breaking load	PU	€
10252	200 m	white	6 x 0,20 mm	3,87 Ohm/m	90 kg	10 pieces/box, 360 pieces/palette	**13.95**
10253	500 m	weiß	6 x 0,20 mm	3,87 Ohm/m	90 kg	10 pieces/box, 144 pieces/palette	**27.95**



Extra Jumbo stranded wire

Art-Nr.	Length	Color	Stainless steel wire	Resistance	Breaking load	PU	€
10254	200 m	white	9 x 0,20 mm	2,75 Ohm/m	100 kg	10 pieces/box, 350 pieces/palette	**15.95**
10255	400 m	white	9 x 0,20 mm	2,75 Ohm/m	100 kg	10 pieces/box, 210 pieces/palette	**29.75**



Jumbo stranded wire

Art-Nr.	Length	Color	Stainless steel wire	Resistance	Breaking load	PU	€
10249	250 m	yellow-orange	3 x 0,25 mm	7,5 Ohm/m	90 kg	10 pieces/box, 350 pieces/palette	**12.95**
10250	1000 m	yellow-orange	3 x 0,25 mm	7,5 Ohm/m	90 kg	100 pieces/palette	**43.95**



Stranded wire

Art-Nr.	Length	Color	Stainless steel wire	Resistance	Breaking load	PU	€
10248	250 m	orange	3 x 0,20 mm	9,2 Ohm/m	90 kg	10 pieces/box, 350 pieces/palette	**8.95**
10258	500 m	orange	3 x 0,20 mm	9,2 Ohm/m	90 kg	10 pieces/box, 210 pieces/palette	**17.90**



Torero stranded wire

Art-Nr.	Length	Color	PE-Monofile	Stainless steel wire	Copper wire	Resistance	Breaking load	PU	€
10264	200 m	red/white	3x6 0,4 mm weiß 3x1 0,4 mm rot	8 x 0,2 mm	1 x 0,25 mm	0,23 Ohm/m	95 kg	10 pieces/box, 350 pieces/palette	**19.95**
10266	400 m	red/white	3x6 0,4 mm weiß 3x1 0,4 mm rot	8 x 0,2 mm	1 x 0,25 mm	0,23 Ohm/m	95 kg	10 pieces/box, 210 pieces/palette	**35.95**
10269	1000 m	rot/weiß	3x6 0,4 mm weiß 3x1 0,4 mm rot	8 x 0,2 mm	1 x 0,25 mm	0,23 Ohm/m	95 kg	80 pieces/palette	**91.95**



Torero stranded wire

Art-Nr.	Length	Color	PE-Monofile	Stainless steel wire	Copper wire	Resistance	Breaking load	PU	€
10262	200 m	green/white	3x4 0,4 mm weiß 3x1 0,4 mm grün	5 x 0,2 mm	1 x 0,25 mm	0,25 Ohm/m	90 kg	10 pieces/box, 350 pieces/palette	**16.95**
10263	500 m	green/white	3x4 0,4 mm weiß 3x1 0,4 mm grün	5 x 0,2 mm	1 x 0,25 mm	0,25 Ohm/m	90 kg	10 pieces/box, 210 pieces/palette	**35.95**



Wild defense stranded wire

Art-Nr.	Length	Color	PE-Monofile	Stainless steel wire	Copper wire	Resistance	Breaking load	PU	€
10239	400 m	blue	3x6 0,4 mm 3x1 0,4 mm blau	8 x 0,2 mm	1 x 0,25 mm	0,23 Ohm/m	95 kg	10 pieces/box, 200 pieces/palette	**39.95**



Bisonflex stranded wire

Art-Nr.	Length	Color	Edelstahlleiter	Copper wire	Resistance	Breaking load	PU	€
10260	300 m	blue-white	6 x 0,2 mm	4 x 0,25 mm	0,06 Ohm/m	120 kg	250 pieces/palette	**69.95**
10261	1000 m	blue-white	6 x 0,2 mm	4 x 0,25 mm	0,06 Ohm/m	120 kg	80 pieces/palette	**199.95**

Electric Ropes – Robust and Shape-Stable in All Weather Conditions

Features & Benefits
Electric ropes are round-braided conductor materials with high mechanical strength. They combine good conductivity with excellent resistance to weather influences.
· high tensile and breaking strength
· very shape-stable in windy conditions
· durable and weather-resistant
· easy installation and retensioning
· good balance of stability and flexibility
Compared to tapes, ropes are less susceptible to wind and retain their shape over time.
Typical Applications
· permanent electric fences
· windy or exposed locations
· large fencing systems
· year-round grazing areas



Rope

Art-Nr.	Length	Strength	Color	Stainless steel wire	Resistance	Breaking load	PU	€
10270	200 m	5 mm	white	6 x 0,18	3,94 Ohm/m	375 kg	100 pieces/palette	**23.20**
10271	200 m	6 mm	white	6 x 0,20	3,87 Ohm/m	400 kg	100 pieces/palette	**21.75**
10272	500 m	6 mm	white	6 x 0,20	3,87 Ohm/m	400 kg	48 pieces/palette	**48.95**
10274	200 m	6 mm	white	6 x 0,40	1,2 Ohm/m	400 kg	80 pieces/palette	**38.95**
10289	200 m	8 mm	white	6 x 0,20	3,87 Ohm/m	800 kg	48 pieces/palette	**42.65**



Rope

Art-Nr.	Length	Strength	Color	Stainless steel wire	Resistance	Breaking load	PU	€
10286	200 m	8 mm	black-white	6 x 0,40	1,2 Ohm/m	800 kg	48 pieces/palette	**56.95**



Mustang rope

Art-Nr.	Length	Strength	Color	Copper wire	Resistance	Breaking load	PU	€
10281	200 m	6 mm	black-white	6 x 0,30	0,04 Ohm/m	400 kg	100 pieces/palette	**59.95**
10288	200 m	8 mm	black-white	8 x 0,30	0,03 Ohm/m	800 kg	48 pieces/palette	**87.15**



Torero rope

Art-Nr.	Length	Strength	Color	Stainless steel wire	Copper wire	Resistance	Breaking load	PU	€
10292	200 m	6 mm	white-red	5 x 0,20	1 x 0,30 mm	0,23 Ohm/m	400 kg	100 pieces/palette	**37.50**
10293	500 m	6 mm	white-red	5 x 0,20	1 x 0,30 mm	0,23 Ohm/m	400 kg	48 pieces/palette	**89.95**

Wire – Maximum Conductivity and Load Capacity

Features & Benefits
Wire is the classic conductor material for permanent electric fencing. It is usually made of galvanized steel or special alloys and offers excellent electrical conductivity with minimal resistance.
· very low electrical resistance
· uniform voltage over long distances
· extremely durable and weather-resistant
· high mechanical stability
· low maintenance over many years
Due to its rigidity, wire remains permanently taut, ensuring a consistent fence height and reliable current flow.
Typical Applications
· permanent fixed fencing
· large pasture areas with long fence lines
· cattle farming
· wildlife and security fencing
· locations with high continuous load



Drahtlitze

Art-Nr.	Length	Strength	Resistance	Breaking load	PU	€
10240	1000 m	1,6 mm	0,12 Ohm/m	200 kg	100 pieces/palette	**59.95**
10243	200 m	1,6 mm	0,12 Ohm/m	200 kg	420 pieces/palette	**12.95**
10244	500 m	1,6 mm	0,12 Ohm/m	200 kg	300 pieces/palette	**28.95**



Polydraht

Art-Nr.	Length	Iron wire (cross-wound)	Resistance	Breaking load	PU	€
10241	500 m	2 x 0,5	0,35 Ohm/m	45 kg	120 pieces/palette	**32.40**
10242	1000 m	2 x 0,5	0,35 Ohm/m	45 kg	100 pieces/palette	**59.95**



Polydraht – Original Steuer

Art-Nr.	Length	Iron wire (cross-wound)	Resistance	Breaking load	PU	€
10241ST	500 m	2 x 0,5	2 x 0,5	50 kg	8 pieces/box, 200 pieces/palette	**27.99**
10242ST	1000 m	2 x 0,5	2 x 0,5	50 kg	120 pieces/palette	**45.99**



Eisendraht

Art-Nr.	Length	Strength	Resistance	Breaking load	PU	€
10245	250 m	1,8 mm	0,05 Ohm/m	200 kg	100 pieces/palette	**59.95**
10246	640 m	2,5 mm	0,03 Ohm/m	650 kg	20 pieces/palette	**82.95**



Alu-Draht

Art-Nr.	Length	Strength	Resistance	Breaking load	PU	€
10247	400 m	1,8 mm	0,015 Ohm/m	90 kg	Karton á 4 Stück Palette á 144 Stück	**42.50**
10298	400 m	1,6 mm	0,02 Ohm/m	65 kg	120 pieces/palette	**45.60**
10299	400 m	2,0 mm	0,01 Ohm/m	100 kg	120 pieces/palette	**44.40**

Fence decoiler

Inhouse



Art.-Nr.	Description	€
10401	**Mini decoiler, complete with steel handle and connector** made of polycarbonate, with handle, for wire length of approx. 250 m	8.70
10403	**Replacement coil for mini decoiler** made of polycarbonate	4.30



Art.-Nr.	Description	€
10414	**Plastic decoiler bison** very stable drum, suitable for approx. 600 m wide tape (10 mm) or 500 m rope (6 mm) or 1,000 m stranded wire (3 mm), locking brake prevents unintentional run-on of the drum	22.95
10415	**Replacement coil for plastic decoiler bison**	13.95



Art.-Nr.	Description	€
10405	**Euro decoiler with lock-pin** For wire length of approx. 250 m, with brake and hanging mechanism	14.95
10406	**Replacement coil for euro decoiler with lock-pin**	6.60



Art.-Nr.	Description	€
19400	**Back pack with strap for wire reel**	7.50
19401	**Plastic axle with nut for reels**	2.50

Inhouse



Art.-Nr.	Description	€
10407	**Plastic wire decoiler with carrying handle – green** Fully insulated, two-piece, light weight, for approx 500 m stranded wire or wire	18.20
10408	**Replacement coil for plastic wire decoiler – green**	11.40



Art.-Nr.	Description	€
10417	**Plastic wire decoiler with carrying handle – black**	18.20
10418	**Replacement coil for plastic wire decoiler – green**	11.40



Art.-Nr.	Description	€
10409	**Plastic wide tape decoiler with carrying handle – green** Fully insulated, two-piece, lightweight, for approx 1000 m wide tape according to tape with	21.00
10410	**Replacement coil for plastic wide tape decoiler – green**	14.40



Art.-Nr.	Description	€
10419	**Plastic wide tape decoiler with carrying handle – black**	21.00
10420	**Replacement coil for plastic wide tape decoiler – black**	14.40

Classic plastic post

Features
· Material: PP copolymer with fiberglass reinforcement
· UV-stabilized for long service life
· Triangular footplate for safe and easy stepping in
· Galvanized 8 mm steel spike for secure anchoring
· Available in green and white; additional colors on request
· Secure hold combined with full flexibility

Applications
· mobile electric fencing and paddocks
· wildlife deterrent fencing along forest and field edges
· protection of young crops and trees
· seasonal fencing in vegetable or berry cultivation
·flexible fencing for open stables or exercise areas

Classic plastic post Wildpfahl 75cm
5 tape eyelets and 2 rope loops

Art-Nr.	Color		PU	€
10698	white	pack of 10	palette 800 pieces	**1.80/piece**
10703	white	pack of 20	palette 800 pieces	**1.90/piece**
10704	green	pack of 10	palette 800 pieces	**1.85/piece**
107012	green	pack of 20	palette 800 pieces	**1.95/piece**

Classic plastic post 105cm
7 tape eyelets and 3 rope loops

Art-Nr.	Color		PU	€
10653	white	pack of 10	palette 1040 pieces	**2.00/piece**
10654	white	pack of 20	palette 800 pieces	**2.20/piece**
10663	green	pack of 10	palette 1040 pieces	**2.10/piece**
10664	green	pack of 20	palette 800 pieces	**2.30/piece**

Classic plastic post 125cm
8 tape eyelets and 4 rope loops


Art-Nr.	Color		PU	€
10690	white	pack of 10	palette 800 pieces	**2.20/piece**
10691	white	pack of 20	palette 720 pieces	**2.30/piece**
10692	green	pack of 10	palette 800 pieces	**2.30/piece**
10693	green	pack of 20	palette 720 pieces	**2.40/piece**

Classic plastic post 150cm
8 tape eyelets and 4 rope loops

Art-Nr.	Color		PU	€
10655	white	pack of 10	palette 800 pieces	**2.50/piece**
10656	white	pack of 20	palette 720 pieces	**2.80/piece**
10656-40	white	pack of 40	palette 640 pieces	**2.80/piece**
10656-60	white	pack of 60	palette 960 pieces	**2.80/piece**
10665	green	pack of 10	palette 800 pieces	**2.60/piece**
10666	green	pack of 20	palette 720 pieces	**2.90/piece**
10666-60	green	pack of 60	palette 960 pieces	**2.50/piece**

Classic plastic post with extension150cm
with extension. 105 + 45 cm.

Art-Nr.	Color		PU	€
10710	white	pack of 20	palette 720 pieces	**2.90/piece**
10711	green	pack of 20	palette 720 pieces	**3.00/piece**



NEW

Torero Plastic Post

The new Torero plastic post is more than just a robust all-round solution for electric fencing.

Why Torero Stands Out
· ideal for fencing a wide variety of animal species
· versatile mounting positions for polywire, rope, and wide tape
· robust plastic construction – fiberglass reinforced and UV-stabilized
· quick and easy installation – perfect for mobile fencing systems
With the Torero plastic post, you choose maximum flexibility and stability. Optional integrated special insulator at the top of the post for polywire and rope!

This well-designed feature allows an additional, raised fence line – ideal for increased safety with high-jumping animals, strong wildlife pressure, or for clearly defining the upper boundary of the fence.
· top-mounted insulator for securely elevated polywire or rope

Torero Kunststoffpfahl 123cm
7 tape eyelets and 3 rope loops

Art-Nr.	Color		PU	€
10560	white	pack of 10	palette 700 pieces	**2.40/piece**
10562	white	pack of 20	palette 700 pieces	**2.40/piece**
10561	green	pack of 10	palette 700 pieces	**2.40/piece**
10563	green	pack of 20	palette 700 pieces	**2.40/piece**

Torero Kunststoffpfahl 159cm
7 tape eyelets and 3 rope loops

Art-Nr.	Color		PU	€
10565	white	pack of 10	palette 700 pieces	**2.80/piece**
10567	white	pack of 20	palette 700 pieces	**2.80/piece**
10567-40	white	pack of 40	palette 700 pieces	**2.80/piece**
10566	green	pack of 10	palette 700 pieces	**2.80/piece**
10568	green	pack of 20	palette 700 pieces	**2.80/piece**
10568-40	green	pack of 40	palette 700 pieces	**2.80/piece**

Variant Plastic Post

Features
The strongest post in the Göbel range:
· fiberglass reinforced
· high-quality construction and virtually indestructible
· designed for the highest demands in fence construction
· four semi-round and one round wire eyelet
· available with variable extension for maximum flexibility


Applications
· wildlife protection fencing in forest and field areas
· horse paddocks with high mechanical stress
· permanent fencing for cattle or suckler cow farming
· custom solutions for slopes or challenging soil conditions
· grazing systems exposed to increased wind load

Variant plastic post 100cm

Art-Nr.	Color		PU	€
10644	orange	pack of 25	palette 1250 pieces	**3.00/piece**

Extension to Variant plastic post 45cm

Art-Nr.	Color	PU	€
10646	orange	pack of 25	**1.60/piece**



Mustang Plastic Post

Inhouse

Features
· fiberglass-reinforced, UV-stabilized polypropylene
· sturdy stirrup-style footplate for safe and easy installation
· torsion-free profile and galvanized 8 mm steel spike for secure hold
· 6 (8) rope eyelets and 2 (4) tape eyelets
· available in green and white; additional colors on request

Applications
· paddock construction for horses, cattle, or sheep
· mobile fencing for pastures and paddocks
· temporary barriers at events or in open stable areas

Mustang plastic post 115cm
6 rope loops and 2 tape eyelets

Art-Nr.	Color		PU	€
10657	white	pack of 10	palette 700 pieces	**3.20/piece**
10658	white	pack of 20	palette 800 pieces	**3.40/piece**
10667	green	pack of 10	palette 720 pieces	**3.30/piece**
10668	green	pack of 20	palette 800 pieces	**3.50/piece**


Mustang plastic post 155cm
8 rope loops and 4 tape eyelets

Art-Nr.	Color		PU	€
10659	white	pack of 10	palette 720 pieces	**4.00/piece**
10660	white	pack of 20	palette 720 pieces	**4.30/piece**
10669	green	pack of 10	palette 720 pieces	**4.10/piece**
10670	green	pack of 20	palette 720 pieces	**4.40/piece**

Plastic post round

round, white, 19mm diameter
with glavanized steel nail 21cm, UV-resistant

Art-Nr.	Length	PU	€
10650	85cm	palette 600 pieces	**4.90/piece**
10651	125cm	palette 600 pieces	**7.20/piece**
10652	138cm	palette 600 pieces	**8.20/piece**
10699	150cm	palette 600 pieces	**8.40/piece**



Recycled plastic posts, round with spikes

made of solid material, UV-resistant, weatherproof, eco-friendly

Art-Nr.	Mass	PU	€
10675	45 x 1300 mm	palette 165 pieces	**3.10/piece**
10676	45 x 1500 mm	palette 165 pieces	**3.50/piece**
10683	45 x 1750 mm	palette 165 pieces	**4.20/piece**
10677	60 x 1750 mm	palette 125 pieces	**6.90/piece**
10695	80 x 2000 mm	palette 60 pieces	**14.25/piece**
10679	100 x 1750 mm	palette 33 pieces	**19.50/piece**
10680	100 x 2000 mm	palette 33 pieces	**21.90/piece**

Recycled plastic posts square with spikes

made of solid material, UV-resistant, weatherproof, eco-friendly

Art-Nr.	Mass	PU	€
10684	7 x 7 x 175 cm	palette 55 pieces	**12.70/piece**
10685	7 x 7 x 200 cm	palette 55 pieces	**14.70/piece**
10687	9 x 9 x 175 cm	palette 45 pieces	**21.00/piece**
10694	9 x 9 x 200 cm	palette 45 pieces	**24.00/piece**



Cross profile with spikes

with 3 tape and wire guides,
distance from top 6 cm, 40 cm, 75 cm

Art-Nr.	Mass	PU	€
10688	7 x 7 x 150 cm	palette 320 pieces	**9.80/piece**
10689	7 x 7 x 185 cm	palette 320 pieces	**12.40/piece**

All prices ex works. Freight costs on request.



Fiber glass post 105cm x 10mm

high quality material such as the material used for pole vaulting

Art-Nr.	Color		PU	€
10696	yellow	pack of 25	palette 5000 pieces	**2.40/piece**
10641	yellow	pack of 25	palette 5000 pieces	**3.00/piece**

Fiber glass post 160cm x 10mm

high quality material such as the material used for pole vaulting

Art-Nr.	Color		PU	€
10697	yellow	pack of 25	palette 5000 pieces	**2.90/piece**
10642	yellow	pack of 25	palette 5000 pieces	**3.70/piece**

Art.-Nr.	Description	Piece per bag	bags per box	per bag €
19640	**Step with adapter sleeve for fiberglass post 10 mm**	**25**	**12**	**0.70**





10084



10085

Art.-Nr.	Description	Piece per bag	bags per box	per bag €
10082	**Plastic eyelet for stranded wire for fiberglass post 10 mm** Plastic eyelet for fiberglass post, for stranded wires and wire **black**	**25**	**16**	**12.50**

Art.-Nr.	Description	Piece per bag	bags per box	per bag €
10084	**Plastic eyelet for fiberglass post 10 mm** **for stranded wire**	**25**	**20**	**12.50**
10085	**for tape to 40 mm**	**25**	**20**	**13.40**


Angle steel post

Without insulator, particularly suitable for hard ground, 115 cm x 3 mm, use pin-Lock insulator, item no. 10061

Art-Nr.	Color		PU	€
10643	red	pack of 10	palette 500 pieces	**3.35/piece**
10674	red	pack of 10	palette 500 pieces	**4.10/piece**
10673	red	pack of 10	palette 500 pieces	**4.75/piece**



Art.-Nr.	Description	Piece per bag	bags per box	per bag €
10061	**Pin-Lock insulator** made of polyethylene, round shape for T-Posts **black**	**25**	**20**	**5.00**



Fence posts, oval

with plastic double ring, oval metal post with permanently bent step, durable paintwork and hot welded insulators, for optimal fixing

Art-Nr.	Color	Art		PU	€
10601	yellow	D	pack of 30	palette 720 pieces	**2.99**
10602	yellow	K	pack of 30	palette 720 pieces	**2.99**
10604	yellow	M	pack of 30	palette 720 pieces	**2.99**
10607	yellow	S	pack of 30	palette 720 pieces	**2.99**
10610	yellow	V	pack of 30	palette 720 pieces	**2.99**
10600	black	D	pack of 30	palette 720 pieces	**2.99**
10603	black	K	pack of 30	palette 720 pieces	**2.99**
10605	black	M	pack of 30	palette 720 pieces	**2.99**
10608	black	S	pack of 30	palette 720 pieces	**2.99**
10611	black	V	pack of 30	palette 720 pieces	**2.99**

Fence posts, round 7,5mm

Oval metal post, round. 7 mm, with permanently bent step, durable paintwork and hot welded insulators

Art-Nr.	Color	Art		PU	€
10616	yellow	D	pack of 30	palette 720 pieces	**2.99**
10617	yellow	K	pack of 30	palette 720 pieces	**2.99**
10619	yellow	M	pack of 30	palette 720 pieces	**2.99**
10622	yellow	S	pack of 30	palette 720 pieces	**2.99**
10625	yellow	V	pack of 30	palette 720 pieces	**2.99**
10615	black	D	pack of 30	palette 720 pieces	**2.99**
10618	black	K	pack of 30	palette 720 pieces	**2.99**
10620	black	M	pack of 30	palette 720 pieces	**2.99**
10623	black	S	pack of 30	palette 720 pieces	**2.99**
10626	black	V	pack of 30	palette 720 pieces	**2.99**

UTINA


with lateral metal sliding eyelet


Art-Nr.	Color	Art		PU	€
10613		U	pack of 60	palette 1000 pieces	**3.30**
19613		U	pack of 60	palette 1000 pieces	**6.90**


Replacement heads


for oval 6mm, 7mm, 8mm.


Art-Nr.	Color	Art		PU	€
19601	yellow	D	pack of 30	palette 720 pieces	**6.60**
19602	yellow	K	pack of 30	palette 720 pieces	**6.60**
19604	yellow	M	pack of 30	palette 720 pieces	**6.60**
19607	yellow	S	pack of 30	palette 720 pieces	**6.60**
19610	yellow	V	pack of 30	palette 720 pieces	**6.60**
19600	black	D	pack of 30	palette 720 pieces	**6.60**
19603	black	K	pack of 30	palette 720 pieces	**6.60**
19605	black	M	pack of 30	palette 720 pieces	**6.60**
19608	black	S	pack of 30	palette 720 pieces	**6.60**
19611	black	V	pack of 30	palette 720 pieces	**6.60**



D
with plastic double ring


K
with combi-insulator


M
with metal sliding eyelet



S
with sliding eyelet made of nylon


V
with full plastic ring


Utina
with lateral metal sliding eyelet



Flooring



Art.-Nr.	Description	€
70933	**Paddock disc black** This flooring product does not require any sealing. Ideally suited for paddocks, riding arenas, lunging rings, yards, boxes, feeding areas, and heavily used access routes. High stability due to broad cross members (approx. 5 mm) and stable connection hooks. Fast assembly and easy handling. Frost and UV proof. Length 50 cm, width 40 cm, thickness 4 cm, color black. **1 pallet = 100 pcs. = 20 m²**	**5.95**



Art.-Nr.	Description	€
71933	**Paddock disc INB** Self-supporting disc, no platform needed, nor harmful substances, shatterproofed, acid and base resistent, easy to handle. Double-nobby surface, plug system Ø hole: 5 cm, 1 m² = 4 discs, sealed area 70%, filling volume to top edge 0,03 m^3 per m^2 **1 pallet = 140 discs = 35 m²**	**11.49**

All prices ex works. Freight costs on request.

Connecting cables & grounding accessories



Art.-Nr.	Description	€
10701	**Post hole diggers** with rod and eyelet, forged, especially suitable for the entire agriculture and forestry for setting posts and poles as well as planting of trees and shrubs approx. length 100 cm Ø 90 mm	**44.99**



Art.-Nr.	Description	€
10705	**Plastic hammer with handle** made of rubber, 31 x 12 x 12 cm, 3.4 kg, with wooden handle 110 cm	**40.95**




Art.-Nr.	Description	€
10706	**Farmer pliers** 26 cm length, universal tool for hammering, pull wire loops, cut wire, and much more: These pliers are indispensable for fence construction	**11.99**






Standard 13 und 15 mm

single spike




double spike




Jumbo 19 mm

single spike




double spike



Corner post 19 und 22 mm

single spike with step



EURO NETS

The Original. Quality that Protects.

Electric Fence Nets "Made in Germany" – Developed with Responsibility

Where animals are kept, safety matters. Every day, in all weather conditions, along every meter of fencing.
This is exactly where EURO-Net begins.
For decades, the name EURO-Net has stood for premium electric fence nets manufactured in Germany – developed for livestock keepers who refuse to compromise.
EURO-Net is more than just a fencing net. It is a well-engineered system that combines high-quality materials, mechanical stability, and reliable electrical conductivity. Every detail follows one clear objective: to keep animals safely contained while providing the user with a solution they can rely on for the long term.

True Quality Shows Its Origin
EURO nets are produced in Germany under strict quality standards and using carefully selected materials. This origin is not just a label – it is a promise: consistent mesh structure, stable posts, durable conductors, and a construction that proves itself in daily use.
Whether on uneven terrain, during frequent installation and removal, or in permanent use, EURO nets retain their shape, stability, and functionality. This means safety for the animals and confidence for the keeper.

Proven in Practice – Designed for Everyday Use
EURO nets are ready for immediate use, easy to handle, and highly flexible in application. They are suitable for both mobile grazing systems and permanent fencing. The clear mesh design and high visibility help animals quickly recognize the fence line – a decisive factor for calm behavior and safe pasture management.
From sheep and goat farming to horse paddocks, EURO nets provide solutions for a wide range of requirements – always with the same uncompromising quality standard.

EURO-Net – The Original for Secure Pastures
Choosing EURO-Net means consciously choosing the original. For tested quality, German manufacturing, and a product that performs reliably for many years.
EURO-Net stands for safety, responsibility, and trust – fence by fence.

EURO NETZ

EURO nets are highly adaptable, as uneven terrain can be easily compensated for using additional posts and ground pegs.

Areas of Application:
Sheep, lambs, goats, horses, and small animal enclosures

– Technical Specifications
· top strand reinforced by approx. 80%, consisting of 24 plastic monofilaments Ø 0.40 mm and 6 stainless steel wires Ø 0.20 mm
· bottom strand reinforced, non-electrified: 32 plastic monofilaments Ø 0.40 mm; with additional 16 stainless steel wires Ø 0.20 mm for wildlife pressure
· remaining horizontal strands: each with 15 plastic monofilaments Ø 0.40 mm and 3 stainless steel wires Ø 0.20 mm
· vertical strands: each with 15 plastic monofilaments Ø 0.40 mm
· combination nets with rigid verticals
· UV-stabilized
· every mesh intersection permanently welded with an inseparable plastic seal
· excellent stability even on hilly terrain or uneven ground

Replacement posts



Innovation Highlight: The New BISON Post

More Stability. Less Weight. A New Standard.

With the BISON post, EURO-Net once again sets new benchmarks in the development of modern electric fence nets. Designed and manufactured in Germany, the new post is based on a completely new material concept.
An innovative FRP core (Fiberglass Reinforced Plastic) combined with a protective PE outer coating creates a unique balance of stability, flexibility, and durability.

The Results Speak for Themselves
· up to 25% weight reduction
· up to 90% increased stability at the same time
· significantly improved ground stability
· easier and more comfortable handling during installation and removal

The BISON post is corrosion-free, weather-resistant, and designed for long-term outdoor use. It withstands wind, tension, and mechanical stress while remaining dimensionally stable and reliable.


Technology That Makes the Difference
The innovative combination of fiberglass core and PE coating unites the strengths of both materials: high structural strength at the core, with protection and flexibility on the surface. The result is a post that is easier to transport yet capable of withstanding significantly higher loads than conventional plastic or metal posts.

Series Standard at EURO-Net
The new BISON post will be gradually introduced across all EURO nets throughout the year. This once again underlines EURO-Net's commitment to viewing innovation not as a special option, but as a standard feature.

EURO-Net with BISON Post
True innovation. True quality. Made in Germany.

COMPARISON

Normal – BISON




Different versions:



Browsing by game

reinforced, non-electric bottom strand (16 stainless steel wires with Ø 0,20mm) saves the net of damage.






KOMBI

rigid vertical bars prevent the net from sagging

JUMBO

beginning and end post has a diameter of 19mm, therefore the net has improved stability and optimum net tension.





Torero-LEITFIX

The reinforced upper strand in this net has a copper lead, Ø 0.25 mm and 5 stainless steel wires, Ø 0.20 mm, designed to achieve an increased conductivity.



Rapid

horizontal blue wire acts as a deterrent of wild animals. In addition this wire has a copper conductor.



Wolf netting

"Wolves don't want to jump, they prefer to dig. A slight electric shock on the muzzle drives them away very quickly."


Euro-Netz offers the right networks for this. The floor strand lies on top of the entire length of the fence on the ground. This reduces the grounding resistance and increases the fence tension.

So if the wolf wants to go under the fence he will have direct contact with the grounded wire and the plus strand of the net which will produce a shock effect.

Plus/Minus


The connections of the grazing unit (fence and earth) are tobe connected to the two terminals of the Euro net. The grazing unit needs not to be grounded, which is advantageous where the ground conditions are poor, such as sandy soil or during extended dry periods.The animal must touch two wires (+ -) to achieve the desired effect. The low resistance (no ground resistance) between the strands achieves an optimal fence voltage.

Euro net 90cm height



height 90cm
length with 25m: 8 posts Ø 13mm
length with 50m: 14 posts Ø 13mm
8 horizontal plastic wires thereof
7 with incorporated chrome nickel wire

Art.-Nr.	Description	€
10369	**Euro net extra 90/2** **25 m** – double spike	82.95
10325	**Euro net extra 90/1** **50 m** – single spike	89.95
10327	**Euro net extra 90/2** **50 m** – double spike	99.95
11327	**Euro net extra 90/2 Bison** **50 m** – double spike	99.95
10326	**Euro net extra 90/1 browsing by game** **50 m** – single spike	99.95
10328	**Euro net extra 90/2 browsing by game** **50 m** – double spike	109.95
10386	**Euro net Torero LEITFIX 90/2** **50 m** – double spike	109.95
10452	**Euro net JUMBO 90/2** **50 m** – double spike	105.95
10453	**Euro wolf netting JUMBO 90/2** **50 m** – double spike	119.95




height 90cm
length with 25m: 8 posts Ø 13mm
length with 50m: 14 posts Ø 13mm
9 horizontal plastic wires thereof
8 with incorporated chrome nickel wire
rigid vertical plastic bars for improved stability

Art.-Nr.	Description	€
10483	**Euro net combi 90/2** **25 m** – double spike	99.95
10349	**Euro net combi 90/1** **50 m** – single spike	106.95
10351	**Euro net combi 90/2** **50 m** – double spike	116.95
10476	**Euro Kombi-Netz JUMBO 90/2** **50 m** – double spike	122.95
10477	**Euro Kombi-Netz JUMBO 90/2** **browsing by game** **50 m** – double spike	126.95



height 90cm
length with 50m: 14 posts Ø 13mm
5 horizontal plastic wires thereof
4 with incorporated chrome nickel wire
3. wire from the top has an additional copper conductor
vertical plastic bars for improved stability

Art.-Nr.	Description	€
10440	**Euro net Rapid – 90/2** **50 m** – double spike	94.95



height 90cm
length with 25m: 8 posts Ø 13mm
length with 50m: 14 posts Ø 13mm
9 horizontal plastic wires thereof
8 with incorporated chrome nickel wire
rigid vertical plastic bars for improved stability
blue/white

Art.-Nr.	Description	€
10421	**Euro net combi 90/1** **50 m** – double spike, blue-white	108.95
10422	**Euro net combi 90/2** **50 m** – double spike, blue-white	118.95

Replacement

Ø 13 mm

Art.-Nr.	For	Color	€
19325	90/1	green	4.40
19326	90/1	schwarz	4.40
19327	90/2	grün	4.70
19328	90/2	schwarz	4.70

Bison

Ø 13 mm

Art.-Nr.	For	Color	€
19351	90/2	grün	4.70

Ø 19 mm


Art.-Nr.	For	Color	€
19452	90/2	grün	7.30

Corner post reinforced with step

Ø 19 mm


Art.-Nr.	For	Color	€
19490	90/2	schwarz	4.95

Euro net 105cm height




height 105cm
length with 25m: 8 posts Ø 13mm
length with 50m: 14 posts Ø 13mm
9 horizontal plastic wires thereof
8 with incorporated chrome nickel wire

Art.-Nr.	Description	€
10371	**Euro net plus 105/2** **25 m** – double spike	92.95
10329	**Euro net plus 105/1** – **50 m** – single spike	105.95
10331	**Euro net plus 105/2** **50 m** – double spike	110.95
10332	**Euro net plus 105/2 browsing by game** **50 m** – double spike	125.95
10388	**Euro net Torero LEITFIX 105/2** **50 m** – double spike	119.95
10389	**Euro net plus/minus 105/2** **50 m** – double spike	129.95
10456	**Euro net JUMBO 105/2** **50 m** – double spike	115.95
10457	**Euro wolf netting JUMBO 105/2** **50 m** – double spike	125.95



height 105cm
length with 50m: 14 posts Ø 13mm
6 horizontal plastic wires thereof
5 with incorporated chrome nickel wire
4. with incorporated chrome nickel wire
vertical plastic bars for improved stability

Art.-Nr.	Description	€
10441	**Euro net Rapid – 105/2** **50 m** – double spike	99.95



height 105cm
length with 50m: 14 posts Ø 13mm
9 horizontal plastic wires thereof
8 with incorporated chrome nickel wire
vertical plastic bars for improved stability
blue/white

Art.-Nr.	Description	€
10423	**Euro net combi 105/1** **50 m** – double spike	127.95
10424	**Euro net combi 105/2** **50 m** – double spike	137.95




height 105cm
length with 25m: 8 posts Ø 13mm
length with 50m: 14 posts Ø 13mm
9 horizontal plastic wires thereof
8 with incorporated chrome nickel wire
vertical plastic bars for improved stability

Art.-Nr.	Description	€
10485	**Euro net combi 105/2** **25 m** – double spike	109.95
10353	**Euro net combi 105/1** **50 m** – single spike	124.95
10355	**Euro net combi 105/2** **50 m** – double spike	134.95
10480	**Euro net combi JUMBO 105/2** **50 m** – double spike	139.95
10481	**Euro combi wolf netting JUMBO 105/2** **"browsing by game"** **50 m** – double spike	146.95



Euro net 105cm height



height 105cm
length with 50m: 14 posts Ø 13mm
15cm Bodenfreiheit, daher bewuchsunempfindlich
2. wire from the top has an additional copper conductor
(13,14 Ohm)

Art.-Nr.	Description	€
10363	**Euro net Allround 105/1** **50 m** – single spike	**103.95**

Replacement

Ø 13 mm

Art.-Nr.	For	Color	€
19329	105/1	green	**5.10**
19331	105/2	green	**5.40**
19332	105/2	black	**5.40**

Bison

Ø 13 mm

Art.-Nr.	For	Color	€
19355	105/2	green	**5.40**

Ø 19 mm

Art.-Nr.	For	Color	€
19456	105/2	green	**7.90**

Corner post reinforced with step

Ø 19 mm


Art.-Nr.	For	Farbe	Preis €
19491	105/2	black	**5.49**

Ø 22 mm

Art.-Nr.	For	Color	€
19493	105/2	black	**5.99**




Euro net 112cm height



height 112cm
length with 25m: 9 posts Ø 13mm
length with 50m: 15 posts Ø 13mm
12 horizontal plastic wires thereof
11 with incorporated chrome nickel wire

Art.-Nr.	Description	€
10375	**Euro net poultry 112/2** **25 m** – double spike	104.95
10337	**Euro net poultry 112/1** **50 m** – single spike	119.95
10339	**Euro net poultry 112/2** **50 m** – double spike	139.95
10340	**Euro net poultry 112/2 browsing by game** **50 m** – double spike	159.95
10464	**Euro net JUMBO 112/2** **50 m** – double spike	145.95



height 112cm
length with 25m: 9 posts Ø 13mm
length with 50m: 15 posts Ø 13mm
12 horizontal plastic wires
bei stromführenden Netzen: 11 horizontal plastic wires
with incorporated chrome nickel wire
green

Art.-Nr.	Description	€
10396	**Euro net poultry 112/1 "de-energized"** **25 m** – double spike	89.95
10397	**Euro net poultry 112/2 "de-energized"** **25 m** – double spike	99.95
10398	**Euro net poultry 112/1 "de-energized"** **50 m** – single spike	107.95
10399	**Euro net poultry 112/2 "de-energized"** **50 m** – double spike	137.95
10383	**Euro net poultry 112/2 grün** **50 m** – double spike	139.95

Pasture gates



Art.-Nr.	Description	€
10316	**Euro net gate Jumbo 112/2** Dark green version, with black JUMBO poles including all accessories, ready packed **Accessories:** Base plate, 6 cable ties, 2 iron pegs, instructions for use The top strand of this net is "not" live! **1.20 m** wide	79.95
10317	**3 m** wide	87.95



Replacement

Ø 13 mm

Art.-Nr.	For	Color	€
19337	112/1	green	5.20
19338	112/1	black	5.20
19339	112/2	green	5.60
19341	112/2	black	5.60


Bison

Ø 13 mm


Art.-Nr.	For	Color	€
19359	112/2	green	5.20

Ø 19 mm

Art.-Nr.	For	Color	€
19464	112/2	green	8.20




Euro net 120cm height



height 120cm
length with 50m: 14 posts Ø 13mm
10 horizontal plastic wires thereof
9 with incorporated chrome nickel wire

Art.-Nr.	Description	€
10380	**Euro net extra high 120/2** **50 m** – double spike	**129.95**
10391	**Euro net plus/minus 120/2** **50 m** – double spike	**139.95**
10381	**Euro wolf netting JUMBO 120/2** **50 m** – double spike	**149.95**



height 120cm
length with 50m: 14 posts Ø 13mm
9 horizontal plastic wires thereof
8 with incorporated chrome nickel wire
6. wire from the top has an additional copper conductor
vertical plastic bars for improved stability

Art.-Nr.	Description	€
10442	**Euro net Rapid – 120/2** **50 m** – double spike	**105.95**



height 120cm
length with 30,5m: 9 posts Ø 19mm
4 horizontal plastic wires in schwarz/weiß mit je 48x0,4mm
KU-Monofilen und 3x0,2mm Edelstahldrähten
vertical plastic bars for improved stability
15cm Bodenfreiheit, daher bewuchsunempfindlich

Art.-Nr.	Description	€
10378	**Euro Pferde-Netz** **30,5 m** – double spike	**135.20**

Replacement

Ø 13 mm

Art.-Nr.	For	Color	€
19467	120/2	green	**6.10**

Ø 19 mm

Art.-Nr.	For	Color	€
19481	120/2	green	**7.25**

Corner post reinforced with step


Ø 19 mm

Art.-Nr.	For	Color	€
19492	120/2	black	**5.95**

Ø 22 mm


Art.-Nr.	For	Color	€
19494	120/2	black	**6.49**

Euro net 145cm height



height 145cm
length with 50m: 15 posts Ø 19mm
11 horizontal plastic wires thereof
10 with incorporated chrome nickel wire

Art.-Nr.	Description	€
10376	**Euro Mustang net 145/2** **50 m** – double spike	**195.95**
10459	**Euro wolf netting JUMBO 145/2** **50 m** – double spike	**205.95**




height 145cm
length with 50m: 15 posts Ø 19mm
17 horizontal plastic wires thereof
16 with incorporated chrome nickel wire

Art.-Nr.	Description	€
10379	**Euro Mustang net 145/2 with extra fine mesh** **50 m** – double spike	**220.95**

Replacement


Ø 19 mm	Art.-Nr.	For	Color	€
	19468	145/2	black	**8.25**

Euro net 170cm height



height 170cm
length with 25m: 8 posts Ø 19mm
12 horizontal plastic wires thereof
11 with incorporated chrome nickel wire

Art.-Nr.	Description	€
10377	**Euro Mustang net 170/2** **25 m** – double spike **Attention:** Additional shipping costs because of extra length when shipped with parcel service	**192.95**



height 170cm
length with 25m: 11 posts Ø 19mm
20 horizontal plastic wires thereof
19 with incorporated chrome nickel wire


Art.-Nr.	Description	€
10487	**Euro Mustang net 170/2 with extra fine mesh** **25 m** – double spike **Attention:** Additional shipping costs because of extra length when shipped with parcel service	**239.95**

Replacement

Ø 19 mm	Art.-Nr.	For	Color	€
	19472	170/2	black	**9.40**




Euro net 130cm height



height 130cm
length with 50m: 15 posts Ø 15mm
10 horizontal plastic wires thereof
9 with incorporated chrome nickel wire
vertical plastic bars for improved stability

Art.-Nr.	Description	€
10356	**Euro net combi 130/2** **50 m** – double spike	**139.95**



height 130cm
length with 50m: 15 posts Ø 15mm
10 horizontal plastic wires thereof
9 with incorporated chrome nickel wire
4. wire from the top has an additional copper conductor
vertical plastic bars for improved stability
blue / white

Art.-Nr.	Description	€
10425	**Euro net combi 130/2** **50 m** – double spike	**141.95**

Replacement


Bison

Ø 15 mm

Art.-Nr.	For	Color	€
19356	130/2	green	**5.95**




Euro net 150cm height



height 150cm
length with 50m: 16 posts Ø 15mm
10 horizontal plastic wires thereof
9 with incorporated chrome nickel wire
vertical plastic bars for improved stability

Art.-Nr.	Description	€
10357	**Euro net combi 150/2** **50 m** – double spike	**149.95**



height 150cm
length with 50m: 16 posts Ø 15mm
10 horizontal plastic wires thereof
9 with incorporated chrome nickel wire
5. wire from the top has an additional copper conductor
vertical plastic bars for improved stability
blue / white

Art.-Nr.	Description	€
10426	**Euro net combi 150/2** **50 m** – double spike	**151.95**


Replacement

Bison

Ø 15 mm

Art.-Nr.	For	Color	€
19357	150/2	green	**6.95**

Euro net 65cm height



height 65cm
length with 25m: 9 posts Ø 13mm
length with 50m: 15 posts Ø 13mm
10 horizontal plastic wires thereof
9 with incorporated chrome nickel wire

Art.-Nr.	Description	€
10373	**Euro net crop protection 65/2** **25 m** – double spike	91.95
10471	**Euro net JUMBO 65/2** **50 m** – double spike	99.95
10333	**Euro net crop protection 65/1** **50 m** – single spike	106.95
10335	**Euro net crop protection 65/2** **50 m** – double spike	111.95
10336	**Euro net crop protection 65/2 browsing by game** **50 m** – double spike	118.95
10460	**Euro net JUMBO 65/2** **50 m** – double spike	119.95

Replacement


Ø 13 mm

Art.-Nr.	For	Color	€
19333	65/1	green	3.80
19335	65/2	green	4.00

Ø 19 mm

Art.-Nr.	For	Color	€
19460	65/2	green	5.80

Euro net 75cm height



height 75cm
length with 25m: 9 posts Ø 13mm
11 horizontal plastic wires thereof
10 with incorporated chrome nickel wire

Art.-Nr.	Description	€
10393	**Euro net for cat green 75/1** **25 m** – single spike	119.95

Replacement

Ø 13 mm

Art.-Nr.	For	Color	€
19340	75/1	green	4.40



Art.-Nr.	Description	€
19365	**KU cap** for posts **13 mm for netting**	0.40
19372	**KU cap** for posts **19 mm for netting**	0.60
19366	**KU clip** for posts **13 mm for netting**	0.39
19373	**KU clip** for JUMBO-posts **19 mm for netting**	0.39
19367	**Metal clip large for netting**	0.80
19368	**Metal clip small for netting**	0.60
19369	**Repair kit for netting - orange**	2.60
19371	**Peg for netting**	0.80







Barrier fences

Inhouse

twist butler by Mark

It has never been easier to erect and dismantle electric pasture fences quickly, easily and without assistance. Use the twist butler and let the easy handling, quality and space-saving storage option for your pasture fences impress you.


The product is unique in its kind and characterised by a reel-like crank system consisting of 2 units: the storage element and the crank unit. The latter can be removed and only needs to be purchased once – this saves money.

The twist butler is primarily used for fencing small to medium-sized pastures. This is available for fences up to 125 cm high. It is optimal to use one base element (consisting of slider and bar) per fence. The crank is universal and can be used for multiple base elements.

Click for product video




Art.-Nr.	Description	€
10394	**Göbel univesal fence** The quick remedy when it comes to safety! The 20 metres long and 80 centimetres high fence is a de-energised boundary for gardens, camp sites and many more. The plug-in fence is ideal for protecting flower beds, green spaces and other areas. But also to protect children or pets from dangerous places. Glass-fibre reinforced polyamide posts are incorporated into the fence every two metres over its entire length. The robust fence only weighs approx. 2.7 kg and can be transported easily. Additional leads or wire can be easily attached using the eyelet at the top of the posts. Ingenious: You can expand the system as you wish with additional "Universal" fences. Characteristics: · Weight 2.7 kg · 20 m long and fitted with eleven polyamide posts woven into the mesh (every 200 cm) · Each post head with eyelet, the mesh size of the fence is approx. 0.5 x 0.5 cm	**69.95**



Art.-Nr.	Description	€
10395	**Universal barrier fencing 20 m** With 12 woven fiberglass bars, no electric wires, made of UV-proof polyethylene fabric, 20 m length, 80 cm height, weight approx. 3.3 kg, bar spacing approx. 180 cm with 4 ground anchors and tension wires for corner mounting. Versatile. Mesh size 2.5 - 3 cm	**108.30**

Art.-Nr.	Description	€
10430	**twist butler TB125**	**56.50**
10431	**twist butler TB125** basic element	**35.80**
10432	**twist butler TB125** set of 3	**107.50**
10433	**twist butler TB125** additional set of 3	**82.50**
10434	**twist butler replacement crank handle**	**27.20**



10434


10430

10431

How an electric fence works

The electric fence protects animals not through solid barriers but throught short electrical impulses. Touches the animal the fence closes the electric circuit over the ground. The impulse is uncomfortable but harmless but the animal moves away and won't touch the fence in the future.

INFO
The electrical impulses are regulated by law and guarantee the safety of human and animal.



What are the parts of the electric fence?
It is made of different components:


- **Energizers:**
  generates constant electrical impulses, devices are avalable for 9V, 12V or 230**V**
- **Fence conductors:**
  wire, tape or rope transmit electricity through the fence.
- **Fence posts:**
  create the barrier of the fencing area
- **Insulators:**
  they are the connection between the post and the wire. Prevents energy loss.
- **Grounding system:**
  transmits the electricity from the animal back tot he device

Important for the right grounding system:
Without good grounding the electric fence can't work properly. So it makes sense to use not only one grounding post when the ground is very dry or the device is very powerful.
Set the posts 2-3m apart from each other. Put it approx. 1m into the ground. Connect the posts with each other.

Notice
The better the grounding, the better the deterrence.

Practical tip:
check the insulators, if they aren't working properly they are a reason for bad connectivity

Easy test:
Check the insulators after raining or in the dak, if you can't see any sparks and don't hear anything they are working properly.




Charging energy and pulsed energy – short definition:
For an effectiv energizer the pulsed engery (Joule) is important. It describes the actual impact at the electric fence. It's measured under predefined terms.

Notice:
Not the voltage counts but the pulsed energy.

Summarized:
suitable energizer
proper wires
top-quality insulators
efficient ground system

Only if all components work together your electric fence will work reliable.

Recommended fence height



Repair of electric fences of all brands with **two years warranty!**
Email: reparaturen@fritzgoebel.de

Electric fencing products

	Order-Nr.	Description	Impuls-Energy	recomm. fence length
Battery devices				
9 Volt	**11001**	Arizona B 5000	0,18 J	to 3 km
	11075	Compact B 180	0,15 J	to 3 km
	11103	Compact B 300	0,25 J	to 4 km
	11104	Bärenstark B 400	0,28 J	to 5 km
	11105	Merlin B 500	0,45 J	to 8 km
	11400	Herkules EB2	0,40 J	to 6 km
	11401	Herkules SB5	0,46 J	to 8 km
	11411	Herkules Junior JB 40	0,40 J	to 2 km
Combination devices				
9/12 Volt + 230 Volt	**11010**	Arizona U 12000 with power supply	0,60 J	to 10 km
	11128	Bison U 4000 with power supply	1,30 J	to 18 km
	11406	Herkules EA15 TRIO	1,76 J	to 33 km
	11407	Herkules SA40 TRIO	4,40 J	to 100 km
	11408	Herkules PA65 TRIO	6,20 J	to 120 km
9/12 Volt	**11125**	Compact A 1500	0,50 J	to 8 km
	11127	Bison U 4000	1,30 J	to 18 km
	11402	Herkules PB7 Duo	0,71 J	to 15 km
12/230 Volt	**11130**	Compact AN 2500	2,00 J	to 30 km
	11132	Torero Kombi	1,20 J	to 6 km
Power pack devices				
12 Volt	**11155**	Magnus A 10000 DC	4,50 J	to 50 km
	11153	Magnus A 4500 MC	4,00 J	to 50 km
	11154	Bison A 5000	2,20 J	to 30 km
Energizers				
230 Volt	**11026**	California N 6000	0,75 J	to 10 km
	11027	California N 9000	2,00 J	to 20 km
	11028	California N 10000	4,00 J	to 50 km
	11177	Compact N 3001	2,00 J	to 20 km
	11179	Bison N 8000 MC	5,00 J	to 80 km
	11180	Bison N 10000 DC	5,00 J	to 125 km
	11403	Herkules EN15	1,80 J	to 40 km
	11404	Herkules SN40	4,00 J	to 80 km
	11405	Herkules PN65	6,20 J	to 130 km
	11412	Herkules X-TRA N 13000	13,00 J	to 180 km
	11409	Herkules Junior JN 25	0,24 J	to 3 km
	11410	Herkules Junior JN 60	0,60 J	to 12 km
Solar-sets				
12 Volt	**11202**	Compact S 1510	0,70 J	to 9 km
	11203	Compact S 2510	2,00 J	to 30 km

HERKULES Power Serie

All units meet the highest european standards and are tested accordingly.

Herkules Junior

- supply voltage
- charging energy
- output power
- voltage at 500 ohm
- max. fence length
- max. fence length with vegetation

– **Volt** 230 V
– **Charging energy** 0,24 J
– **Output power** 0,15 J
– **Voltage at 500 Ohm** 2200 V
– **Max. fence length** 1 km
– **Fence length with vegetation** 0,2 km

– **Volt** 230 V
– **Charging energy** 0,60 J
– **Output power** 0,35 J
– **Voltage at 500 Ohm** 2200 V
– **Max. fence length** 2 km
– **Fence length with vegetation** 0,4 km

– **Volt** 9 V
– **Charging energy** 0,40 J
– **Output power** 0,17 J
– **Voltage at 500 Ohm** 2500 V
– **Max. fence length** 3,5 km
– **Fence length with vegetation** 0,5 km







Art-Nr.	Description	€
11409	**Herkules Junior JN 25, 230 V**	87.40

Art-Nr.	Description	€
11410	**Herkules Junior JN 60, 230 V**	99.10

Art-Nr.	Description	€
11411	**Herkules Junior JB 40, 9V**	99.70

Battery units

Herkules EB2

- durable, robust and weatherproof housing
- specially designed for sensitive animal species
- battery box and insert for different battery sizes

– **Volt** 9 V
– **Charging energy** 0,40 J
– **Output power** 0,17 J
– **Max. Voltage** 5600 V
– **Voltage at 500 Ohm** 2500 V
– **Voltage at 1.000 Ohm** 3500 V
– **Consumption** 27 - 33 mA
– **Max. fence length** 3,5 km
– **Fence length with vegetation** 1 km



Art-Nr.	Description	€
11400	**Herkules EB2, 9V**	134.60

Herkules SB5

- durable, robust and weatherproof housing
- specially designed for sensitive animal species
- battery box and insert for different battery sizes

– **Volt** 9 V
– **Charging energy** 0,46 J
– **Output power** 0,35 J
– **Max. Voltage** 6900 V
– **Voltage at 500 Ohm** 3700 V
– **Voltage at 1.000 Ohm** 4800 V
– **Consumption** 45 - 72 mA
– **Max. fence length** 4 km
– **Fence length with vegetation** 2,5 km



Art-Nr.	Description	€
11401	**Herkules SB5, 9V**	209.20

Combi units

Herkules SB5

- high-quality, durable and weatherproof housing
- Herkules power circuit for animal contact
- battery box and insert for different battery sizes
- energy saving mode
- day/night mode
- high voltage LED

– **Volt** 9 V / 12 V
– **Charging energy** 0,71 J
– **Output power** 0,51 J
– **Max. Voltage** 7300 V
– **Voltage at 500 Ohm** 4000 V
– **Voltage at 1.000 Ohm** 5200 V
– **Consumption** 40 - 80 mA
– **Max. fence length** 10 km
– **Fence length with vegetation** 6 km



Art-Nr.	Description	€
11402	**Herkules PB7 Duo, 9V/12V**	291.70

Power units

Herkules EN15

- durable, robust and weatherproof housing
- wall mounting
- HV LED
- low consumption

- **Volt** 230 V
- **Charging energy** 1,80 J
- **Output power** 1,00 J
- **Max. Voltage** 8400 V
- **Voltage at 500 Ohm** 6000 V
- **Voltage at 1.000 Ohm** 7000 V
- **Consumption** 4 Watt
- **Max. fence length** 8 km
- **Fence length with vegetation** 3,5 km



Art-Nr.	Description	€
11403	**Herkules EN15, 230V**	113.50

Herkules SN40

- durable, robust and weatherproof housing
- wall mounting
- HV LED
- low consumption

- **Volt** 230 V
- **Charging energy** 1,80 J
- **Output power** 1,00 J
- **Max. Voltage** 8400 V
- **Voltage at 500 Ohm** 6000 V
- **Voltage at 1.000 Ohm** 7000 V
- **Consumption** 4 Watt
- **Max. fence length** 8 km
- **Fence length with vegetation** 3,5 km



Art-Nr.	Description	€
11404	**Herkules SN40, 230V**	210.50

Herkules PN65

- durable, robust and weatherproof housing
- wall mounting
- HV LED
- low consumption

- **Volt** 230 V
- **Charging energy** 6,20 J
- **Output power** 4,90 J
- **Max. Voltage** 13000 V
- **Voltage at 500 Ohm** 7500 V
- **Voltage at 1.000 Ohm** 9800 V
- **Consumption** 8 Watt
- **Max. fence length** 45 km
- **Fence length with vegetation** 15 km



Art-Nr.	Description	€
11405	**Herkules PN65, 230V**	321.10

Herkules X-TRA N 13000

- durable, robust and weatherproof housing
- wall mounting
- HV LED
- low consumption

- **Volt** 230 V
- **Charging energy** 13,00 J
- **Output power** 8,00 J
- **Max. Voltage** 13000 V
- **Voltage at 500 Ohm** 7500 V
- **Voltage at 1.000 Ohm** < 10000 V
- **Consumption** 12 Watt
- **Max. fence length** 80 km
- **Fence length with vegetation** 18 km



Art-Nr.	Description	€
11412	**Herkules X-TRA N 13000**	389.95

Accu units

Herkules EA15

- entry level model

- **Volt** 9 V / 230 V
- **Charging energy** 1,76 J
- **Output power** 1,20 J
- **Max. Voltage** 8000 V
- **Voltage at 500 Ohm** 4500 V
- **Voltage at 1.000 Ohm** 6800 V
- **Consumption** 75 mA
- **Max. fence length** 12 km
- **Fence length with vegetation** 6 km



Art-Nr.	Description	€
11406	**Herkules EA15, 12 V**	138.10

Herkules PA65

- entry level model

- **Volt** 9 V / 230 V
- **Charging energy** 6,20 J
- **Output power** 4,90 J
- **Max. Voltage** 10000 V
- **Voltage at 500 Ohm** 7500 V
- **Voltage at 1.000 Ohm** 9800 V
- **Consumption** 95 - 350 mA
- **Max. fence length** 42 km
- **Fence length with vegetation** 30 km



Art-Nr.	Description	€
11408	**Herkules PA65, 12 V**	340.00


Herkules SA40

- entry level model

- **Volt** 9 V / 230 V
- **Charging energy** 4,40 J
- **Output power** 3,00 J
- **Max. Voltage** 10000 V
- **Voltage at 500 Ohm** 5800 V
- **Voltage at 1.000 Ohm** 7500 V
- **Consumption** 82 - 92 mA
- **Max. fence length** 30 km
- **Fence length with vegetation** 10 km



Art-Nr.	Description	€
11407	**Herkules SA40, 12 V**	226.70



fence control
indicates with every pulse the voltage on the fence

push button for battery control
push button to show the voltage on the display

ON /OFF switch
high quality tumbler switch

digital battery display
shows the battery voltage when pushing the control button

Battery devices

Recommended use for battery devices.

Battery devices are an optimal choice when it is not possible to connect a device to the main power network. Typical areas of application are the portion pastures, the paddock and the herding of small animals in yards and gardens. Depending on the design, ground conditions and vegetation the length of the fence may vary between one and eight kilometers. Switchable power levels not only allow an optimal adaptation to different herding conditions, but enable also a particularly economical operation.

Arizona B 5000

Standard device for short fences, CE mark

- **Volt** 9 V
- **Open circuit voltage** ca. 7000 V
- **Voltage on animal contact** ca. 3500 V
- **Voltage at 500 Ohm (short circuit)** ca. 1100 V
- **Pulse energy** ca. 0,18 J
- **Power consumption** ca. 18 mA
- **Recommended fence length (dependent on plant overgrowth)** bis 3 km



Art-Nr.	Description	€
11001	**Arizona B 5000 without battery**	134.70

compact B 180

- Schlagstark
- Mit Schalter und Zaunkontrolle

- **Volt** 9 V
- **Open circuit voltage** ca. 6000 V
- **Voltage on animal contact** ca. 2500 V
- **Voltage at 500 Ohm (short circuit)** ca. 1100 V
- **Pulse energy** ca. 0,15 J
- **Power consumption** ca. 18 mA
- **max. fence length (CEE)** ca. 5 km
- **Recommended fence length (dependent on plant overgrowth)** ca. 1-3 km



Art-Nr.	Description	€
11075	**compact B 180 without battery**	146.70

compact B 300

- 2 Leistungsstufen „stark/extra stark“
- Zaun- und Batteriekontrolle

Specifications: strong
- **Volt** 9 V strong
- **Open circuit voltage** ca. 6000 V
- **Voltage on animal contact** ca. 2500 V
- **Voltage at 500 Ohm (short circuit)** ca. 1100 V
- **Pulse energy** ca. 0,15 J
- **Power consumption** ca. 15 mA
- **max. fence length (CEE)** ca. 5, 6 km
- **Recommended fence length (dependent on plant overgrowth)** bis 2, 2-4 km

Specifications: extra strong
- **Volt** 9V extra strong
- **Open circuit voltage** ca. 7000 V
- **Voltage on animal contact** ca. 2900 V
- **Voltage at 500 Ohm (short circuit)** ca. 1300 V
- **Pulse energy** ca. 0,25 J
- **Power consumption** ca. 20 mA
- **max. fence length (CEE)** ca. 5, 6 km
- **Recommended fence length (dependent on plant overgrowth)** bis 2, 2-4 km



Art-Nr.	Description	€
11103	**compact B 300 without battery**	224.40

Merlin B 500

- our most powerful battery unit
- immense power reserves
- with power saving circuit
- fence and battery check
- plant overgrowth does not interfere with operation
- suitable to deter deers when used on shorter fences
- ground spike with device holder, included
- optimized for alkaline battery approx. 75 AH

- **Volt** 9 V
- **Open circuit voltage** ca. 8800 V
- **Voltage on animal contact** ca. 4900 V
- **Voltage at 500 Ohm (short circuit)** ca. 2700 V
- **Pulse energy** ca. 0,45 J
- **Power consumption** 10 - 45 mA
- **max. fence length (CEE)** ca. 12 km
- **Recommended fence length (dependent on plant overgrowth)** ca. 3-8 km



Art-Nr.	Description	€
11105	**Merlin B 500 without battery**	291.50

Bärenstark B 400

- high performance
- switchable levels
- 2 performance levels: "Strong" and "Extra Strong"
- fence and battery checks
- plant overgrowth does not interfere with operation

Specifications: strong
- **Volt** 9V strong
- **Open circuit voltage** ca. 6500 V
- **Voltage on animal contact** ca. 2800 V
- **Voltage at 500 Ohm (short circuit)** ca. 1200 V
- **Pulse energy** ca. 0,17 J
- **Power consumption** ca. 18 mA
- **max. fence length (CEE)** ca. 6 km
- **Recommended fence length (dependent on plant overgrowth)** ca. 1-3 km

Specifications: extra strong
- **Volt** 9 V extra strong
- **Open circuit voltage** ca. 7500 V
- **Voltage on animal contact** ca. 3500 V
- **Voltage at 500 Ohm (short circuit)** ca. 1500 V
- **Pulse energy** ca. 0,28 J
- **Power consumption** ca. 24 mA
- **max. fence length (CEE)** ca. 7 km
- **Recommended fence length (dependent on plant overgrowth)** ca. 2-5 km



Art-Nr.	Description	€
11104	**Bärenstark B 400 without battery**	308.60

Combi

Arizona U 12000

– Für 9 Volt, 12 Volt und 230 Volt Betrieb
– Hohe Schlagstärke

Specifications
– **Volt** 9 V
– **Open circuit voltage** ca. 7500 V
– **Voltage on animal contact** ca. 3500 V
– **Voltage at 500 Ohm (short circuit)** ca. 1500 V
– **Pulse energy** ca. 0,30 J
– **Power consumption** ca. 24 mA
– **Recommended fence length**
(dependent on plant overgrowth) bis 10 km

Specifications
– **Volt** 12 V, 230 V
– **Open circuit voltage** ca. 8800 V
– **Voltage on animal contact** ca. 3600 V
– **Voltage at 500 Ohm (short circuit)** ca. 1600 V
– **Pulse energy** ca. 0,60 J
– **Power consumption** ca. 30 mA
– **Recommended fence length**
(dependent on plant overgrowth) bis 10 km



Art-Nr.	Description	€
11010	**Arizona U 12000 without battery**	239.00

compact A 1500

– Für 9 Volt und 12 Volt Betrieb
– Bewuchsunempfindlich
– Mit Zaunkontrolle
– Mit Erd- und Aufstellpfahl

Specifications
– **Volt** 9 V
– **Open circuit voltage** ca. 6500
– **Voltage on animal contact** ca. 2500 V
– **Voltage at 500 Ohm (short circuit)** ca. 1100 V
– **Pulse energy** ca. 0,25 J
– **Power consumption** ca. 16 mA
– **max. fence length (CEE)** ca. 6, 8 km
– **Recommended fence length**
(dependent on plant overgrowth) bis 2-4, 5-8 km

Specifications
– **Volt** 12 V
– **Open circuit voltage** ca. 8800 V
– **Voltage on animal contact** ca. 3200 V
– **Voltage at 500 Ohm (short circuit)** ca. 1500 V
– **Pulse energy** ca. 0,50 J
– **Power consumption** ca. 30 mA
– **max. fence length (CEE)** ca. 6, 8 km
– **Recommended fence length**
(dependent on plant overgrowth) bis 2-4, 5-8 km



Art-Nr.	Description	€
11125	**compact A 1500 9/12 Volt without battery**	224.40

BISON U 4000

Recommended use

Our classic, the BISON U4000, is a universal device for many applications requiring small to medium power levels. Typical areas of application are larger paddocks and protection against game as well as for sheep netting in the yard and garden.Low power consumption, switchable power levels and the choice between 9 V or 12 V operation give outstanding flexibility and economy of operation. Thanks to the integrated discharge protection feature, your 12 V power pack is now fully protected.

- 2 selectable power level
- Very powerful
- With quick-shock technic
- plant overgrowth does not interfere with operation
- very good grounding because of two spikes included in delivery

Specifications 11127: strong
– **Volt** 9 V strong
– **Open circuit voltage** ca. 7200 V
–**Voltage on animal contact** ca. 4600 V
– **Voltage at 500 Ohm (short circuit)** ca. 1800 V
– **Pulse energy** ca. 0,25 J
– **Power consumption** ca. 14-28 mA
– **max. fence length (CEE)** ca. 6 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 2-4 km

Specifications 11127: extra strong
– **Volt** 9 V extra strong
– **Open circuit voltage** ca. 9100 V
– **Voltage on animal contact** ca. 5700 V
– **Voltage at 500 Ohm (short circuit)** ca. 2200 V
– **Pulse energy** ca. 0,40 J
– **Power consumption** ca. 19-48 mA
– **max. fence length (CEE)** ca. 12 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 5-8 km

Specifications 11128: strong
– **Volt** 12 V/230 V strong
– **Open circuit voltage** ca. 7800 V
– **Voltage on animal contact** ca. 5100 V
– **Voltage at 500 Ohm (short circuit)** ca. 2300 V
– **Pulse energy** ca. 0,85 J
– **Power consumption** ca. 28-75 mA
– **max. fence length (CEE)** ca. 25 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 6-15 km

Specifications 11128: extra strong
– **Volt** 12 V/230 V extra strong
– **Open circuit voltage** ca. 9800 V
– **Voltage on animal contact** ca. 6400 V
– **Voltage at 500 Ohm (short circuit)** ca. 2900 V
– **Pulse energy** ca. 1,30 J
– **Power consumption** ca. 35-110 mA
– **max. fence length (CEE)** ca. 25 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 8-18 km



Art-Nr.	Description	€
11127	**BISON U 4000 9/12 Volt without battery**	367.10
11128	**BISON U 4000 mit Netzvorsatzgerät für 230 Volt Betrieb**	421.70

Torero Kombi

- 12 V and 230 V in one device
- with function and battery control
- AC adapter and battery connection cable included
- with battery discharge protection when using in 12 V mode
- destroys plant overgrowth




AKKU Tief-Entlade-Schutz

µP mikroprozessor gesteuert


Art-Nr.	Description	€
11132	**Torero Kombi 12/230 Volt without battery**	191.60

compact AN 2500

- 12 V and 230 V in one device
- with fence, function and battery control
- safety socket and safety plug, therefore incorrect connection of the cable is not possible
- AC adapter and battery connection cable included
- very powerful
- destroys plant overgrowth



Art-Nr.	Description	€
11130	**compact AN 2500 12/230 Volt without battery**	306.50



Accu devices

Recommended use

Our newly developed high performance energizer Magnus A10000 DC is the right choice for the most demanding 12 V applications. The device has a very low impedance and is therefore perfect for over-long fences.
It eliminates overgrowth and offers low battery consumption despite the high level of performance. Features include a microprocessor control, built-in discharge protection, digital fence voltage indicator and ground indicator light to enable the quality of ground monitoring.
For more sensitive animals, a second fence output with reduced power can be used.

Magnus A 4500 MC

- our most powerful battery unit
- with power saving circuit
- suitable to deter game even when used with long fences
- with battery discharge protection when using in 12 V mode
- excellent monitoring ability
- eliminates plant overgrowth
- LED fence monitoring

– **Volt** 12 V
– **Open circuit voltage** ca. 9500 V
– **Voltage on animal contact** ca. 7200 V
– **Voltage at 500 Ohm (short circuit)** ca. 4100 V
– **Pulse energy** ca. 4,0 J
– **Power consumption** 30-450 mA
– **max. fence length (CEE)** ca. 120 km
– **Recommended fence length (dependent on plant overgrowth)** bis 50 km



Art-Nr.	Description	€
11153	**Magnus A 4500 MC 12 Volt**	382.80

Magnus A10000 DC

- high performance energizer for 12 V operation
- very high power reserves
- with battery discharge and overcharge protection
- LED grounding check
- unit and fence monitoring
- digital fence current display
- low ohm operation
- suitable to deter game when used with long fences
- excellent monitoring capability

– **Volt** 12 V
– **Open circuit voltage** ca. 9500 V
– **Voltage on animal contact** ca. 7200 V
– **Voltage at 500 Ohm (short circuit)** ca. 3600 V
– **Pulse energy** ca. 4,5 J
– **Power consumption** 30-450 mA
– **max. fence length (CEE)** ca. 120 km
– **Recommended fence length (dependent on plant overgrowth)** bis 50 km



Art-Nr.	Description	€
11155	**Magnus A 10000 DC 12 Volt**	469.00

AKKU Tief-Entlade-Schutz

µP mikroprozessor gesteuert

Cerberus DUO A6

- High-performance accu device with double-impuls technic
- fully automatic because controlled with microprocessor
- high power reserve
- double-impuls only switches on when needed, thereby economical consumption
- destroys plant overgrowth
- low ohm operation, therefore appropriate for defence against wild animals
- warning sign, fence- and grounding cable included

– **Volt** 12 V
– **Open circuit voltage** ca. 8500 V
– **Voltage on animal contact** ca. 7100 V
– **Voltage at 500 Ohm (short circuit)** ca. 4300 V
– **Pulse energy** ca. 2-3 J
– **Power consumption** ca. 70-550 mA
– **max. fence length (CEE)** ca. 130 km
– **Recommended fence length (dependent on plant overgrowth)** bis 60 km

NEW



Art-Nr.	Description	€
11133	Cerberus DUO A6	599.00

BISON A 50000

Recommended use
BISON A 5000 allows selecting the desired power level and is universally suitable for almost all applications. Select high power for use on large paddocks and strip-grazing, as well as to deter game for longer fences. Select low power for applications in the yard and garden and for subdivided paddocks, for instance. Universal usability and low power consumption achieve outstanding low cost operation.

–2 switchable power levels
- variable use options
- inexpensive and high performance unit
- low cost operation
- dependable
- with battery discharge protection
- eliminates plant overgrowth
- fence and battery monitoring
- monitoring of fence, power packs and batteries
- very well grounded: 2 ground spikes included in delivery

Specifications: strong
– **Volt** 12 V strong
– **Open circuit voltage** ca. 8500 V
–**Voltage on animal contact** ca. 4000 V
– **Voltage at 500 Ohm (short circuit)** ca. 2800 V
– **Pulse energy** ca. 1,2 J
– **Power consumption** ca. 30-140 mA
– **max. fence length (CEE)** ca. 48 km
–**Recommended fence length (dependent on plant overgrowth)** ca. 8-15 km

Specifications : extra strong
– **Volt** 12 V extra strong
– **Open circuit voltage** ca. 9500 V
– **Voltage on animal contact** ca. 7400 V
– **Voltage at 500 Ohm (short circuit)** ca. 3800 V
– **Pulse energy** ca. 2,2 J
– **Power consumption** ca. 40-220 mA
– **max. fence length (CEE)** ca. 60 km
–**Recommended fence length (dependent on plant overgrowth)** ca. 30 km



Art-Nr.	Description	€
11154	BISON A 5000 12 Volt	385.00

Netzgeräte

Recommended use:

Power energizers are used whenever a 230-volt power connection is available as a supply source. They are offered in a wide performance range, from simple hobby devices for dog or cat fences and affordable mid-range units for horse paddocks or small home pastures, to high-performance devices for extreme conditions, very long fences, or wildlife deterrence.

Cerberus DU0 N10

- Our most powerful mains-operated energizer
- Equipped with two fence outputs of different power levels
- Extremely flexible and universal
- For extremely long fences with maximum power requirements and
- The most challenging conditions
- With double-pulse technology
- Absolute vegetation destruction capability
- With fence, device, and DUO pulse monitoring
- Multiple grounding stakes are required for earthing
- Warning sign included

– **Volt** 230 V
– **Open circuit voltage** ca. 9500 V
– **Voltage on animal contact** ca. 8500 V
– **Voltage at 500 Ohm (short circuit)** ca. 4900 V
– **Pulse energy** ca. 2x5 J
– **Power consumption** 14 VA
– **max. fence length (CEE)** ca. 300 km
– **Recommended fence length (dependent on plant overgrowth)** ca. 25-100 km

NEW



Art-Nr.	Description	€
11134	Cerberus DUO N10	599.00

California N 6000 & N10000

Specifications 11026
– **Volt** 230 V
– **Open circuit voltage** ca. 7000 V
– **Spannung bei Tierberührung** ca. 3800 V
– **Spannung bei 500 Ohm (Kurzschluss)** ca. 2400 V
– **Pulse energy** ca. 0,75 J
– **Leistungsaufnahme** ca. 2,0 VA
– **empf. Zaunlänge (bewuchsabhängig)** bis 10 km

Specifications 11028
– **Volt** 230 V
– **Open circuit voltage** ca. 9500 V
– **Voltage on animal contact** ca. 8000 V
– **Voltage at 500 Ohm (short circuit)** ca. 4000 V
– **Pulse energy** ca. 4,0 J
– **Leistungsaufnahme** ca. 8,0 VA
– **Recommended fence length**
(dependent on plant overgrowth) bis 50 km



Art-Nr.	Description	€
11026	California N 6000	134.70
11028	California N 10000	247.90

NET SYNC

compact N 3001

Recommended use
The Compact unit N3001 is the perfect device for house and yard when higher performance is required, for example, for longer and multi-wire fences, for larger paddocks and large strip-grazing areas. Due to its strong shock capability and high output voltage, it is ideally suited for sheep netting operation and for difficult conditi-ons. The low price and strong shock ability provide very economical operation.

- inexpensive
- suitable for longer fences with increased power demand and difficult conditions
- suitable for multiple sheep nets
- low cost and reliable operation
- easy to install
- eliminates overgrowth
- with fence and device control

– **Volt** 230 VAC
– **Open circuit voltage** ca. 8500 V
– **Voltage on animal contact** ca. 5000 V
– **Voltage at 500 Ohm (short circuit)** ca. 3500 V
– **Pulse energy** ca. 2 J
– **Power consumption** ca. 5 VA
– **max. fence length (CEE)** ca. 50 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 8-20 km



Art-Nr.	Description	€
11177	compact N 3001	226.00

BISON N 8000 MC

Recommended use
The strong performing BISON N8000 is the perfect unit for the most demanding guarding conditions. The enormous performance reserves allow the use on very long fences and multiple-wire fences. The integrated LED fence tester
provides a quick overview of fence conditions. Due to its extensive monitoring options and enormous shock strength a very popular and economical choice.

- extremely strong energizer
- approx. 5 years pulse energy almost at the level the law allows
- for sheep nets and to deter deers and game
- suitable for the most difficult conditions
- easy installation
- eliminates overgrowth
- LED fence tester

– **Volt** 230 VAC
– **Open circuit voltage** ca. 9500 V
– **Voltage on animal contact** ca. 8500 V
– **Voltage at 500 Ohm (short circuit)** ca. 4500 V
– **Pulse energy** ca. 5 J
– **Power consumption** ca. 10 VA
– **max. fence length (CEE)** ca. 200 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 10-80 km



Art-Nr.	Description	€
11179	BISON N 8000 MC	369.95

NET SYNC

BISON N 10000 DC

Recommended use
The newly developed high-performance energizer BISON N10000 DC features maximum power for the toughest
applications to effectively deter game and for use with extremely long fences requiring the highest power consumption.
Due to its particularly low impedance circuit, the unit is extremely effective and eliminates overgrowth absolutely.
Features include device control display, digital fence voltage indicator, and LED ground indicators to enable the quality of ground monitoring.
For more sensitive animals, a second fence output with reduced power can be used.

– **Volt** 230 V strong
– **Open circuit voltage** ca. 9500 V
– **Voltage on animal contact** ca. 6900 V
– **Voltage at 500 Ohm (short circuit)** ca. 3300 V
– **Pulse energy** ca. 1 J
– **Power consumption** 15 VA
– **max. fence length (CEE)** ca. 20 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 5-15 km

– **Volt** 230 V extra strong
– **Open circuit voltage** ca. 10000 V
– **Voltage on animal contact** ca. 8500 V
– **Voltage at 500 Ohm (short circuit)** ca. 5500 V
– **Pulse energy** ca. 5 J
– **Power consumption** 15 VA
– **max. fence length (CEE)** ca. 320 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 25-125 km



Art-Nr.	Description	€
11180	BISON N 10000 DC	469.00

µP mikroprozessor gesteuert

Solarsets

compact S 1510

- Compact A1501 with battery discharge protection
- solar panel 12 V / 6 W
- ground spike and installation post
- operation requires only a 12 V battery with 36 - 44 AH
- environmentally friendly
- overgrowth does not interfere operation

Specifications
- **Volt** 12 V Akku
- **Open circuit voltage** ca. 8200 V
- **Voltage on animal contact** ca. 6900 V
- **Voltage at 500 Ohm (short circuit)** ca. 3400 V
- **Pulse energy** ca. 0,7 J
- **Power consumption** ca. 80 mA
- **max. fence length (CEE)** ca. 18 km
- **Recommended fence length (dependent on plant overgrowth)** ca. 4-9 km



Art-Nr.	Description	€
11202	**compact S 1510**	315.20

compact S 2510

- Compact A 2500 with battery discharge protection
- solar panel 12 V / 10 W
- ground spike and installation post
- operation requires only a 12 V battery with 44 - 88 AH
- environmentally friendly
- overgrowth does not interfere operation

Specifications
- **Volt** 12 V Akku
- **Open circuit voltage** ca. 9500 V
- **Voltage on animal contact** ca. 7200 V
- **Voltage at 500 Ohm (short circuit)** ca. 3600 V
- **Pulse energy** ca. 2 J
- **Power consumption** ca. 30-220 mA
- **max. fence length (CEE)** ca. 60 km
- **Recommended fence length (dependent on plant overgrowth)** ca. 8-30 km



AKKU Tief-Entlade-Schutz

Art-Nr.	Description	€
11203	**compact S 2510**	489.95

Art.-Nr.	Description	€
19922	**Ground rod galvanized with panel**	49.10

Solarmodule



Art.-Nr.	Description	€
11216	**Solar module** included 1 m cable **5 watt / 12 volt**	84.00
11215	**10 Watt / 12 Volt**	141.40
11217	**20 Watt / 12 Volt**	215.70
11218	**40 Watt / 12 Volt**	270.40

Also available with long cable.

Accesories

Recommended use
Electronic adapter for 12 V electric fence devices.
This adapter is completely enclosed in electrical casting resin, moisture and weather proof. Aside from 12 V operation, each unit can be powered by 220 V mains voltage. The jacks are plugged into the battery terminals of the device and the power plug is connected via an extension cord to a power outlet located nearby. A replaceable fuse protects against overload and reversed polarity.



Art.-Nr.	Description	€
11235	**Power adapter 230 Volt** for Bison power packs 12 Volt	58.30
11236	for all 12 V power packs	104.70

Assembly kit

Recommended use
The easy-to-install assembly kit replaces an existing defective circuit in fence device housings. The result is a fully functional device with good performance features at a surprisingly low price, which is suitable for use on paddocks, strip-grazing and for yard and garden. Due to its strong shock capability and high output voltage, the device is also suitable to be used for multiple sheep nettings.

Specifications 11250
– **Volt** 9, 12 V
– **Open circuit voltage** ca.6500, 8800 V
– **Voltage on animal contact** ca. 2500, 3200 V
– **Voltage at 500 Ohm (Kurzschluss)** ca. 1100, 1500 V
– **Pulse energy** ca. 0,25, 0,5 J
– **Power consumption** ca. 16, 30 mA
– **max. fence length (CEE)** ca. 6, 8 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 2-4, 5-8 km

Specifications 11251
– **Volt** 12 V
– **Open circuit voltage** ca. 9500 V
–**Voltage on animal contact** ca. 5000 V
– **Voltage at 500 Ohm (short circuit)** ca. 3200 V
– **Pulse energy** ca. 1,5 J
– **Power consumption** ca. 85 mA
– **max. fence length (CEE)** ca. 25 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 8-18 km

Specifications 11252
– **Volt** 230 V
– **Open circuit voltage** ca. 9500 V
– **Voltage on animal contact** ca. 6400 V
– **Voltage at 500 Ohm (short circuit)** ca. 3800 V
– **Pulse energy** ca. 2,5 J
– **Power consumption** ca. 5 mA
– **max. fence length (CEE)** ca. 80 km
– **Recommended fence length**
(dependent on plant overgrowth) ca. 9-20 km



Art-Nr.	Description	€
11250	**Assembly kit** **9 / 12 Volt**	126.20
11251	**12 Volt**	159.50
11252	**230 Volt - Bison**	163.80

Control cabinet

- current-carrying metal cabinet
- complete wiring inside cabinet
- unit and battery are protected against theft
- system may be disabled with the isolated key only
- for grounding, a galvanized iron rod with a length of approx. 115 cm is included, to the bolted to the cabinet using the isolated mount
- can also be used in solar mode

Dimensions:
Height 45 cm x Width 40 cm x Depth 25 cm



Art-Nr.	Description	€
11238	**Control cabinet, energized**	129.95

Art.-Nr.	Description	€
19909	**Ground rod, 3 piece set for B devices**	16.95

Art.-Nr.	Description	€
19911	**Battery terminals, loose**	6.20

Batteries

Alkaline batteries are characterized by high energy density, long shelf life, and a consistent voltage during use. They are ideal for mobile electric fencing energizers or as reliable replacement batteries with low self-discharge.

Zinc-carbon batteries offer a cost-effective solution for devices with lower energy requirements. Rechargeable options, such as accumulators or solar system batteries, are particularly suitable for continuous operation and impress with their durability and maintenance-free design.

Tip: For solar or long-term use, we recommend rechargeable battery types – powerful, sustainable, and particularly economical.



Art.-Nr.	Description	Piece per bag	piece per pallet	€
10571	**55 AH batteries alkaline** Mercury and cadmium free Housing: Up to 120 AH small housing, 175 AH and 200 AH large housing	4	440	20.95
10572	**75 AH**	4	440	24.95
10573	**120 AH**	4	360	36.95
10574	**175 AH**	4	224	39.95
10575	**200 AH**	4	180	59.10



Art.-Nr.	Description	€
10595	**Wet-cell Battery 12 Volt - 88 AH** excellent cold starting performance immediately ready to use, sturdy and maintenance-free, low self-discharge, quick recharge, suitable for electric fences using rechargeable batteries (power packs) with or without solar panels, delivery without acid, dimensions: 353 mm x 175 mm x 190 mm.	135.30



Art.-Nr.	Description	Piece per bag	piece per pallet	€
10551	**55 AH batteries** Eco-friendly, no mercury, cadmium or lead	4	480	14.60
10553	**90 AH**	4	280	23.60
10554	**130 AH**	4	280	26.50
10555	**100 AH AKO round form**			24.20
10556	**90 AH Koltec**	4		19.90
10557	**Battery insert set of 6 9V/AKO plug w/o pan** Eco-friendly, no mercury, cadmium or lead			38.20
10558	**set of 7 10.5V/AKO plug**			39.70
10559	**set of 7 10.5V/fork plug**			41.60



Art.-Nr.	Description	€
10581	**Block batteries 6V/7AH - 4R25 -** Mercury and cadmium free **24 pcs. per bag**	2.99

Animal Husbandry

Comprehensive accessories such as connections, shearing machines and surgical instruments for professional animal breeding needs, that simplifies work and foster animals' health.

Calving



Art.-Nr.	Description	€
30001	**HK calf puller E 11** Well proven, galvanized round steel tube with coarse thread, 180 cm length, 2 pieces, quick-release tension control angled shoulder rest made of plastic **without side angle**	299.95
30002	**with side angle**	302.95



Art.-Nr.	Description	€
30006	**Replacement ropes for HK calf puller** Supplied in pairs	5.95



Art.-Nr.	Description	€
30004	**Vink calf puller for dairy cattle** **160 cm**	425.40
30015	**160 cm** with moving train	445.90
30014	**180 cm**	428.80
30016	**180 cm** with moving train	469.90

Art.-Nr.	Description	€
30005	**Vink calving unit (Model Bayern)** heavy duty version; for heavy breeds - adjustable pulling **180 cm** – with moving train	589.00



30017



30018

Art.-Nr.	Description	€
30017	**Replacement ropes for Vink calf puller** Supplied in pairs **white**	9.45
30018	**blue/red**	9.90

Spare parts on request



Art.-Nr.	Description	€
30012	**Lubricating gel 1000 ml** Lubricating gel to make hands and arms slippery and an excellent skin protection, particularly suitable for births.	6.30



Art.-Nr.	Description	€
30009	**Calf resuscitator** According to Dr. Bron. A common cause of death of newborn calves is irregular or intermittent breathing. The calves can be saved with the aid of this pump. This method is as effective as the mouth to mouth resuscitation but much safer as there is no risk of infection.	140.90




Art.-Nr.	Description	€
30010	**Gestation measuring unit with cable** The unit can be operated either with a rechargeable battery or a non-rechargeable battery. The unit is switched on and off by pressing a key. Automatic shut-off for power saving. Removable clip to attach to your belt or shirt pocket. Moisture protected housing. Battery compartment with safety lock. Shielded from other electronics. Supplied with carrying case. **for pigs**	463.10
30011	**for sheep and goats, alpakas**	464.80

Lifting frames







Art.-Nr.	Description	€
30013	**Cow lifting frame** Indispensable for animals that cannot get back on their feet (e.g. complicated parturition), rubberized clamps are adjustable to the size of every cow, with a pulley or another hoisting apparatus every animal can be helped up to its feet. A well spent investment that pays quickly and should be a must for every dairy cattle and veterinarian.	94.99
39013	**Threaded rod and crank for lifting device 30013**	46.60

Art.-Nr.	Description	€
30023	**Vink cow lifts (lifting equipment for cows)** Sturdy design, made of galvanized metal, for lifting a cow after a difficult birth. Rubber-coated gripping clamps adjustable to the size of the animal. The ring attached to the joint allows lifting of the cow with the aid of a pulley or other suitable devices.	184.70
39024	**Vink replacement crank for lifting device 30023**	9.90

Drinking bottles



Art.-Nr.	Description	€
70047	**Milk bottle for calves** food-safe, complete with teat and scale, perfect to administer medication **500 ml**	5.50
70048	**1000 ml**	5.90
70049	**2000 ml**	6.50
70050	**3000 ml**	15.95

Feeding bucket



Art.-Nr.	Description	€
70070	**Calf feeding bucket transparent 1-Click** 9 litres capacity, flattened on both sides, complete with teat, valve. - curved bucket bottom, allows the drinking bucket to be emptied without residue - CFC and PVC free, environmentally friendly material - embossed litre scale: on both inner sides or on the counter-hole side - guaranteed resistant to formic acid	11.99



Art.-Nr.	Description	€
70073	**Calf feeding bucket transparent TK9 old Valve**	12.60



Art.-Nr.	Description	€
70034	**Calf feeding bucket plastic** flattened on both sides, complete with teat, valve and holder.	12.10



Art.-Nr.	Description	€
70071	**Valve without teat** for drinking bucket 1-Click simplest handling and greatest possible hygiene 1. Insert the valve into the teat 2. Put the complete valve into the bucket - finished!	3.95
70072	**Replacement teat 100 mm with slot** for drinking bucket 1-Click	2.20
71070	**Replacement teat 1-Click** red, middle	2.20
71071	**Replacement teat 1-Click** brown, soft	2.20
71072	**Replacement teat 1-Click** mintgreen, soft	2.20



Art.-Nr.	Description	€
70036	**Replacement valve without teat for calf feeding bucket gray**	3.95
75036	**Valve without teat for calf feeding bucket, SB 3/pack**	12.95
79028	**Seal, loose, for feeding bucket valve**	0.40
79038	**Seal, loose, plastic for feeding bucket valve**	0.40
79029	**Retaining plate for bowl**	2.40
79031	**Protective cover for drinking bucket** – gray	4.65
79032	**Protective cover for drinking bucket** – 1-Click	4.10



Art.-Nr.	Description	€
70038	**Replacement teat, light color** **100 mm with slot**	1.50
70039	**100 mm with hole**	1.50
70040	**120 mm with slot**	2.15
70041	**Replacement teat super soft honey** **100 mm with slot**	1.70
70042	**Replacement teat, red** **100 mm with slot**	1.50
70043	**100 mm with hole**	1.30
70044	**120 mm with slot**	1.95
75038	**Calf suckler white 100 mm** **3/pack**	4.95
75042	**Calf suckler red 100 mm** **3/pack**	4.95

Calf milk heater



Art.-Nr.	Description	€
70080	**Calf milk heater** with continuously adjustable thermostat control, 230 V / 2300 W, splash-proof, no burning or setting of milk, safe stand Height: 815 mm Immersion depth: 690 mm Diameter: 160 mm Weight: 4.7 kg	212.90



70082

70081

Art.-Nr.	Description	€
70081	**Whisk with wooden handle**	5.40
70082	**Whisk made of stainless steel**	6.60

Calf blanket



60301



60302

Art.-Nr.	Description	€
60301	**Calf blanket 70 cm** Upper material made of tear-resistant 600 denier polyester ripstop, with nylon straps and plastic clip fasteners, water-repellent material up to 3000 mm water column, breathable properties prevent excessive perspiration.	21.70
60302	**Calf blanket 80 cm**	21.70

Dehorning



Art.-Nr.	Description	€
30101	**Dehorner with transformer** Guaranteed burnout-proof due to its cast-in heater, shockproof. With protective transformer 24 Volt 160 VA, 170 watts plunger, for connection to 230 V,heats up in approx. 5 minutes to 700 °C constant. The heating performance and the shape of the plunger tip provides for hygienic and safe dehorning of calves aged 3 - 7. Stainless steel heating cartridge, brass burner head.	218.20



Art.-Nr.	Description	€
39103	**Heating coil for dehorner**	46.00



Art.-Nr.	Description	€
30102	**Dehorner rod - only for export -** 230 V, 170 W, temperature up to 700 °C, easy and handy operation, for direct connection to grounded power outlets only.	84.90



Art.-Nr.	Description	€
39101	**Dehorner rod for transformer**	86.90
39104	**Tip for dehorner 18 mm**	13.00



Calf weaning



Art.-Nr.	Description	€
60007	**Cattle weaner made of rubber** made of rubber with injected metal tips, very effective, prevents injuries. For mature cattle.	41.60



Art.-Nr.	Description	€
60010	**Cattle weaner Krause** made of light metal, prevents cattle sucking from one another, animals can eat and drink freely.	3.50



Art.-Nr.	Description	€
60008	**Cattle weaner made of rubber** made of rubber with injected metal tips, very effective, prevents injuries. For young stock.	22.10



Art.-Nr.	Description	€
60009	**Cattle weaner made of rubber – small** made of rubber with injected metal tips, very effective, prevents injuries. For calves.	11.20



Art.-Nr.	Description	€
60015	**Plastic muzzle** For calves and young stock, with straps	5.60




Inhouse



Art.-Nr.	Description	€
60036	**Göbel suckle protection with union stop blue**	3.90
65036	**blue – SB 2/bag**	8.20
60037	**orange**	6.00
65037	**orange – SB 2/bag**	12.40



Art.-Nr.	Description	€
60012	**Suckle protection Müller** Flexible material and a fixing screw ensure easy adjustment and a perfect fit in the calves´ nasal cartilage. It is virtually impossible to lose the weaner. **small/white** for calves and young stock	4.80
65012	**small/white – SB 2/bag**	11.70
60013	**medium/yellow,** for young stock and mature cattle	4.80
65013	**medium/yellow – SB 2/bag**	11.70
60014	**large/beige,** for mature cattle	4.80
65014	**large/beige – SB 2/bag**	11.70



Art.-Nr.	Description	€
60040	**Suckle protection Müller with anti-tip mechanism** **small/red**	5.90
60041	**medium/orange**	5.90
60042	**large/blue**	5.90

Udder spray shower



70429 70430

Art.-Nr.	Description	€
70429	**Udder spray shower with plastic insert** Hose coupling 1/2", adjustable to spray or jet 12/box	10.95
70430	**with brass insert** 12/box	13.95

Aprons



Art.-Nr.	Description	€
70444	**Milking and washing apron** tarpaulin material, provides good hygiene, versatile, heat-proof, no curling under high humidity conditions, long type, size: 120 x 80 cm **black**	13.30
70445	**white**	13.30
70446	**blue**	13.30
70447	**green**	13.30
70458	**brown**	13.30

Milking stools



Art.-Nr.	Description	€
70436	**Monopod milking stool** seat made of high-quality nylon, lightweight **Monopod milking stool with rubber leg and strap**	14.90
70437	**Monopod milking stool with spring and strap**	21.30
70438	**Tripod milking stool**	29.20

Udder nets



Art.-Nr.	Description	€
70442	**Udder nets (teat protection)** Extremely sturdy. An ingeniously simple, inexpensive and reliable solution for a difficult problem. Prevents udder damage in crowded barns. When milking just release one spring hook on the net for safe lactation. Easy to apply. Keeps teats and udder clean and is easily and quickly cleaned. **size L**	53.80
70443	**size M**	53.80

Blind plug



Art.-Nr.	Description	€
70431	**Blind plug** Full plastic plug ideal for milking machines when cows have only three teats solves problems quickly and prevents milking from becoming messy fits all teat cups.	2.20

Sight glasses



70432 70433 70434 70435

Art.-Nr.	Description	€
70432	**Sight glasses for Alfa**	0.80
70433	**Sight glasses for Miele**	0.80
70434	**Sight glasses for Westfalia**	0.80
70435	**Sight glasses for Vakustop**	1.80

Lube oil for milking maschine



Art.-Nr.	Description	€
70439	**Lube oil for milking machine** high-quality branded product, meets the requirements of well-known milking machine manufacturers, suitable for all vacuum pumps **1 liter**	7.45
70440	**5 liters**	29.95
70441	**10 liters**	67.95

Udder care



Art.-Nr.	Description	€
71472	**Steil-Dipper (standard cup)** approx. 300 ml	5.95



Art.-Nr.	Description	€
31680	**Udder cloth** **50/pack** **6/box** **72/pallet**	22.85

Milking grease



Art.-Nr.	Description	€
70448	**Upland milking grease** protects and nourishes dry or rough skin, teats and udder stay hygienically clean soft, protects against environmental influences, healthy and efficient **1000 ml**	9.45
70449	**5000 ml**	38.50
70459	**250 ml**	4.40



Art.-Nr.	Description	€
70450	**Eutra milking grease** protects and nourishes dry or rough skin, teats and udder stay hygienically clean soft, protects against environmental influences, healthy and efficient **250 ml**	5.30
70451	**500 ml**	8.60
70452	**1000 ml**	11.60
70453	**5000 ml**	52.30

Milk cell test



Art.-Nr.	Description	€
70486	**Raidex milk cell test 2003, blue 1 liter** to determine the cellular content of raw milk, informs about the status of the udder before changes occur	7.95
71486	**5 liter**	38.60

Art.-Nr.	Description	€
70487	**California mastitis test disk** for sampling milk of each teat	3.70

Art.-Nr.	Description	€
70488	**Dosage bottle for milk testing** for 250 ml content	7.20

Teat sticks



Art.-Nr.	Description	€
70472	**Teat sticks with ointment** with Vaseline as lubricant, for inserting into the teat canal in case of teat canal adhesion, teat injuries or after surgery, 20 sticks/can	4.70

Chicken rings



Art.-Nr.	Description	€
30132	**Rubber bands for band applicator** **100/bag**	3.79
30133	**500/bag** **Animal welfare regulations must be observed.**	14.50



Art.-Nr.	Description	€
30131	**Band applicator** application of rubber bands	7.60

Surgical instruments

Art.-Nr.	Description	€
30136	**Ruminal magnet** removes animals from pesky foreign bodies (metal), supplied in plastic housing **10/box**	4.20



Art.-Nr.	Description	€
30130	**Introducer for ruminal magnets**	19.90



Art.-Nr.	Description	€
30134	**Scalpel handle**	2.10
30135	**Scalpel blades**	0.30
35135	**Scalpel blades** **pack of 10**	3.55



Art.-Nr.	Description	€
30137	**Digital clinical thermometer** waterproof, with audio signal LCD display, battery, calibrated	6.60



Art.-Nr.	Description	€
30141	**Livestock tape measure 2.50 m** for monitoring weight increase in livestock and pigs, Press the push button and the tape rolls up automatically	11.50



Art.-Nr.	Description	€
30408	**Dosing syringe Nylon** with thread socket, syringes are dimensionally stable up to 120 °C and are autoclavable (can be sterilized).	8.95
	10 ml - thread	
30408LL	**10 ml - Luer-Lock**	8.95
30409	**20 ml - thread**	9.95
30409LL	**20 ml - Luer-Lock**	9.95
30410	**30 ml - thread**	10.95
30410LL	**30 ml - Luer-Lock**	10.95
30411	**50 ml - thread**	11.40
30411LL	**50 ml - Luer-Lock**	11.40



Art.-Nr.	Description	€
30498	**Henke Eco Matic syringe** – for multiple dosing of livestock, handles made of high-strength die-cast aluminum, high-strength plastic cylinder – with metal needle attachment, biocompatible - may be used with autoclave (sterilisable at 134 °C) – resistant to all know medications, shatterproof, UV-resistant – exceptionally accurate dosing, tolerance < 1% – easy dose setting via dosage wheel, easy to maintain and to disassemble - few replacement parts are required	95.95
	25 ml	
30499	**50 ml**	95.95


Syringes



Art.-Nr.	Description	€
30401	**Ferro-Matic® syringe** with thread socket, continuously adjustable, the accurate and perfect dosing syringe for bottled veterinarian pharmaceutical preparations, for bottles up to 100 ml. Also available with Luer Lock thread	127.95
	3 ml	



30403



30406

Art.-Nr.	Description	€
30403	**Dosing syringe ROUX – Original Henke article** with thread socket, brass plated and polished version, Durit plunger with window sleeve, dosing is carried out with an indexing head, ideally suited for mass vaccinations. Also available with Luer Lock thread	59.95
	30 ml 1 gradings	
30404	**30 ml 0.5 gradings**	62.95
30405	**50 ml**	58.95
30406	**30 ml with rigid extension**	109.95
30407	**50 ml with rigid extension**	115.95

Drencher



Art.-Nr.	Description	€
30412	**Drenchmatic drencher without container** Original Henke Self-filling, for oral administration of preparations to sheep and livestock.	129.50



Art.-Nr.	Description	€
30413	**Single container 2.5 litre for Drenchmatic**	24.95



Art.-Nr.	Description	€
30414	**Injection syringe** **35 ml**	32.95
30415	**70 ml**	33.95
30416	**200 ml**	38.60
30418	**300 ml**	41.10

Premium needles



Original Henke article, distinct Bison bevel, made from hard drawn chrome-nickel steel, thick-walled needle tube provides high stability and extreme elasticity. With threaded socket.





Art.-Nr.	Description
30420	1,0 x 10 mm
30420LL	1,0 x 10 mm - Luer Lock
30421	1,0 x 15 mm
30421LL	1,0 x 15 mm - Luer Lock
30422	1,0 x 20 mm
30422LL	1,0 x 20 mm - Luer Lock
30423	1,2 x 15 mm
30423LL	1,2 x 15 mm - Luer Lock
30424	1,2 x 20 mm
30424LL	1,2 x 20 mm - Luer Lock
30425	1,2 x 25 mm
30425LL	1,2 x 25 mm - Luer Lock
30426	1,4 x 15 mm
30426LL	1,4 x 15 mm - Luer Lock

Art.-Nr.	Description
30427	1,4 x 20 mm
30427LL	1,4 x 20 mm - Luer Lock
30428	1,4 x 25 mm
30428LL	1,4 x 25 mm - Luer Lock
30429	1,4 x 35 mm
30429LL	1,4 x 35 mm - Luer Lock
30430	1,6 x 15 mm
30430LL	1,6 x 15 mm - Luer Lock
30431	1,6 x 20 mm
30431LL	1,6 x 20 mm - Luer Lock
30432	1,6 x 25 mm
30432LL	1,6 x 25 mm - Luer Lock
30433	1,6 x 35 mm
30433LL	1,6 x 35 mm - Luer Lock

Art.-Nr.	Description
30434	1,8 x 15 mm
30434LL	1,8 x 15 mm - Luer Lock
30435	1,8 x 20 mm
30435LL	1,8 x 20 mm - Luer Lock
30436	1,8 x 25 mm
30436LL	1,8 x 25 mm - Luer Lock
30437	1,8 x 35 mm
30437LL	1,8 x 35 mm - Luer Lock
30438	2,0 x 20 mm
30438LL	2,0 x 20 mm - Luer Lock
30439	2,0 x 25 mm
30439LL	2,0 x 25 mm - Luer Lock
30440	2,0 x 35 mm
30440LL	2,0 x 35 mm - Luer Lock

10/box

UVP 10.00 €

Livestock marking pens

Art.-Nr.	Description	€
30201	**Livestock marking pens Raidl** Sold successfully for years, plastic sleeve with rotary slide. 10/box red	2.00
30202	blue	2.00
30203	green	2.00
30204	magenta	2.00
30205	black	2.00
30206	yellow	2.00
30207	orange	2.00
30208	white	2.00
31209	pink	2.25



NEW



Art.-Nr.	Description	€
30212	**Livestock marking spray 400 ml** 12/bag red	6.69
30213	blue	6.69
30214	green	6.69



Art.-Nr.	Description	€
30230	**Livestock marking spray 500 ml** 12/bag red	7.70
30231	blue	7.70
30232	green	7.70
30233	orange	7.70

Art.-Nr.	Description	€
30224	**Sheep marking spray 500 ml** 12/bag red	7.95
30225	blue	7.95
30226	green	7.95





Art.-Nr.	Description	€
30215	**Wax block** **red**	5.20
30216	**blue**	5.20
30217	**green**	5.20
30218	**yellow**	5.20
30239	**orange**	5.20
30240	**black**	5.20



Art.-Nr.	Description	€
30219	**Tattooing ink 1 litre black**	24.95

Marking neck strap



Art.-Nr.	Description	€
30298	**Marking neck strap** adjustable, 4 cm wide, suitable for all commontransponder, with roller buckle **white, 120 cm** – made of polypropylene	4.10
30299	**green, 120 cm** – made of nylon	4.70
30300	**green, 90 cm for calves** – made of nylon	4.30
30301	**white, 120 cm** ring closure	3.50

Ankle strap



Art.-Nr.	Description	€
30288	**Plastic ankle strap** to mark animals in a group pen, no tools, easy to open by hand **red**	1.50
30289	**blue**	1.50
30290	**green**	1.50
30291	**yellow**	1.50



30250

30251

Art.-Nr.	Description	€
30250	**Ram harness** **leather**	9.95
30251	**nylon**	12.60



Art.-Nr.	Description	€
30221	**Tattooing color** **60 g tube**	6.30
30222	**600 g can black**	15.95





Art.-Nr.	Description
30310	**Nr. 0**
30311	**Nr. 1**
30312	**Nr. 2**
30313	**Nr. 3**
30314	**Nr. 4**
30315	**Nr. 5**
30316	**Nr. 6/9**
30317	**Nr. 7**
30318	**Nr. 8**

6.00 €

1-digit numbers, yellow, to loop on neck marking straps.

10 pcs. per number.



Art.-Nr.	Description	€
35293	**Ankle strap with velcro** approx. 35 cm length **red**	6.60
35294	**blue**	6.60
35295	**green**	6.60
35296	**yellow**	6.60

Electric prodders



Art.-Nr.	Description	€
60001	**KAWE-Electric prodder without battery** The device features a duroplastic casing and is powered by 2 batteries (D-cells). Batteries not included	79.95



Art.-Nr.	Description	€
60002	**KAWE 21 Electric prodder without battery** The device complies with regulations regarding animal transport and slaughtering, electronic control which cuts out power pulses after a maximum of 2 seconds. Batteries not included	105.50
60003	**KAWE extension rod**	36.60



Art.-Nr.	Description	€
60004	**TORERO 2000 Electric prodder with battery** The device complies with regulations regarding animal transport and slaughtering, electronic control which cuts out power pulses after a maximum of 2 seconds, handy pocket size, 13 x 8 x 3 cm. supplied with 4.5 V battery	26.90



Art.-Nr.	Description	€
60005	**TORERO Electric prodder with battery** Handy pocket size 13 x 8 x 3 cm supplied with 4.5 V battery	22.40



69008



69001

Art.-Nr.	Description	€
69001	**D-cells 1.5 V**	2.00
69008	**Torero battery**	3.49

Restraints



Art.-Nr.	Description	€
60016	**Cow immobilizer** galvanized, long rubber, adjustable for different animal sizes with telescopic springs. Prevents the animals from kicking out.	11.95
60017	**Replacement spring for immobilizer**	1.00
60018	**Replacement cap for immobilizer**	1.40



Art.-Nr.	Description	€
60046	**Immobilizer QRS stainless steel** QRS® - Quick Release System Also easy and quick to open and adjust when tensioned, from 54 to 78 cm. Non-rusting due to the use of certified European stainless steel! The inclined mounting of the compression spring (45°) prevents automatic opening by the stand frame in the milking parlour. Holds together, does not fall apart.	66.40
69046	**Repair kit for immobilizer stainless steel** Repair kit for cow immobiliser QRS® 2 x spring, 2 x replacement washer, 2 x cap + assembly instructions.	21.30



Art.-Nr.	Description	€
60022	**Tail clamp for cows** made from galvanized steel, easy, secure, and fast application, even with restless animals, the clamp does not interfere with milking.	7.95



Art.-Nr.	Description	€
60023	**Cow tail holder "Ossi"** Allgäu model, 170 cm length, while milking, the holder is hung with the head into the nylon cord in the upper hook. The following replacement parts are available: Upper rubber part, lower rubber part, metal shackle and thorn. **10 pcs.**	3.10
69020	**Upper rubber for** cow tail holder	1.20
69021	**Bottom rubber for** cow tail holder	1.40
69023	**Mandrel for** cow tail holder	2.29



Art.-Nr.	Description	€
60019	**Tendon clamp model Bron** for reliable and safe immobilizing of cattle by securing the hind leg, no damaging of skin or tissue, no interference with works, an essential tool for hoof care.	36.45



Art.-Nr.	Description	€
60024	**Kick stop for cows** American model, the easiest and most humane way to keep cows clam, prevents kicking, even on particularly stubborn animals.	139.95



Art.-Nr.	Description	€
60025	**Bull lead, T-Handle** 145 cm length, made of heavy duty steel tube, with strong slide adjuster and D-handle.	78.95



Art.-Nr.	Description	€
60021	**Bull holder harms** stainless steel, springy with slide adjuster, 18.5 cm length	13.00



Art.-Nr.	Description	€
60028	**Bull ring applicator**	25.80



Art.-Nr.	Description	€
60029	**Bull ring Drehbulli**	6.45



Art.-Nr.	Description	€
60026	**Bull rings** with screw lock	3.25
	nickel-plated	
60027	**stainless steel**	5.95



Art.-Nr.	Description	€
60030	**Pig ring**	1.20



Art.-Nr.	Description	€
60031	**Pig ring applicator** to insert pig rings, with bayonet lock	10.80

Inhouse



Art.-Nr.	Description	€
60038	**No-fodder-throw-device**	2.80



Art.-Nr.	Description	€
60165	**Cattle blinder, leather**	16.10
60166	**Cattle blinder, canvas**	10.30



Claw disk



Art.-Nr.	Description	€
30610	**Claw disk cutter carbide tipped** Indestructible disks, dust-free cutting, hoofs will not get warm, no smearing and tearing, no additional grinding with disk changes, incredible long service life. **115 mm** – grain size middle	46.60
30611	**115 mm** – grain size coarse	38.30
30614	**125 mm** – grain size middle	45.10
30615	**125 mm** – grain size coarse	38.30
30618	**178 mm** – grain size middle	84.60
30619	**178 mm** – grain size coarse	71.60



Art.-Nr.	Description	€
30621	**Claw disk cutter carbide tipped** Indestructible disks, dust-free cutting, hoofs will not get warm, no smearing and tearing, no additional grinding with disk changes, incredible long service life. **115 mm** – grain size fine	45.95
30623	**125 mm** – grain size fine	52.10



Art.-Nr.	Description	€
30606	**Claws angle cutter plastic** for fast and safe treatment of claws **115 mm**	4.80
30607	**125 mm**	5.20
30608	**178 mm**	5.90

Hoof knife



Art.-Nr.	Description	€
30627	**Hoof knife right** with right-hand cutting blade	6.95
30628	**Hoof knife left** with left-hand cutting blade	6.95



Art.-Nr.	Description	€
30626	**Hoof knife dual-sided** with dual-sided blade	7.45

Whetstone



70228


70229

Art.-Nr.	Description	€
70228	**Whetstone for hoof knife** approx. 13 x 3 cm	5.60
70229	**Sharpening stone** approx. 20 x 5 cm	1.80


30629
30630
30631

Art.-Nr.	Description	€
30629	**Hoof knife, dual-sided blade Aesculap** VVC315V small blade	26.25
30630	**Hoof knife, dual-sided blade Aesculap** VC316V mid-size blade	26.25
30631	**Hoof knife, dual-sided blade Aesculap** VC317V large blade	26.25


30632
30633
30634
30635
30691

Art.-Nr.	Description	€
30632	**Hoof knife, right Aesculap** VC300V small blade	25.95
30691	VC310V small blade	26.25
30692	VC320R small blade	25.90
30633	**Hoof knife, right Aesculap** VC302V large blade	25.95
30634	**Hoof knife, left Aesculap** VC305V small blade	25.95
30693	VC311V small blade. Danish form with ebony handle	26.25
30694	VC321R small blade. Danish form with ebony handle	25.90
30635	**Hoof knife, left Aesculap** VC307V large blade	25.95

Hoof pliers



Art.-Nr.	Description	€
30601	**Hoof and claw pliers green** with lever and interchangeable cutting plates, length 41 cm	32.95
30602	**Replacement cutting jaws for hoof and claws pliers**	13.20



Art.-Nr.	Description	€
30603	**Claw side cutter green** with slightly curved cutting jaws, length 60 cm	59.95

Hoof rasp



Art.-Nr.	Description	€
30600	**Hoof rasp with handle** length of rasp approx. 35 cm	18.90



Art.-Nr.	Description	€
30605	**Rasp, straight** with 4 different levels. Length approx. 35 cm	15.50

Claw cutter



30636



30637

Art.-Nr.	Description	€
30636	**Claw cutter, cranked** also referred to as a claw spatula, bare blade, blade width approx. 48 mm **swan-necked**	7.95
30637	**straight**	5.80

Claw treatment



Art.-Nr.	Description	€
30645	**Hoof fat green** With genuine bay leaf oil Supports vital hoof growth. Regulates the moisture balance of the hoof and promotes horn stability. High-quality oils prevent the hoof from drying out or softening. Daily application keeps the hoof elastic and prevents hoof diseases. Contains: High-quality oils, laurel oil, bay leaf oil, lanolin **1000 ml**	13.10
30678	**5000 ml**	45.70



Art.-Nr.	Description	€
30682	**Eutra hoof ointment with laurel 1000 ml** With laurel oil (natural extract), protects and maintains the horse's hoof, forms a protective film on the hoof and protects against moisture, dirt and urine spills. Thanks to its moisturizing property, Eutra hoof ointment keeps the hoof elastic and resilient, and prevents dehydration. Administration: Apply with brush to dry hoof. (Do not apply to wet hooves). **Composition:** Liquid paraffin, petrolatum and laurus nobilis (laurel oil).	11.30



Wooden block



Art.-Nr.	Description	€
30655	**Wooden block for Technovit and Demotec** **100 pieces**	1.30
30655XL	**Wooden block for Technovit and Demotec** **length 130mm**	1.37

Claw shoe



30658



30659

Art.-Nr.	Description	€
30658	**Claw shoe Easy Bloc right shoe**	9.15
30659	**Claw shoe Easy Bloc left shoe**	9.15

Technovit



Art.-Nr.	Description	€
30649	**Technovit** A fast-curing resin based on methyl methacrylate as powder or liquid. For claw and hoof treatment. **set of 2 applications** Contents: 100 g powder, 80 ml liquid. 2 mixing cups, 2 spatulas, 2 wooden blocks	54.99
30650	**10/pack** Contents: 1000 g powder, 500 ml liquid, 10 mixing cups, 10 spatulas, 10 wooden blocks	99.95
30651	**10/pack with accelerator** Contents: 1000 g powder, 500 ml liquid, 10 mixing cups, 10 spatulas, 10 wooden block **with accelerator**	104.95



Art.-Nr.	Description	€
39650	**Technovit pulver 1000 g**	79.95
39651	**Technovit fluid 500 ml**	45.99
39652	**Technovit accelerator 70 ml**	31.99

The advantages at a glance:

- dries within 30 seconds
- adheres strongly and permanently to wooden and rubber pads
- easy to use – no mixing, no waste
- odourless and safe application, also indoors



Art.-Nr.	Description	€
30683	**Technovit-2-Bond starter set, with dose gun, for 10 uses**	79.99
30684	**Technovit-2-Bond set, without dose gun, for 10 uses**	54.99



Art.-Nr.	Description	€
30685	**Technovit-2-Bond cartridge, 160 ml**	32.50



Art.-Nr.	Description	€
30686	**Dose gun for Technovit-2-Bond**	49.95



Art.-Nr.	Description	€
30687	**Mixing cannula Technovit-2-Bond, 25 pieces**	24.25

Demotec



Art.-Nr.	Description	€
30653	**Demotec 95 set of 2 applications** Product line for claw treatment in easy-to-use portion sizes, comfortable treatment, does not stick can be used immediately, the quick aid for lameness, no reduction in milk yield, little weight loss. **2/pack** Contents: 2 x 70 g powder, 80 ml liquid, 2 wodden blocks, 2 wooden spatulas, 1 mixing cup, 1 Measuring cup	31.95
30654	**14/pack** Contents: 14 x 70 g powder, 500 ml liquid, 14 wodden blocks, 2 wooden spatulas, 2 mixing cup, 1 Measuring cup	115.95
39653	**Demotec pulver 70 g**	5.95

Black Magic

NEW



Art.-Nr.	Description	€
31670	**Black Magic Hoof Glue XXL winter** strong adhesive force application is not smelly fast reacting glue (two components), PU-basis 11-13 applications with one cartridge claw block should be on the right position within 15 seconds to make sure it is connected properly completey hardened within 90 seconds has a quicklock access for mixing tips **250ml**	34.95
31671	**Black Magic Hoof Glue XXL summer 250ml**	34.95




Art.-Nr.	Description	€
30656	**Demotec Easy Bloc** Replaces claw bandages through effective treatment. Animals are able to move around without pain. Prepare the healthy claw, fill plastic compound into Easy Bloc cap and cover claw. Blue Express plastic compound enables fast curing times even at low temperatures. **4/pack**	59.95
30657	**12/pack**	129.95

NEW



Art.-Nr.	Description	€
31673	**BHA nozzle for 250ml** compatability: designed for 250ml cartridges, can also be used for 200ml and 210ml cartridges side loader design for easy inlaying oft he cartridge sturdy construction provides high lever action to make it easier to push the glue out oft he cartridge the frame protects the cartridge from damage	59.95

NEW



Art.-Nr.	Description	€
31672	**BHA easy-fix mixing tips -100pieces**	105.00

Bandage material



Art.-Nr.	Description	€
30681	**Chemical wood pulp fleece compress** made of highly bleached cellulose with silky-smooth fleece does not stick to wounds single-sided fleece pad, rolled up in dispenser box **10 cm wide – 10 m length** **18/box**	10.20



Art.-Nr.	Description	€
30665	**Short-stretch bandage** cottonamid, made from 55 % cotton, packed in cellophane and box **6 cm x 5 m, 10/box**	1.10
30666	**8 cm x 5 m, 10/box**	1.55



Art.-Nr.	Description	€
30669	**Flava bandages** made from 40 % cotton, without cellophane, without clamps **6 cm x 6 m**	1.30
30670	**8 cm x 6 m**	1.50



Art.-Nr.	Description	€
30667	**Elastic gauze bandage** dederon, hospital pack, bulk packed **8 cm x 4 m, 20/box**	0.90
30668	**10 cm x 4 m, 20/box**	1.00



Art.-Nr.	Description	€
30680	**Absorbent cotton 100 g**	3.30


Adhesive claw bandage



Art.-Nr.	Description	€
30638	**Adhesive Claw Bandage** black 25 m length - 45 mm wide Also referred to as tar bandage and claw tape for bandaging of and applying protective tapes to large animals. **Certoplast** **60/box**	12.70



Art.-Nr.	Description	€
30671	**Adhesive claw bandage Corotex** Also referred to as tar bandage and claw tape for bandaging of and applying protective tapes to large animals. 25 m length x 50 mm width **black**	17.95



Art.-Nr.	Description	€
30640	**Silver bandage** 550 m length x 50 mm wide, highly tear proof, waterproof fabric adhesive, extraordinary shear strength, weather-proof, adheres to all surfaces, universally applicable. Suitable for hoof care. **24/box**	7.25

Bandages



NEW



Art.-Nr.	Description	€
20401	**Bandages** for claw care, self-adhesive, thick texture with extra Latex layer for good adhesion, easy to put on **7,5 cm – red**	1.95
20405	**7,5 cm – blue**	1.95
20417	**7,5 cm – green**	1.95
20409	**7,5 cm – black**	1.95
20413	**7,5 cm – pink**	1.95
20421	**7,5 cm – white**	1.95
20402	**10 cm – red**	2.19
20406	**10 cm – blue**	2.19
20418	**10 cm – green**	2.19
20410	**10 cm – black**	2.19
20414	**10 cm – pink**	2.19
20422	**10 cm – white**	2.19

Claw treatment



Art.-Nr.	Description	€
30641	**Beechwood tar** For hoof and claw treatment, against thrush, also being used as a lure for red deer and wild boar. **1 kg** **12 pieces/box, 504 pieces/palette**	4.95
30642	**2,5 kg** **196 pieces/palette**	9.95
30643	**5 kg** **96 pieces/palette**	17.95
30644	**10 kg** **60 pieces/palette**	31.95
30677	**25 kg** **24 pieces/palette**	79.95



Art.-Nr.	Description	€
30660	**Claw bath Suevia** for effective claw treatments, no-slip deeply rutted inner surface. **Dimensions: 200 x 90 x 15 cm**	307.50





Cattle bindings



Art.-Nr.	Description	€
60110	**Nylon strap standard** modern, safe, noiseless, 100 % workmanship, no wear, no stretching, galvanized chain **170 cm standard**	10.20
60111	**180 cm standard**	12.00
60112	**190 cm standard**	12.55
60113	**170 cm standard – bottom ring**	12.10
60114	**180 cm standard – bottom ring**	12.50
60115	**190 cm standard – bottom ring**	12.95
60116	**170 cm standard – Duräumat with small chain links**	10.50
60117	**180 cm standard – Duräumat with small chain links**	10.80

Art.-Nr.	Description	€
60119	**Nylon-Band double** Modern, safe, noiseless, 100 % workmanship, mo wear, no stretching, galvanized chains. Fits any neck halter, double stitched strap **170 cm double**	13.90
60120	**180 cm double**	15.30
60121	**190 cm double**	15.60
60122	**170 cm double – bottom ring**	15.90
60123	**180 cm double – bottom ring**	16.10
60124	**190 cm double – bottom ring**	16.30
60125	**170 cm double – Duräumat with small chain links**	13.90
60126	**180 cm double – Duräumat with small chain links**	16.30



Art.-Nr.	Description	€
60129	**Tube neck bracket for young cattle** length 55 cm, rings inside Ø 55 mm, ring thickness 8 mm	11.50



Art.-Nr.	Description	€
60130	**Tube collar for cows, 78 cm with 3 rings** rings inside Ø 65 / 100 mm, ring thickness 10 mm	12.70



Art.-Nr.	Description	€
60132	**Flat link collar 9 rings** length 88 cm, 9 rings 10 x 50 mm, rings connected by flat links	14.95



Art.-Nr.	Description	€
60133	**Flat link collar, nylon** for cattle, 1x top ring 10 x 85 mm, 3 x bottom rings, total length 78 cm	13.90



60155



60156

Art.-Nr.	Description	€
60155	**Cow chain with 1 end for trough 6 mm** length 65 x 55 cm, chain thickness 6 mm	16.90
60156	**Cow chain with 2 ends for trough 6 mm** length 65 x 55 cm, chain thickness 6 mm	15.60




Art.-Nr.	Description	€
60158	**Trough ends without swivel 6 mm** length 65 cm, chain thickness 6 mm	4.20
60159	**Trough ends with swivel 6 mm** length 65 cm, chain thickness 6 mm	6.75



Art.-Nr.	Description	€
60157	**Chain for calves 4 mm** length 60 x 40 cm, chain thickness 4 mm	8.10





Art.-Nr.	Description	€
60160	**Bridle Chain for Oxen with puller 5 mm** length 160 cm, chain thickness 5 mm	10.90

Bindings



60134



60135



60190



60191

Art.-Nr.	Description	€
60134	**Cattle hobble nylon** Helps cows to get up after giving birth and prevents injuries.	7.10
60135	**Cattle hobble nylon adjustable**	11.60
60190	**Cattle hobble made of nylon, green**	11.85
60191	**Cattle hobble made of nylon, green, adjustable**	12.85

Collars





Art.-Nr.	Description	€
60136	**Calves collar** made of nylon, total length 90 cm, adjustable, 35 mm wide, with D ring 35 x 6 mm, roller buckle **yellow**	6.50
60136b	**blue**	6.50



Art.-Nr.	Description	€
60137	**Calves collar with chain** leather reinforced Trevira strap, chain with toggle **blue**	9.20





Art.-Nr.	Description	€
60138	**Cow collars** total length 130 cm, adjustable, leather reinforced, with ring and round buckle **white**	7.50
60139	**blue**	7.00
69138	**D-ring for collar** **diameter** Ø 40 mm, ring 5 mm	0.70



Art.-Nr.	Description	€
60140	**Bull strap green 50 mm** leather reinforced nylon strap 50 mm wide, total length 150 cm, with double roller buckle, D-ring and oval link **green**	12.90

Calves halter



Art.-Nr.	Description	€
60150	**Calves halter** made of nylon, continuously adjustable	7.90



Art.-Nr.	Description	€
60148	**Cow halter, standard** Trevia Material, gentle to the skin, with adjustable head and nose band, leather reinforced, with roller buckle and ring.	8.10



Art.-Nr.	Description	€
60149	**Cow halter with chin chain** Trevia Material, gentle to the skin, with adjustable head and nose band, leather reinforced, with roller buckle and ring.	13.95

Trevira bindings



Art.-Nr.	Description	€
60151	**Trevira binding / neck and bottom strap** Blue neck and ground strap with D-ring and snap hook, no electrical conductivity, skin-friendly, easy to open by roller buckle, extra-reinforced leather neck strap keeps its shape and is suitable for cows, livestock and young animals.	13.95
60152	**Bottom belt with ring for** 60151 With 2 rings and buckles, carabiner hook with rotatable swivel, belt width 25 mm	8.20



Art.-Nr.	Description	€
60153	**Trevira binding / neck strap, blue** Blue neck and ground strap with D-ring and snap hook, no electrical conductivity, skin-friendly, easy to open by roller buckle, extra-reinforced leather neck strap keeps its shape and is suitable for cows, livestock and young animals. With two chain ends, hook and toggle, chain length 6 mm	22.50
60154	**Chain ends with snap hook** for 60153 With two chain ends, hook and toggle, chain length 6 mm	19.50



Art.-Nr.	Description	€
69152	**Spring safety hook with swivel, twistable** (to 60151)	3.95

Ropes



Art.-Nr.	Description	€
60141	**Livestock transport rope sisal / polypropylene, natural color, 320 cm, diameter 13 mm** **small end loop**	2.20
60142	**large end loop**	2.20
60143	**blue/white small end loop**	2.25
60144	**blue/white large end loop**	2.25

Art.-Nr.	Description	€
60145	**Calf rope sisal / polypropylene, 2 m** total length 2 m, with small end loop	1.30
60173	**Calf rope made of sisal, 2 m** total length 2 m, with small end loop	1.60



Pig farming



Art.-Nr.	Description	€
30145	**Teething ring for piglets with chain, diameter Ø 180 mm** Tough biting ball, reduces aggressiveness in the stable, bite-resistant plastic material, with 75 cm suspension chain.	9.00



Art.-Nr.	Description	€
60045	**Herding board for pigs XL** – light weight 3.5 kg simple and easy to use – no seams which might tear open and lead to contamination – no gaps, therefore low risk of injury for the knee – approx. 91 x 80 cm	39.95



Art.-Nr.	Description	€
30140	**Ball for piglets, anti stress, diameter Ø 20 cm** Playing with the ball prevents and reduces aggressions. Ball isfilled with a granular material. Material: "high density polyethylen"	23.30



Art.-Nr.	Description	€
30142	**Biting ball** Ball made of polyurethane, high quality, long life, provides distraction, thereby preventing behaviour disorders, for attachment to play chains. **for piglets diameter 55 mm Ø 55 mm**	7.70



Art.-Nr.	Description	€
70102	**Feeding machine for piglets round 6 liter** Made of plastic, content: 6 liters, ideal for feeding of piglets up to 10 kg, approx. 40 cm height.	22.20



Art.-Nr.	Description	€
70104	**Plastic piglet feeder 60 liters** Made of plastic, with 3 feeding places for weaned piglets, 60 liters. height 65 cm x width 62 cm x depth 27 cm.	109.90



Sheep farming

Drinking bottles



Art.-Nr.	Description	€
70075	**Milk bottle for lambs** food-safe, complete with teat and scale, perfect for rearing of single animals **500 ml** – with small animal teat	4.70
70076	**1000 ml** – with lamb teat	5.80

Art.-Nr.	Description	€
70078	**Replacement teat red for lambs**	1.50
75078	**Replacement teat red for lambs 3/pack**	4.95
70079	**Small animal teat light color for milk bottle**	1.50

Feeding bucket



Art.-Nr.	Description	€
70077	**Lamb feeding bucket plastic** made of plastic, 5 teat points, complete with teats and valves	20.20
70037	**Replacement valve without suction cup** for lamb feeding bucket	3.20

Neck straps for sheep



Art.-Nr.	Description	€
60201	**Neck strap for sheep and goats** made of nylon, continuously adjustable made of nylon, total length 65 cm adjustable **yellow**	4.50
60201b	**blue**	4.50



Art.-Nr.	Description	€
60202	**Neck strap for sheep and goats** leather, adjustable, total length 65 cm	6.30

Halters



Art.-Nr.	Description	€
60240	**Head holder for sheep and rams red nylon**	11.50



Art.-Nr.	Description	€
60205	**Halters for sheep and gorams** **blue big**	9.25
60206	**black small**	10.60
60207	**red small**	9.25

Clippers



Art.-Nr.	Description	€
30688	**Clipper for sheep and goats, Original Burgon & Ball** **turquoise**	16.50
30689	**Clipper for sheep and goats, Original Burgon & Ball** **red**	17.95
39688	**Replacement for Original Burgon & Ball**	3.90



Art.-Nr.	Description	€
30646	**Claw shears for sheep** serrated blades	9.95

NEW



Art.-Nr.	Description	€
30695	**VICTORINOX Hook Knife** curved blade made of stainless steel, blade length: 51 mm, nylon handle, 100 mm **XS, red**	18.00
30696	**VICTORINOX Hoof Knife** straight blade made of stainless steel, blade length: 55 mm, nylon handle, 100 mm **red, straight blade**	18.00
30697	**VICTORINOX Hoof Knife – Left-Handed** straight blade made of stainless steel, blade length: 55 mm, nylon handle, 100 mm **red, straight blade**	18.00
30698	**VICTORINOX Hoof Knife – Dual Blade** fully integrated large blade and hook blade, stainless steel blades, 51 mm length, nylon handle, 100 mm, overall length: 93 mm **93 mm silver Swiss Army 2**	37.00



Art.-Nr.	Description	€
70191	**Sheep shear double bow** approx. 27 cm length, suitable for trimming box trees and smaller hedges	9.80



Art.-Nr.	Description	€
30679	**Hoof knife, for sheep, dual-sided blade** also referred to as groove knife, with wooden handle	5.90

Schafnetze finden Sie ab **Seite 52.**

Crooks



Art.-Nr.	Description	€
60211	**Shepherd's crook, leg catch** **short 95 cm**	16.60
60212	**long 136 cm**	19.20
60213	**Shepherd's crook leg and neck catch** **long 148 cm**	20.00

Shovels



Art.-Nr.	Description	€
60215	**Shepherd´s shovel** without shaft, made of nickel-plated metal, for easily catching sheep without hurting them **rounded**	18.30
60216	**spitz**	18.30
60217	**spitz steel**	21.20

Crook head



Art.-Nr.	Description	€
60214	**Shepherd´s crook head leg catch** without shaft, made of nickel-plated metal, for easily catching sheep without hurting them	11.95

Water bowl





70002



70003



70004



79000

Art.-Nr.	Description	€
70001	**Cattle and horse trough H84** – easily mounted to posts or water pipes, made of cast iron , without water chamber and therefore less risk of frost damage, fixing holes easily accessible, valve 20 mm above water level, ideal placement of nose pedal, top and bottom water inletswith 1/2" pipe connector – weigth 3.7 kg – 1.70 liters **2/box** **palette 96/pieces**	24.95

Art.-Nr.	Description	€
70002	Brass replacement valve for H84	6.95
75002	Brass valve for H84 – SB 1/pack	7.45
99028	Brass replacement valve for H84 - low pressure	3.60
70003	Plastic replacement valve for H84	3.70
75003	Plastic valve for H84 – SB 1/pack	3.90
70004	Retaining plate for H84	4.20
79000	Valve assembly for H84	1.30
79002	Valve spring for H84	0.80
79003	Valve washer for H84	0.60
79004	Seal, small, for H84	0.30
79005	Seal, large, for H84	0.40
79006	Plastic plug for H84	0.70
79007	Nozzle with strainer changeable for H84	1.30
79008	Metal tongue for H84	6.10
79119	Axle to H84	1.40



Art.-Nr.	Description	€
70014	**IDEAL water bowl model 61** For livestock, calves and horses, mounting with four bolts, 1/2" top and bottom water inlet, suitable for high pressure inlets, smooth-running pipe valve, made of completely enamelled cast iron, even flow of water, good channel flow, no splashing, no valve therefore no axis of rotation. **palette 90/pieces**	55.90
70015	**Pipe valve for water bowl model 61**	21.00



Art.-Nr.	Description	€
70014K	**Water bowl G51** For cattle, calves and horses, four-hole attachment, water connection 1⁄2" from the top and bottom possible, for high pressure, smooth-running pipe valve, bowl made of completely enamelled cast iron, smooth water flow, good water flow, no splashing, no valve tongue therefore no axis of rotation.	49.95





Art.-Nr.	Description	€
70054	**Allweiler water bowl** bowl made of cast iron, completely enamelled. Simple water flow regulation, top and bottom connection R 1⁄2" **K2**	119.95



70005



70006

Art.-Nr.	Description	€
70005	Brass replacement valve for Allweiler K2	13.30
70005K	Brass replacement valve with plastic plunger	24.95
70006	Brass plunger for Allweiler	2.70
70008	Plastic plunger for Allweiler	2.90
79051	Compression spring DF-1 for valves Allweiler	1.10
79052	Disc S-MS for valves Allweiler	2.70
79053	Seal D-PB for valves Allweiler	1.10
79055	Pressure flap to Allweiler K2	29.80
79058	Flap axis 8 mm to Allweiler K2+L5	9.60

Art.-Nr.	Description	€
70055	**Allweiler water bowl** bowl made of cast iron, completely enamelled. Simple water flow regulation, top and bottom connection R 1⁄2" **L5**	129.95



70008

Art.-Nr.	Description	€
70056	Brass replacement valve for Allweiler L5	24.95
70008	Plastic plunger for Allweiler	2.90
79051	Compression spring DF-1 for valves Allweiler	1.10
79052	Disc S-MS for valves Allweiler	2.70
79053	Seal D-PB for valves Allweiler	1.10
79054	Pressure flap to Allweiler L5	31.70
79058	Flap axis 8 mm to Allweiler K2+L5	9.60



Art.-Nr.	Description	€
71060	**Suevia water bowl** bowl made of cast iron, completely enamelled. Simple water flow regulation, top and bottom connection R 1⁄2" **Mod. 115**	129.90



Art.-Nr.	Description	€
70013	**Plastic water bowl** large and durable water bowl, top and bottom water inlets for mounting to wall and water pipes. **2/box**	26.95



Art.-Nr.	Description	€
70064	**Suevia water bowl** Bowl made of high-quality plastic AQUATHAN, pipe valve with connection R 1⁄2" from above, for high and low pressure, water quantity continuously adjustable from the outside via an adjusting screw. **Mod. 12 P green**	59.95



Art.-Nr.	Description	€
70062	**Float water bowl - plastic** water bowl, 3 liters, made of polypropylene, provides constant water level, float protection made of plastic **box 9/pieces**	29.90
79062	**Valve for float water bowl**	11.80



Art.-Nr.	Description	€
71062	**Suevia water bowl** plastic bowl, pipe valve with, top water inlet R 1/2", suitable for high and low pressure **model 340**	101.50



Art.-Nr.	Description	€
70061	**Suevia water bowl** plastic bowl, pipe valve with, top water inlet R 1/2", suitable for high and low pressure **model 10 P**	49.10
70067	**Mounting brackets in pairs to Suevia 10P**	5.40



Art.-Nr.	Description	€
70060	**Suevia water bowl** bowl made of cast iron, completely enamelled. Simple water flow regulation, top and bottom connection R 1⁄2" **Mod. 115** **auch erhältlich in 1/2"**	124.95





70018



70019

Art.-Nr.	Description	€
70017	**Barrel mounting bowl Upland**	49.85
70018	**Metal valve for barrel mounting bowl**	11.50
70019	**Plastic valve for barrel mounting bowl**	20.99



Art.-Nr.	Description	€
70059	**Suevia water bowl** bowl made of cast iron, completely enamelled. Simple water flow regulation, top and bottom connection R 1⁄2" **Mod. 25 R** **also available in 1/2"**	119.95



Art.-Nr.	Description	€
71061	**Suevia water bowl** plastic bowl, pipe valve with, top water inlet R 1/2", suitable for high and low pressure **model 130 P**	64.50



Art.-Nr.	Description	€
70012	**Float water bowl** made of enamelled cast iron with stainless float lid, 1/2" connector	55.95



Art.-Nr.	Description	€
70020	**Barrel mounting bowl plastic, green** Model 180, for water tanks, large water inlet even at low pressure. UV-stabilized plastic.	59.95



Art.-Nr.	Description	€
70063	**Frost proof bowl 230V** Plastic water bowl for horses and livestock, complete with 230V 33 W heating cable for bowl and valve, heating cable features built-in thermostat for automatic temperature control. width 128 mm, depth 170 mm - hole spacing approx. 100 mm, R 1/2" female thread connector, weight approx. 1.1 kg, frost-free to approx. -20 °C, 1/box	163.30
70007	**Replacement valve for Lister SB8**	14.60
70009	**Brass replacement valve with plate**	6.49

Water pump



Art.-Nr.	Description	€
70086	**Cattle-operated water pump plastic** made of plastic, draws water from a maximum depth of 7 m, wide drinking bowl made of high-density polyethylene. Even though the pump is equipped with a check valve, a sand-repellent strainer at the end of the line is nevertheless required. length: 75 cm bowl width: 16.5 cm	399.00



70090 70091



70092 70093

Art.-Nr.	Description	€
70090	**Membrane for cattle-operated water pump** **35 mm** – for Holstebro and Utina	10.25
70091	for Lister and Suevia	14.70
70092	**53 mm** – for Eider	11.60
70093	**33 mm** – for Oase	11.20
70094	for La Buvette	49.90

Nipples and accessories



Art.-Nr.	Description	€
70022	**Bite nipple for pigs** all bite nipples are supplied with filter, 3-level adjustable water inlet **3/4"**	17.40
75022	**Pig bite nipple 3/4" SB 1/pack**	18.40
70046	**Bite nipple for pigs 3/4"** with 1/2" thread	6.80
75046	**Bite nipple for pigs 3/4" with 1/2" thread, SB 1/pack**	7.60
70023	**Bite nipple for pigs 1/2"**	3.50
75023	**Pig bite nipple 1/2" SB 1/pack**	3.80
70024	**Bite nipple for pigs 3/8"**	9.10
75024	**Pig bite nipple 3/8" SB 1/pack**	5.20

Art.-Nr.	Description	€
70027	**Pressure nipple for pigs Lu 1/2"** For direct connection to the water mains, scope of supply: Valve body, spring and set screw, made of brass, stainless steel front, maximum pressure 6 bar, water flow to trough is regulated via the set screw.	49.40
70028	**Pressure nipple for piglets Lu**	42.80



Art.-Nr.	Description	€
70025	**Spray nipple** all trough spray nipples are supplied with filter, 3-level adjustable water inlet **1/2" with slot**	4.95
70026	**1/2" with hole**	4.90
75025	**1/2" SB 1/pack**	5.20



Art.-Nr.	Description	€
70031	**Saddle clamp** made of brass with metal bracket, 1/2" female thread	16.50



Art.-Nr.	Description	€
70069	**Guard for water bowls** galvanized, solid design, suitable for all stable bowls	36.95



Art.-Nr.	Description	€
70032	**Wall angle 15 degrees**	4.80

Feeding cups



Art.-Nr.	Description	€
70716	**Food bowl made of clay** **0.25 litre**	3.70
70717	**0.50 litre**	4.30
70718	**0.75 litre**	4.50
70719	**1 litre**	5.00

Poultry bowls



Art.-Nr.	Description	€
70730	**Plastic poultry bowl** Poultry drinking trough with conical cover, easy to clean. Drinking trough base set for the **1 litre** drinking trough is available.	3.00
70731	**2.0 litre**	4.20
70732	**3.0 litre**	5.80
70733	**5.0 litre**	7.80



Art.-Nr.	Description	€
70734	**Plastic poultry bowl** Poultry drinking trough with proven bayonet lock, also suitable for suspension. Drinking trough base set suitable for the **1.5 litre** drinking trough.	4.50
70735	**3.5 litre** – feet available	8.45
70736	**5.5 litre** – feet available	11.99

Chicken bowls



Art.-Nr.	Description	€
70737	**Plastic chicken bowl** double cylinder **6 litre** – feet available	19.70
70738	**10 litre**	26.95
70739	**12 litre** – feet available	28.55



Art.-Nr.	Description	€
70740	**Metal chicken bowl** **5 litre**	76.10
70741	**10 litre**	89.95



Art.-Nr.	Description	€
70742	**Feet to chicken bowl** 4 feet per drinking trough (height 80 mm), water in the trough wheel is less soiled, better egg and poultry quality, healthier animals. **4er set**	5.30



Art.-Nr.	Description	€
71732	**Double Cylinder Trough Clean** new lock enables easy cleaning **3 litre**	15.90

Feeding cups



Art.-Nr.	Description	€
70722	**Feeding cups 300 ml** **blue**	0.60
70723	**red**	0.60
70724	**white**	0.60
70725	**yellow**	0.60
70726	**green**	0.60

Hotplate



Art.-Nr.	Description	€
70789	**Hotplate** plastic housing, keeps bowl from freezing, only 19 W power consumption, 230V power connector, 240 mm diameter for standard drinking bowls made of metal, plastic or glass.	37.70

Quial bowls



Art.-Nr.	Description	€
70743	**Plastic Quail drinking trough** with automatic water supply, suitable for bird breeding, with proven bayonet lock, two-part, easy to clean, low and narrow rim, drinking trough base suitable for the 1.5 litre drinking trough. **1.5 litre**	5.10

Dove bowls



Art.-Nr.	Description	€
70797	**Chicken foot rings** **5 litre** – plastic	9.95
70798	**3.5 litre** – plastic	8.40

Bottles



Art.-Nr.	Description	€
70710	**Glass drinking bottle** **500 ml** with aluminum tube	4.40

Poultry feeders



Art.-Nr.	Description	€
70777	**Plastic feeder** for quails, fancy fowl, bantams and chickens, with proven bayonet lock. The clamp-on grill reduces feed waste. Base suitable for the 1 kg automatic feeder. **4 kg** – feet available	12.70
70778	**2.5 kg** – feet available	9.,70
70779	**1 kg**	7.10

Feeding bucket



Art.-Nr.	Description	€
70700	**Feeding bucket for calves with lid** **0.5 litre**	4.20
70701	**1 litre**	5.60
79701	**Angle with valve for nipple bowl**	3.95



Art.-Nr.	Description	€
70744	**Feet for feeders 2,5 kg and 4 kg** Feet for our 2.5 kg and 4 kg automatic feeders keep dirt away from the feed. The feet have a height of 8 cm. **4er Set**	8.95



Art.-Nr.	Description	€
70781	**Plastic automatic feeder FS** Sturdy plastic automatic feeder with lid, continuously variable feeder height adjustment possible, also suitable for suspension. The rounded edge of the plate reduces feed waste. **12 – 15 kg**	26.50

Feeding troughs



Art.-Nr.	Description	€
70752	**Wooden feeding trough for pullets** **60 cm**	18.30
70753	**120 cm**	23.10



Art.-Nr.	Description	€
70756	**Wooden cap trough for pullets** **50 cm**	20.90
70757	**75 cm**	25.90
70758	**100 cm**	35.40



Art.-Nr.	Description	€
70760	**Plastic feeding trough** Troughs for poultry kept on the floor. Suitable for birds of all ages, with feeding grid made of high-quality metal. The optional variant with feeding grid meets the wishes of every poultry lover. The decisive advantage of these troughs is the easy care and stability of the construction. **50 cm** – for fledglings	11.95
70761	**75 cm** – for fledglings	16.40
70762	**50 cm** – for pullets	16.45
70763	**75 cm** – for pullets	21.35
70764	**75 cm** – for chickens	28.25
70765	**100 cm** – for chickens	34.95



Art.-Nr.	Description	€
70770	**Metal feeding trough** **6 x 50 cm** – for fledglings	8.20
70771	**6 x 75 cm** – for fledglings	9.60
70772	**12 x 50 cm** – for pullets	12.90
70773	**12 x 75 cm** – for pullets	15.20
70774	**Metal feeding trough** **18 x 50 cm** – for chickens	17.60
70775	**100 cm** – for chickens	24.10

Nesting bowl



Art.-Nr.	Description	€
70795	**Nesting bowl plastic** **Ø 19 cm**	1.30
70796	**Ø 23 cm**	1.90



Art.-Nr.	Description	€
70799	**Nest eggs made of clay** - for chickens 10 pcs.	0.90
75799	**SB 2/pack**	2.10



Art.-Nr.	Description	€
70790	**Chicken foot rings 16 mm** **100/bag red**	14.70
70791	**100/bag blue**	14.70
70792	**100/bag green**	14.70
70793	**100/bag yellow**	14.70
75790	**100/bag mix**	14.70

Fodder racks




Art.-Nr.	Description	€
70715	**Rack for fodder galvanized 25 cm**	2.70

Nests



Art.-Nr.	Description	€
71708	**Nest for pullets** - with three laying places for large chickens - nade of wood and hardboard - with sloping roof - extra drawer for removing the eggs - with mat - size W 90 cm x H 64 cm x D 38 cm	99.95




Poultry door

Art.-Nr.	Description	€
71721	**Automatic Poultry Door** – control options: daylight control time-dependent control mixed control from daylight & time manual mode – 230 V or with batterie **220 x 330 mm**	170.70
71720	**With self-locking** - sliding door with mechanism for safety during the night **250 x 320 mm**	208.90
71722	**300 x 400 mm**	177.00
71723	**Control** suited for protected outdoor area	143.60
71724	**Solar module 2 W**	44.60



71720



71722



71721

71723





71724

NEW

GRT X-SERIES

Powered by Liscop

Die NeXt Generation Schermaschinen

Göbel Razorcut Technology (GRT)
Precision that Builds Trust

Anyone who shears animals takes responsibility – for their well-being, calmness, and safety.

This very principle led to the creation of GRT Shear: a brand of professional clipping machines that does not put technology in the spotlight, but makes it tangible – through smooth operation, precision, and absolute reliability.

Together with our German development partner LISCOP, we combine decades of experience with state-of-the-art electronics and innovative battery technology. The result is the X-Series – a new generation of cordless clippers developed for professional use and the highest demands in stables, salons, or daily working environments.

Made in Germany. Developed for animals and users.

The X-Series – Intelligent Power, Cordless Reimagined

At the heart of every X-Series model is a consistently advanced battery system combined with precisely tuned motor control electronics. Powerful lithium-ion batteries ensure long operating times, constant power output, and short charging cycles.

The intelligent electronics regulate the motor so that exactly the required power is available at any given moment – efficient, material-friendly, and pleasantly quiet.

The result: uniform cutting performance, reduced vibration, less heat generation, and noticeably smooth operation – even when working on dense coats.

GRT X-Pro

The GRT X-Pro was specifically developed to meet the demanding requirements of cattle clipping. The powerful 14.4 V battery system, combined with electronically controlled motor management, delivers consistently high pulling power – even when working on dense, dirty, or wet coats. Intelligent electronics continuously adjust motor output to the current load, ensuring efficient power use, reduced heat generation, and exceptional endurance. Robust, reliable, and designed for continuous operation – ideal for professional use in livestock barns.

Powerful, durable, and long-lasting – developed for professional cattle clipping.

- powerful 14.4 V battery with charge status indicator
- intelligent 3-stage PAN control system
- maintenance-free HGW eccentric drive
- tool-free removable air filter; gearbox maintenance-free
- approx. 120 minutes runtime, approx. 120 minutes charging time
- max. 2,500 double strokes/min at 70 dB(A); SK VIII aluminum clipper head, airflow-ventilated for optimal cooling
- weight: 1,170 g
- dimensions: 51 × 52 × 315 mm



Art-Nr.	Description	€
50260	GRT X-PRO for cattle with 1 battery	499.00
50261	with 2 batteries	549.00

Spare parts on request

GRT X-Pro Horse

The X-Pro Horse has been consistently optimized for the specific requirements of horse clipping. The finely tuned motor control ensures exceptionally smooth, low-vibration operation and uniform cutting performance – even on sensitive horses. Multiple electronically controlled speed levels allow precise adjustment of power to coat structure and clipping area. Combined with modern battery technology, this results in a powerful, quiet, and ergonomic clipper for professional equine use.

Designed for gentle clipping of horses – even with dense or long coats.

- powerful 14.4 V battery with charge status indicator
- intelligent 3-stage PAN control system
- maintenance-free HGW eccentric drive
- tool-free removable air filter; gearbox maintenance-free
- approx. 120 minutes runtime, approx. 120 minutes charging time
- max. 2,500 double strokes/min at 70 dB(A); SK VIII aluminum clipper head, airflow-ventilated for optimal cooling
- weight: 1,170 g
- dimensions: 51 × 52 × 315 mm



Art-Nr.	Description	€
50266	GRT X-PRO Horse with 1 battery	499.00
50267	with 2 batteries	549.00

Spare parts on request

GRT X-One Horse

The GRT X-One Horse is based on the same compact, ergonomic design but has been consistently expanded for equine use. Equipped with a wider cutting blade, it is suitable not only for detail work but also for complete horse body clipping. Thanks to powerful battery technology and intelligent motor control, the X-One Horse delivers consistent cutting performance with very quiet, low-vibration operation. This makes it ideal for sensitive horses and for users seeking a lightweight, flexible, yet fully capable full-body clipper.

Smooth-running, compact, and powerful – for ergonomic and gentle full-body clipping, even with nervous horses.

- 35-watt, 7.4 V lithium-ion battery with advanced motor control for consistent cutting performance at just 58 dB(A)
- approx. 2,650 double strokes/min
- up to 120 minutes runtime; fully recharged in approx. 60 minutes
- lightweight at just 420 g
- compact dimensions: 204 × 49 × 40 mm
- compatible with clipper heads from other manufacturers
- supplied with charger, two batteries, and extra-wide cutting blade
- cutting height: approx. 2.3 mm
- cutting width: approx. 62 mm



Art-Nr.	Description	€
50255	GRT X-ONE Horse with 2 batteries	359.00



GRT X-One

The GRT X-One is a compact solution for delicate clipping tasks. Developed for small animals and precise detail work, it impresses with its low weight, exceptionally smooth running characteristics, and finely tuned motor control. Modern battery technology delivers even, controlled performance with minimal noise – ideal for sensitive areas such as the head, paws, or fine finishing work. The X-One is the perfect tool wherever precision and quiet operation are essential.

For grooming dogs, cats, and small animals – exceptionally quiet, pleasantly lightweight, and surprisingly powerful.

· 35-watt, 7.2 V lithium-ion battery with advanced motor control for consistent cutting performance at just 58 dB(A)
· approx. 2,650 double strokes/min
· up to 90 minutes runtime; fully recharged in approx. 60 minutes
· lightweight at just 420 g
· compact dimensions: 204 × 49 × 40 mm
· compatible with clipper heads from other manufacturers





Art-Nr.	Description	€
50250	GRT X-ONE with 1 battery	259.00
50251	with 2 batteries	319.00

Art-Nr.	Description	€
50252	GRT X-ONE without shear blade with 1 battery	209.95
50253	GRT X-ONE without shear blade with 2 batteries	269.00

Spare parts on request



GRT X-Max

When Maximum Power Is Required. The X-Max is designed for demanding and intensive clipping tasks. Its powerful battery, combined with a robust electronically controlled motor system, delivers exceptional pulling power while maintaining high efficiency. Even when working with dense wool or during long working days, cutting performance remains consistently high. A machine for professionals who refuse to compromise.

More Than Technology – A Philosophy
The X-Series stands for respectful animal handling, ergonomic working conditions, and modern, sustainable product development. Intelligent electronics, high-quality materials, and durable batteries result in tools that make everyday work easier – reliable, quiet, and precise. GRT Shear is not just a clipper. It is a conscious choice for quality, calmness, and trust.

Maximum cutting performance for demanding sheep shearing – powerful, efficient, and built for continuous operation.

· high-performance 14.4 V battery, innovative 3-stage control system, and robust HGW eccentric drive
· up to 2,500 double strokes/min at 75 dB(A), equipped with SK V aluminum clipper head
· tool-free removable air filter; maintenance-free gearbox
· airflow ventilation for motor, gearbox, and clipper head ensures reliable cooling
· approx. 90 minutes runtime, approx. 120 minutes charging time
· weight: 1,350 g
· dimensions: 57 × 52 × 315 mm

Clipping at a New Level of Quality. Powerful. Precise. Professional.

· 200-watt DC motor – powerful even under heavy load
· cutting speed: approx. 2,500 double strokes/min for fast and clean results
· SK V aluminum clipper head – robust, smooth-running, and easy to maintain
· efficient cooling system with airflow ventilation and tool-free removable air filter
· lightweight and well-balanced – only 1,310 g (without cable) for fatigue-free operation
· low noise level: 78 dB(A) – comfortable for both animal and user





Art-Nr.	Description	€
50270	GRT X-MAX for sheep with 1 battery	599.00
50271	with 2 batteries	699.00

Art-Nr.	Description	€
50280	GRT X-MAX Cord for sheep	419.00

Spare parts on request

Blades for horse and cow



50310



50311



50312



50313

Art.-Nr.	Description	€
50310	GRT blade for horse and cow GRT 102	49.95
50311	GRT blade for cow GRT 106	49.95
50312	GRT blade for cow GRT 107	49.95
50313	GRT blade for horse GRT 122	59.95

Blades for sheep



50320



50321



50322



50323

Art.-Nr.	Description	€
50320	GRT blade for sheep A5	49.50
50321	GRT blade for sheep A54	67.95
50322	GRT blade for sheep A55	74.95
50323	GRT blade for sheep A57	85.95



Shaving head



50370



50371



50372



50375

Art.-Nr.	Description	€
50370	GRT SnapOn shaving head K10	59.95
50371	GRT SnapOn shaving head K40	59.95
50372	GRT SnapOn shaving head K5	65.95
50375	GRT SnapOn shaving head K 10 W	78.95

GRT Batteries



Art.-Nr.	Description	€
50350	GRT Li-Ion battery 7,4 V for X-ONE	69.95



Art.-Nr.	Description	€
50360	GRT Li-Ion battery 14,4 V for X-PRO and X-MAX	119.95

Oils and lubricants




79130



79131

Art.-Nr.	Description	€
79130	Clipper oil 500 ml	11.00
79131	100 ml	4.00



Heiniger Xplorer Pro


Heiniger revolutionises cattle and horse clipping with its new XplorerPro clipper. Ever more powerful than its predecessor, the XplorerPro features two speeds and is the only clipper to date to include a patented clipping pressure display. This guarantees more precise clipping than ever before and also extends the clipper's life.

- 2 speed levels with up to 2,900 double strokes
- Enormously powerful
- Longer service life thanks to clipping pressure display
- Light, small and ergonomically shaped
- Runtime up to 120 minutes
- Charge Level indicator integrated in the battery

Lieferumfang: Koffer 394 x 315 x 123 mm

Specifications
- **Speed** 2450 / 2900 Doppelhübe / min
- **Length** 300mm (mit Messer)
- **Weight** 1 Akku 3090g, 2 Akkus 3280g
- **Noise emission (LpAm)** 65 dB(A)

Art-Nr.	Description	€
70250A1	Heiniger Xplorer Pro with 1 battery	599.00
70250	with 2 batteries	689.00




Heiniger Xplorer

- unique connection between shaving head and housing
- extremely powerful permanent magnet motor
- lightweight, slim and extremely handy
- no annoying air outlets, minimal noise
- fiberglass reinforced housing
- ultra-modern and ergonomic design

Specifications
- **Speed** 2450 Doppelhübe / min
- **Length** 300mm
- **Weight** 990g
- **Noise emission (LpAm)** 65 dB(A)

Art-Nr.	Description	€
70257A1	Heiniger Xplorer with 1 battery and blade 70165	459.00
70257	with 2 batteries and blade 70165	499.00
70257G	with 2 batteries and blade 70169	499.00

Spare parts on request




Heiniger Saphir Horse

Mit breiten Snap-on-Schermessern Ideal für die Komplettschur von Pferden
- leise
- leicht
- vibrationsarm
- ergonomisch
- bis 120 Min. Laufzeit

Inkl. Messer 10WF / Resthaarlänge 1,5mm.

Specifications
- **Motor power** 35W
- **Speed** 2650 Doppelhübe / min
- **Abmessung B x H x L** 204 x 50 x 41 mm
- **Weight** 440g
- **Spannung Akku** 7,4V
- **Kapazität Akku** 1600 mAh

Art-Nr.	Description	€
70279	Heiniger Saphir Horse	359.00



Heiniger Xperience 2-Speed

- Highspeed mit 2600 / 2900 Doppelhüben
- Leicht, schlank und extrem handlich
- Sehr leise
- Robust und langlebig
- Kein störender Luftaustritt

Mit kraftvollen 2900 Doppelhüben pro Minute auf der höheren Stufe und einem
leistungsstarken Motor können Rinder und Pferde rasch und mühelos geschert werden.

mit Schermesser-Satz 70165 (21/23 Zähne)

Specifications
- **Motor power** 250W
- **Speed** 2600 / 2900 Doppelhübe / min
- **Length** 301mm
- **Weight** 1180g
- **Noise emission (LpAm)** 68 dB(A)

Art-Nr.	Description	€
71258	Heiniger Xperience 2-Speed	419.00

Spare parts on request




Heiniger Progress

- electronic overload safety switch
- lightweight – only 930 g
- no distracting escaping air

Incl. carry case, blades, screwdriver, oil, brush

With blade set 70169

Specifications
- **Motor power** 80W
- **Speed** 2200 Doppelhübe / min
- **Length** 280mm
- **Weight** 930g
- **Noise emission (LpAm)** 70 dB(A)



Heiniger Delta 3

The first cattle and horse clipper with 3 speeds.
This allows convenient clipping even under difficult and harsh conditions. Easy to clean and extremely sturdy, quiet and powerful.
Ergonomic design, supplied in case.

Blade set 70165:
Rough shear blades for cattle and dairy cows, coat length after clipping 2 - 4 mm.
Bottom blade 21 teeth
Top blade 23 teeth.

Specifications
- **Motor power** 180W
- **Speed** 2100 / 2800 / 3200 Doppelhübe / min
- **Abmessung B x H x L** 204 x 50 x 41 mm
- **Length** 310mm
- **Weight** 1320g
- **Noise emission (LpAm)** 72 / 75 / 78 dB(A)



Heiniger C12

12 V battery clipper - small and lightweight, can be used anywhere where 12 V power source is available. Operating time of 4 to 5 hours with a
12 V battery with 50 AH capacity. Equipped with 5 m cable and battery terminals in case.

Blade set 70165:
Rough shear blades for cattle and dairy cows, coat length after clipping 2 - 4 mm.
Bottom blade 21 teeth
Top blade 23 teeth.

Specifications
- **Motor power** 160W
- **Speed** 2250 Doppelhübe / min
- **Length** 290mm
- **Weight** 1230g
- **Noise emission (LpAm)** 84 dB(A)



Art-Nr.	Description	€
70267	**Heiniger Progress**	309.00

Spare parts on request



Art-Nr.	Description	€
70261	**Heiniger Delta 3**	389.00



Art-Nr.	Description	€
70263	**Heiniger 12 V C12 701-100**	452.60

Spare parts on request

Blades for horse and cow

Art.-Nr.	Description	€
70165	**Shear blade for cattle 703-520** rough shear blades for cattle and dairy cows, coat length after clipping 2 - 4 mm bottom blade 21 teeth, top blade 23 teeth	49.50
70166	**Shear blade for horses 703-530** bottom blade 31 teeth, top blade 15 teeth, standard clipper for horses, coat length after clipping 2 - 4 mm	49.50
70169	**Shear blade for horses 703-550** bottom blade 31 teeth, top blade 23 teeth, standard clipper for horses, coat length after clipping 2-4 mm	49.50
70272	**Cattle / horse blade 703-700** for cattle with long, thick hair coath lenght after clipping: 2-4 mm, 18 + 15 teeth	49.50
70273	**Cattle / horse blade 703-690** for cattle with dirty coat coath lenght after clipping: 2-4 mm, 18 + 23 teeth	49.50
70274	**Cattle / horse blade 703-600** for cattle and horse styling coath lenght after clipping: 2-4 mm, 35 + 17 teeth	49.50
70275	**Shear blade for cattle 703-630** special blade for udder shearing coat length after clipping 1 mm, bottom blade 35F teeth, top blade 17 teeth	59.60
70276	**Shear blade for horses 703-560** fine shear blades for horses close clipping, coat length after clipping 1-2 mm, bottom blade 31F teeth top blade 15 teeth	59.60
70277	**Shear blade for horses 703-670** clipper for horses, for veterinarians and for close clipping, coat length after clipping 0-1 mm, bottom blade 53 teeth, top blade 23 teeth	82.20
70278	**Cattle / horse blade 703-580** fine shear blades for horsesfor a perfect finish coath lenght after clipping: 1-2 mm, 31F + 23 teeth	59.60



70165



70166



70169



70272



70273



70274



70275



70276



70277



70278

Compatible with **Andis, Moser, Oster and Wahl**



70294



71295



71296

Art.-Nr.	Description	€
70294	**Saphir 10W - 2.3 mm – 707-974** horse, cow	103.70
71295	**Saphir 10WF – 1.5 mm** horse	103.70
71296	**Saphir 15W – 1 mm** horse	103.70



71204



71242

Art.-Nr.	Description	€
71204	**Heiniger top blade 23 theet, 703-220** standard blade for horses coat length after clipping: 2-4 mm	22.60
71242	**Top blade 17 theet 703-210**	22.60
71250	**Top blade 15 theet 703-200**	22.60



71200



71201



71202



71203

Art.-Nr.	Description	€
71200	**Heiniger bottom blade 18 theet, 703-370** atandard blade for Horses coat length after clipping: 2 - 4 mm	31.40
71201	**Heiniger bottom blade 21 theet, 703-300** standard blade for Horses coat length after clipping: 2 - 4 mm	31.40
71202	**Heiniger bottom blade 35 theet, 703-300** standard blade for Horses coat length after clipping: 2 - 4 mm	31.40
71203	**Heiniger booton blade 53 theet, 703-350** standard blade for Horses, veterinary sector coat length after clipping: 0.1 mm	62.90
71249	**Heiniger bottom blade** standard blade for Horses coat length after clipping: 2 – 4 mm	31.40

Heiniger Xcell

- 2 Geschwindigkeitsstufen
- Dauerbetrieb mit zwei Akkus gewährleistet
- Bis zu 75 Minuten Laufzeit
- «Highspeed» mit 2'500 / 2'800 Doppelhüben pro Minute
- Vibrationsarm und leise
- Leistungsstarker Direktantrieb garantiert maximale Effizienz
- Leicht, ergonomisch und griffig, dank «Soft touch»
- Solid und langlebig

Specifications
- **Akku** 14,4V Lithium-Ion, 5000 mAh
- **Speed** 2500 / 2800 Doppelhübe / min
- **Length** 345mm
- **Weight** 1334g
- **Akkulaufzeit** bis 75 min
- **Akkuladezeit** bis 60 min

NEW



Art-Nr.	Description	€
70262	**Heiniger Xcell** **with 2 batteries and Ovina Premium/Edge blade**	950.00

Spare parts on request

Heiniger XPERT 2-Speed

- extremely quiet
- sturdy and durable thanks to
- glass fiber reinforcement
- lightweight, slim and extremely handy
- low vibration

with blade set 70168

Specifications
- **Motor power** 250W
- **Speed** 2500 / 2800 Doppelhübe / min
- **Length** 301mm
- **Weight** 1180g
- **Noise emission (LpAm)** 72 dB(A)



Art-Nr.	Description	€
70266	**Heiniger XPERT 2-Speed** **with Ovina Premium/Edge blade**	479.00

Spare parts on request

Heiniger S12

- 12 V Battery clipper - a worldwide innovation, can be used anywhere
- where 12 V power source is available.
- operating time of 4 to 5 hours with a 12 V battery with 50 AH capacity.
- equipped with 5 m cable and battery terminals in case

Blade set 70168:
Standard blade set for sheep 3" Bottom blade 13 teeth, type Ovina, 77 mm wide, medium tip radius, universal comb - upper blade 4 teeth, type Edge, 4.4 mm thick.

Specifications
- **Motor power** 160W
- **Speed** 2250 Doppelhübe / min
- **Length** 310mm
- **Weight** 1230g
- **Noise emission (LpAm)** 84 dB(A)



Art-Nr.	Description	€
70264	**Heiniger 12 V S12 712-100**	409.00

Heiniger XTRA

This powerful clipper features a patented floating fork system requiring less pressure and reduces wear and tear of blades up to 50 %. Thermal overload protection switch.
Robust and sturdy machine supplied with case.

Specifications
- **Motor power** 320W
- **Speed** 2400 Doppelhübe / min
- **Length** 350mm
- **Weight** 1530g
- **Noise emission (LpAm)** 80 dB(A)



Art-Nr.	Description	€
70164	**Heiniger XTRA 712-600**	489.00

Spare parts on request

Heiniger ONE

- with flexible axle 200 cm, worm and handle
- 230V / 300W,
- official Electrosuisse and CSA safety standard certifications
- with drive and handpiece

Specifications
- **Drehzahl bei 230V** 2950 U/min
- **Drehzahl bei 120V** 3500 U/min
- **Abmessung B x H x L** 243 x 317 x 209 mm
- **Weight** 6,5 kg
- **Noise emission (LpAm)** 70 dB(A)



Art-Nr.	Description	€
70252	Heiniger ONE 722-610	1982.80

Heiniger EVO

- with flexible axle 200 cm, worm and handle
- 230V / 300W, with electronic
- safety switch, official Electrosuisse and CSA
- safety standard
- certifications
- with drive and handpiece

Specifications
- **Motor power** 300W
- **Drehzahl bei 230V** 3500 / 3200 / 2700 U/min
- **Drehzahl bei 120V** 3500 / 3200 / 2700 U/min
- **Abmessung B x H x L** 225 x 300 x 290 mm
- **Weight** 7,8 kg
- **Noise emission (LpAm)** 70 dB(A)



Art-Nr.	Description	€
70253	Heiniger EVO	2194.90

Spare parts on request

Heiniger Cyclone

- ICON Worm clutch, custom-designed for shearing systems EVO and ONE, developed by
- professionals for professionals. The ICON can be fitted with any standard trimmer and the upper blade. The handle also fits shearing systems from other manufacturers.




Art-Nr.	Description	€
70251-WORM	Heiniger Cyclone Worm without blade	565.00
70251-PIN	Heiniger Cyclone Pin without blade	565.00

Heiniger Icon SFX

- ICON Worm clutch, custom-designed for shearing systems EVO and ONE, developed by
- professionals for professionals. The ICON can be fitted with any standard trimmer and the upper blade. The handle also fits shearing systems from other manufacturers.



Art-Nr.	Description	€
72251-WORM	Heiniger Icon SFX WORM	599.00
72251-PIN	Heiniger Icon SFX PIN without blade	599.00



Art-Nr.	Description	€
71408	Heiniger flexible drive FD165-ONE/EVO 165 cm Worm	488.10
71409	FD165-ONE/EVO 165 cm Pin	488.10
71410	FD200-ONE/EVO 200 cm Worm	488.10
71411	FD200-ONE/EVO 200 cm Pin	488.10
71414	Solide downtube Worm 203 cm	842.80

Spare parts on request

Blades for sheep

Art.-Nr.	Beschreibung	€
70168	**Blade set for sheep 3" 714-000** standard blade set for sheep 3", bottom blade 13 teeth, type Ovina, 77 mm wide, medium tip radius, universal comb - upper blade 4 teeth, type Edge, 4.4 mm thick	44.40
71205	**Blade set Edge/Shattle 714-002** standard blade for sheeps bottom blade 25, Typ Shattle, Universal comb top blade 4, Type Edge, 4.4 mm thick	56.90



70168



71205



71232



71233



71234



71230



71231

Art.-Nr.	Description	€
71232	**Edge top blade 714-151** Shearing cutter for sheeps. More versatility due to wide throw and further reach on the comb. Specifications: Edge Full thickness cutter 4,4 mm thick	10.10
71233	**Xtreme run-in top blade 714-152** Shearing cutter for sheeps. Rock from the box: Special sharp-edged. Engineered to give high performance straight from the box.	10.10
71234	**Jet top blade 714-010** Shearing cutter. Rock from the box: Special sharp-edged.The Jet provides maximum throw for extra wide combs.	10.10

Art.-Nr.	Description	€
71230	**Diamond run-in Top blade 714-011.A** shearing cutter for sheeps – rock from the box: special sharp-edged – uncompromised safety, superior entry into tight wool Specifications: Diamond Run-In cutter 3.7 mm thick	10.10
71231	**Storm Winter top blade 714-150.A** shearing cutter for sheeps The preferred cutter for all winter combs . Specifications: Storm Ultra thickness cutter 4.6 mm thick	10.10



71212



71213



71214



71215



71216



71217



71218

Art.-Nr.	Description	€
71212	**Comb plate Rapier 714-040** universal shearing blade, ideal for tough conditions Technical data: Rapier standard, 86 mm width, medium radius	42.20
71213	**Comb plate Freestyle 714-057** cuts bad Merino wool fast and neat Techincal data: Freestyle standard, 96 mm width, long radius	42.20
71214	**Comb plate Warrior 714-059** wide blade for mixed wool, good flow through open wool Technical data: Warrior standard, 96 mm width, small radius	42.20
71215	**Comb plate Blizzard Winter 714-060** universal winter comb for all sheep with LG2 technology Technical data: Blizzard Winter standard, 94.5 mm width, small radius	59.10
71216	**Comb plate Xpress 714-061** clean shearing even in thick wool Technical data: Xpress Run-In, 93.5 mm width, long radius	42.20
71217	**Comb plate Highlander Winter 714-066** LG2 technology, high outcome in open wool and in sheep with tight wool Technical data: Highlander Winter comb, 97 mm width, medium radius	59.10
71218	**Comb plate Mach 9 714-071** special comb for extreme conditions Technical data: Mach 9 special comb, 94 mm width, long radius	42.20



71206



71208



71209



71210



71211

Art.-Nr.	Description	€
71206	**Comb plate Ovina 77 mm, 714-020** universal shearing blade Technical data: Ovina standard, 77 mm width / medium radius	35.80
71207	**Comb plate Camelid 714-025** special comb for llamas, alpacas, vicugnas, guanakos and camels Remaining wool: 6-10 mm	68.90
71208	**Comb plate Pro Legend 714-031** universal shearing blade. Used mostly for sheep with fine wool Technical data: Pro Legend standard, 92 mm width, medium radius	42.20
71209	**Comb plate Charger 714-033** specially designed for Europe and New Zealand Technical data: Charger standard, 93.5 mm width, small radius	42.20
71210	**Comb plate Super Charged 714-034** improved flow through wool, higher outcome. Technical data: Super Charged Run-In, 93.5 mm width, small radius	42.20
71211	**Comb plate Quasar 714-038** high outsome in open wool Technical data: Quasar standard, 95 mm width, medium radius	42.20



71220



71221



71222



71223



71224



71225



71226



71219

Art.-Nr.	Description	€
71219	**Comb plate Huge Run-In 714-075** high shearing output for fine wool Technical data: Huge Run-In, 96 mm width, long radius	42.00
71220	**Comb plate Topaz 714-078** universal shearing blade, for all types of wool and shearing conditions Technical data: Topaz standrad, 84.5 mm width, medium radius	35.80
71221	**Comb plate Rebel Run-In 714-086** LG2 technology, straight lead tooth with curve to tooth tops Technical data: Rebel Run-In, 98 mm width, long radius	42.20
71222	**Comb plate Condor Run-In 714-088** ideal cut width Technical data: Condor Run-In, 98 mm width, small radius	42.20
71223	**Comb plate Proflex Run-In 714-096** universal shearing blade, improves the comb flow, perfect finish Technical data: Proflex Run-In, 94 mm width, medium radius	42.20
71224	**Comb plate Calibre 714-098** specially designed for conditions in Great Britain and crossbred-sheep with thick wool, LG2 technology Technical data: Calibre standard, 93.5 mm width, small radius	42.20
71225	**Comb plate XLR-8 714-106** maximum width, universal comb for mixed wool up to fine wool Technical data: XLR-8 Run-In, 98 mm width, medium radius	42.20
71226	**Comb plate Ninja Run-In 714-107** – LG2 technology, – working against a creation of lanolin film – easy entry in wool – especially for fine and micro fine wool Technical data: Ninja Run-In, 97 mm width, long radius	42.20



71227



71228

Art.-Nr.	Description	€
71227	**Comb plate Kombat Run-In 714-108** – LG2 technology – easy entry in wool – perfect flow – prevents skin damages – fast shearing speed Technical data: Kombat Run-In, 97 mm width, 13 teeth, small radius	42.20
71228	**Comb plate Shattle 714-090** cattle comb	45.90
71229	**Comb plate Quantum Run-In 714-068** – wide comb for mixed wool – good flow through open woll Technical data: Quantum Run-In, 95 mm width, small radius left-handed	42.20
71235	**Comb plate Quantum Run-In 714-050** – wide comb for mixed wool – good flow through open woll Technical data: Quantum Run-In, 95 mm width, small radius	42.20
71236	**Comb plate Mohair 714-080** specially for shearing for Mohair goats Technical data: Mohair goat comb, 84.5 mm width, small radius	48.20
71239	**Comb plate Ovina 714-117** universal shearing blade with LG2 technology. Technical data: Ovina premium standard, 77 mm width, medium radius	37.60
71240	**Comb plate Alpaca 714-109** Professional alpaca comb, it's suited for sophisticated shearer, equipped with the newest LG2 technology.	42.10
71241	**Comb plate Charger 714-032** specially designed for Europe and New Zealand Technical data: Charger standard, 93.5 mm width, small radius left-handed	42.10



71229



71235



71236



71239



71240



71241

Blade accessory

Art.-Nr.	Description	€
79132	**Comb brush**	25.30



Heiniger OPAL

- extremly quiet
- up to 240 minutes of runtime
- unrivalled power
- fits perfectly in the hand
- developed and manufactured in Switzerland
- 2 speeds
- built-in battery level indicator
- lightweight
- lithium-ion battery technology
- engine technology brushless

Specifications
- **Motor power** 35W
- **Speed** 2600 / 3100 Doppelhübe / min
- **Spannung Akku** 7,2 V
- **Kapazität Akku** 2850 mAH



Art-Nr.	Description	€
70298	Heiniger OPAL with 1 battery	369.00
70297	with 2 batteries	399.00



Art-Nr.	Description	€
70248	Heiniger OPAL Special Edition with 1 battery	369.00
70249	with 2 batteries	399.00

Heiniger Opal Xtend

Geniessen Sie die kabellose Freiheit – kein Stromanschluss notwendig
- Laufzeit bis 180 Minuten
- Sehr leicht und ergonomisch
- Griffig dank Antirutschbeschichtung «Soft touch»
- 2 Geschwindigkeiten
- Ladestandsanzeige

Besserer Schneidekomfort beim Vieh in den Übergangszonen bei den Beinen. Mühelose Hygieneschur bei Schafen und Kameliden.

Die Opal Xtend ist ergonomisch auf dem neusten Stand und liegt perfekt in der Hand. Zudem ist die Maschine sehr leicht und klein. Dies ermöglicht den Profis im Kuhstyling sowie Veterinärwesen mühelose Arbeit.

Specifications
- **Speed** 2600 / 3100 Doppelhübe / min
- **Abmessung B x H x L** 210 x 50 x 44 mm
- **Weight** 440g
- **Spannung Akku** 7,2 V
- **Kapazität Akku** 2850 mAH
- **Akkuladezeit** 60 - 80 Minuten

NEW



Art-Nr.	Description	Preis €
70247	Heiniger Opal Xtend with 2 batteries and comb plate Blending Blade	399.00

Heiniger Saphir

- high-performance Li-Ion battery
- up to 90 minutes of clipping time
- quiet, Very light and powerful
- additional battery pack and less than 60 minutes charging time for continuous clipping

Incl. resistant carry case, clipping blades, charger unit, oil, brush and instruction manual

Specifications
- **Motor power** 35W
- **Speed** 2650 Doppelhübe / min
- **Spannung Akku** 7,4 V
- **Kapazität Akku** 1600 mAH



Art-Nr.	Description	€
70260	Heiniger Saphir 7,4V/35W with 2 batteries	319.00
70256	Heiniger Saphir ohne Scherkopf with 1 battery	303.30
70259	without comb plate with 2 batteries	279.00

Heiniger Saphir Style



Art-Nr.	Description	€
70255	Heiniger Saphir Style with 2 batteries	319.00

Heiniger Saphir Pink



Art-Nr.	Description	€
70271	Heiniger Saphir Pink with 2 batteries	319.00

Spare parts on request

Spare parts on request

Heiniger Saphir Basic

With the Saphir Basic, the existing, successful Saphir line is supplemented by another shearing machine. The Basic model offers a basic version of the Saphir clipper, and is particularly suitable for beginners with a limited budget. Even this model ensures the impeccable quality and unprecedented performance level for which Heiniger products are famous. The latest lithium-ion battery technology ensures a shering time up to two hours. Within just one hour, the battery is fully charged again. The Saphir Basic fits perfeclty in the hand, is quiet and very light. This allows the professionals in dog, horse or cow styling as well as in veterinary work effortless work and with the 16 different shaving heads the desired end result. The package includes a rechargeable battery, a charging station with a charging bay, the standard #10 blade and the usual product care tools.

shear time > 90 minutes
charging time < 60 minutes
Lithium-Ionen battery technology

Specifications
- **Motor power** 35W
- **Speed** 2650 Doppelhübe / min
- **Spannung Akku** 7,4 V
- **Kapazität Akku** 1600 mAH



Art-Nr.	Description	€
70270	**Heiniger Saphir Basic**	259.00

Heiniger Saphir Cord

- cord clipper with 3-m cable
- very powerful
- as swift as an arrow with 3200 double strokes
- unique design

Specifications
- **Motor power** 35W
- **Speed** 3200 Doppelhübe / min
- **Abmessung B x H x L** 204 x 50 x 41 mm
- **Weight** 330 g
- **Länge Kabel** 3 m



Art-Nr.	Description	Preis €
70254	**Heiniger Saphir Cord**	229.00

Spare parts on request

Heiniger Style Mini

Specifications
- **Nutzungsdauer** ca. 80 min
- **Akku-Schnellladung** 60 min
- **Schnittlänge** 0,3 mm
- **Verstellbarer Kammaufsatz** 3–6 mm
- **Speed** 2750 Doppelhübe / min
- **Abmessung B x H x L** 146 x 30 x 38 mm
- **Weight** 120 g



Art-Nr.	Description	€
70268	**Heiniger Style Mini with comb plate**	149.00

Heiniger Style Midi

Specifications
- **Nutzungsdauer** ca. 100 min
- **Akku-Schnellladung** 60 min
- **Schnittlänge** 0,5–2,5 mm (4 Schnittlängen)
- **Verstellbarer Kammaufsatz** 4, 8, 12, 16, 20 mm (5 Kammaufsätze)
- **Speed** 2400 Doppelhübe / min
- **Abmessung B x H x L** 175 x 46 x 50 mm
- **Weight** 240 g



Art-Nr.	Description	€
70269	**Heiniger Style Midi with comb plate**	229.00

Spare parts on request



70280



70281



70282



70283



70284



70285



70286



70287



70288



70289



70290



70291



70292



70293

Blades for vets, cats, dogs

Compatible with **Andis, Moser, Oster and Wahl**

Art.-Nr.	Description	€
70280	**Saphir 50 - 0.2 mm – 707-905** for vets, cats, cows	73.10
70281	**Saphir 40 - 0.25 mm – 707-910** for vets, cats, cows	70.60
70282	**Saphir 30 - 0.5 mm – 707-917** for vets, cats, dogs	70.60
70283	**Saphir 15 - 1.2 mm – 707-926** cat, cow	70.60
70284	**Saphir 10 - 1.5 mm – 707-930** cat, dog, cow	70.60
70285	**Saphir 9 - 2 mm – 707-933** dog, horse, cow	76.40
70286	**Saphir 8.5 - 2.8 mm – 707-941** dog, horse, cow	76.40
70287	**Saphir 7 - 3.2 mm – 707-943** dog, horse, cow	76.40
70288	**Saphir 7F - 3.2 mm – 707-945** dog, horse, cow	76.40
70289	**Saphir 5 - 6.3 mm – 707-957** dog, horse, cow	92.30
70290	**Saphir 5F - 6.3 mm – 707-960** dog, horse, cow	92.30
70291	**Saphir 4 - 9.5 mm – 707-964** dog, horse, cow	103.70
70292	**Saphir 4F - 9.5 mm – 707-966** dog, horse, cow	103.70
70293	**Saphir 5/8 - 0.8 mm – 707-920** dog, cat	70.60

Art.-Nr.	Description	€
70299	**Heiniger comb plates set**	72.80



Heiniger grinding machines



Art.-Nr.	Beschreibung	€
71260	**Heiniger Acutecc, professional grinder** Grinder for sheep shearing combs and cutters The new, sophisticated Arc Radius Technology ensures better results and puts the finishing touches to your sheep combs and top blades. The optimised, longer rod ensures a uniform oscillation, which in turn allows you to achieve ever more homogeneous hollow grinding results. The scope of delivery includes 2 precision grinding discs, clamping plate, precision grinding pendulum, clamping screw and Heiniger grinding paper. **Shipping only by forwarding agent!**	3179.60



Art.-Nr.	Description	€
71257	**Combi Grinder grinding machine, pet** Never was grinding this easy and comfortable. You get a professional outsome. Scope of delivery: 1 grinding paste, 1 straightedge, 1 holder for flat shearing blades and manual. Previous knowledge is a must. Just for skilled personnel.	1846.50
71256	**Cattle**	1846.50



Art.-Nr.	Description	€
71243	**Easy Grinder grinding machine** A handy, light and portable grinding machine with powerful engine. EasyGrinder from Heiniger - for shearing of blades for sheep, goats and camelid. Scope of delivery: aluminium grinding wheel, shearing pendulum, self-adhesive shearing paper, center sleeve, manual, saftey goggles and hearing protection. Technical data: electric: 0.37 kW / 230 - 240 V / 50 Hz / 2.6 A, speed: 1420 U/min, dimensions: high: 740 mm with pole, 475 mm withour pole, width: 400 mm, depth: 320 mm, radius: 370 mm	2083.50

Spare parts on request

Aesculap Econom

The cordless version of the Econom / Econom Equipe convinces with unlimited shearing, a perfect balance and exceptional shearing performance!

- powerful cutting speed with a high cutting stroke per minute speed
- top performance high powered motor
- considerably improved ventilation with larger vents
- slim casing and balanced weight for easy of handling and use
- no tools required to change or clean the filter
- top quality, wear resistant cutting blades for extra life between re-sharpening
- abrasion-proof blades can be regrind several times

Specifications
- **Motor power** 35W
- **Speed** 2650 Doppelhübe / min
- **Spannung Akku** 7,4 V
- **Kapazität Akku** 1600 mAH



Art-Nr.	Description	€
70125	Aesculap Econom CL GT 804 with 1 battery	799.00
70126	Aesculap Econom CL GT 806 with 2 batteries	967.80



Art-Nr.	Description	€
70127	Aesculap Econom CL equipe GT 814 with 1 battery	695.00
70128	Aesculap Econom CL equipe GT 856 with 2 batteries	899.00

Spare parts on request

Aesculap Bonum

The new cordless Aesculap clipper has lithium ion battery and an ergonomic design. It fits perfectly in women hands and has the advantages of a low weight, quiet sound and long battery run-time.

Due to the battery technology the clipper is safe from overheating. The recharger informs about the battery condition.

- extremly light, only 900 g incl. battery and blade
- 40 diameter / 12.5 circumference, so optimal for small hands
- pleasent volume
- 295 mm length, very short handle
- perfectly balance
- powerfull and long-lasting
- lithium technology, no memory effect
- profi battery tool
- no accidental turn on/off as the press button is hidden in in the body housing
- Aesculap blades "made in Germany"

Specifications
- **Motor power** 160W
- **Speed** 2250 Doppelhübe / min
- **Length** 290mm
- **Weight** 1230g
- **Noise emission (LpAm)** 84 dB(A)



Art-Nr.	Description	€
71130	Aesculap Bonum cattle blue GT644-BL, with 1 battery	474.95
71129	Horse – blue, with 1 battery	474.95
71131	Horse rosa GT654-RO, with 1 battery	474.95
71133	Aesculap Bonum with 2 batteries Cattle – blau	578.90
71135	Horse – blue, with 2 batteries	553.90
71134	Horse – rosa, with 2 batteries	578.90

Aesculap GT 474

- Powerful cutting speed with a high cutting stroke per minute speed
- Top performance high powered motor
- Considerably improved ventilation with larger vents
- Slim casing and balanced weight for easy of handling and use
- Built for easy maintenance and repair - No tools required to change or clean the filter
- Easy to change carbon brushes - Plug in circuit board
- Internal electronic speed control with overload protection
- Top quality, wear resistant cutting blades for extra life between re-sharpening

Specifications
- **Motor power** 35W
- **Speed** 2650 Doppelhübe / min
- **Spannung Akku** 7,4 V
- **Kapazität Akku** 1600 mAH



Art-Nr.	Description	€
70131	Aesculap Rinderschere GT 474	537.60

Spare parts on request

Compatible with **Aesculap, Oster, Eider und Alfa-Laval**



70134



70135



70136



70137



70138



70139



70141



70140



70142

Blades for horse and cow

Art.-Nr.	Description	€
70134	**Replacement combs Aesculap GT 501** top cutter edge 15 tooth	26.70
70135	**Replacement combs Aesculap GT 502** bottom cutter edge with 31 tooth, cutting height 3 mm	32.80
70136	**Replacement combs Aesculap GT 503** top cutter edge 17 too	26.80
70137	**Replacement combs Aesculap GT 504** bottom cutter edge with 18 tooth, cutting height 3 mm	33.90
71137	**Replacement combs Aesculap**	38.10
70138	**Replacement combs Aesculap GT 505** top cutter edge 23 tooth	26.80
70139	**Replacement combs Aesculap GT 506** bottom cutter edge with 24 tooth, cutting height 3 mm	35.50
70141	**Replacement combs Aesculap GT 510** bottom cutter edge with 24 tooth, cutting height 5 mm	45.60
70140	**Replacement combs Aesculap GT 508** bottom cutter edge with 51 tooth, cutting height 1/10 mm	38.90
70142	**Replacement combs Aesculap GT 511** bottom cutter edge with 31 tooth, cutting height 1 mm	39.50
70198	**Replacement combs Aesculap**	39.90
71138	**Replacement blade set** **Premium 31/23 tooth**	46.99

Aesculap Nova GT694

included blades Gt578 and Gt598

- motor can overcome any coat obstacle and allows the machine to glide consistently through the coat
- low heating of the handle area as well as the blade set due to perfect air flow concept
- ergonomic and low-fatigue handling
- easy maintenance due to tool-free filter and carbon replacement
- integrated electronic start-up control and overload protection
- uniform and long-lasting cut quality and re-grinding properties thanks to low-wear shearing

blades made of special steel



Art-Nr.	Description	€
70124	**Aesculap Nova GT694**	566.40

Aesculap Econom NOVA CL Gt684

- with newly designed cutter head, to accommodate the specially designed shearing blade GT598 as well as most shearing blades from other manufacturers
- electronic control perfectly controls the power output depending on the resistance at the drive, thus ensuring a long service life and optimum shearing results.
- Using a brushless direct current motor, produced in Germany, results in less heat development and a longer battery service life
- huge pulling power, like a cable-operated sheep shearing machine
- electronic push button recessed in the housing means no more accidental switching the machine on or off when handling

Spare parts on request

Aesculap GT824

included blades Gt588 and Gt578
1 accu
replacement accu Gt821



Art-Nr.	Description	€
70180	**Aesculap GT824**	789.00



Art-Nr.	Description	€
70180N	**Aesculap NOVA CL Gt684**	789.00


Blades for sheep



70143



70144



70145

Art.-Nr.	Description	€
70143	**Replacement combs Aesculap GT 578** top cutter edge 4 tooth	14.00
70144	**Replacement combs Aesculap GT 588** bottom cutter edge with 13 tooth, cutting height 3.5 mm	49.20
70145	**Replacement combs Aesculap GT 594** bottom cutter edge with13 tooth, cutting height 3.5 mm, shear width 86 mm	48.80



Aesculap Favorita II GT 104

- practical and universal use due to ergonomically designed form with textured grip area -
- very wide cutter head range (17 different heads ranging from 1/20 mm to 16 mm cutting height)
- head change while machine is on, just insert and continue to work
- high quality and precision design and technology
- powerful motor for reduced heating during continuous operation - maintenance-friendly, sturdy and durable




Art-Nr.	Description	€
70133	**Aesculap Favorita II GT 104 without cutter head**	349.00

Spare parts on request

Blades for vets, cats, dogs

Art.-Nr.	Description	€
70146	**Blade set Aesculap GH 712** cutting height 1 mm, fine teeth	72.25
71146	**Blade set Aesculap GH 700**	70.60
70147	**Blade set Aesculap GH 715** cutting height 2mm, short teeth	79.70
71147	**Blade set Aesculap GH 703**	77.55
70148	**Blade set Aesculap GT 782** cutting height 12mm, for winter shearing	131.90
70149	**Blade set Aesculap GT 779** cutting height 9mm, for winter shearing	93.50
70150	**Blade set Aesculap GT 736** cutting height 1 mm, fine teeth	78.95
70151	**Blade set Aesculap GT 754** cutting height 3 mm, short teeth	75.10
70152	**Blade set Aesculap GT 746** cutting height 1.5 mm, for angora and horses	79.95
70153	**Blade set Aesculap GT 742** cutting height 1 mm, fine teeth	69.95
70154	**Blade set Aesculap GT 748** cutting height 1 mm, fine teeth	75.70
70155	**Blade set Aesculap GT 758** cutting height 1 mm, fine teeth	82.60
70156	**Blade set Aesculap GT 784** cutting height 1 mm, fine teeth	129.95
70157	**Blade set Aesculap GT 770** cutting height 9 mm, for winter shearing	93.50
71149	**Blade set Aesculap GT 730** cutting height 0.5 mm, fine teeth	77.60
71150	**Blade set Aesculap GT 749** cutting height 12 mm, for winter shearing	93.10
71151	**Blade set Aesculap GT 772** cutting height 0.7 mm, for paws	93.50
79134	**Aesculap Torqui precision adjustment aid GT142 for Favorita**	56.40

- made of extremely hard special steel
- excellent workmanship through decades of experience
- adjustable pressure plate provides optimum cutting efficiency
- easy cleaning and disassembly
- blades can be sharpened several times



70146



70147



70148



70149



70150



70151



70152





Art.-Nr.	Description	€
70158	**Aesculap clipping heads, 1.8 mm GT710** Very long edge-retention thanks to high-quality carbon steel. - high production quality thanks to Aesculap CNC machining centres, all parts are machined or profile-ground - consistent edge-retention thanks to adjustable plate pressure - high-end surface treatment ensures high level of corrosion protection - 5 cm width	69.95

Equitation

Basic equipment for keeping and care of horses.



Lunges



Art.-Nr.	Description	€
20007	**Synthetic lunge** with hand loop and swivel-hook, total length approx. 8 m **red**	8.70
20008	**black**	8.70
20009	**green**	8.70
20010	**blue**	8.70
20011	**bordeaux**	8.70
20013	**yellow**	8.70

Lead rope



Art.-Nr.	Description	€
20028	**Lead rope with chain** with padded hand strap and swivel snap hook, total length approx. 1.80 m **red**	8.95
20029	**black**	8.95
20030	**green**	8.95
20031	**blue**	8.95
20032	**bordeaux**	8.95
20033	**grey**	8.95
20034	**yellow**	8.95

Lead rope



Art.-Nr.	Description	€
20021	**Lead rope with snap hook** total length approx. 2 m **red**	5.30
20022	**black**	5.30
20023	**green**	5.30
20024	**blue**	5.30
20025	**bordeaux**	5.30
20026	**grey**	5.30
20027	**yellow**	5.30




Art.-Nr.	Description	€
29021	**Snap hook galvanized**	3.50

Halter



Art.-Nr.	Description	€
20063	**Nylon halter padded** nylon halter padded, extra soft nylon strap, padded neck and noseband, fully adjustable, with swivel snap hook **warmblood Gr. 3 – red**	6.60
20064	**warmblood Gr. 3 – black**	6.60
20065	**warmblood Gr. 3 – green**	6.60
20066	**warmblood Gr. 3 – blue**	6.60
20067	**warmblood Gr. 3 – bordeaux**	6.60
20070	**thoroughbred Gr. 2 – red**	6.60
20071	**thoroughbred Gr. 2 – black**	6.60
20072	**thoroughbred Gr. 2 – green**	6.60
20073	**thoroughbred Gr. 2 – blue**	6.60
20074	**thoroughbred Gr. 2 – bordeaux**	6.60
20077	**pony Gr. 1 – red**	6.60
20078	**pony Gr. 1 – black**	6.60
20080	**pony Gr. 1 – blue**	6.60
20081	**pony Gr. 1 – bordeaux**	6.60


Restraint systems



Art.-Nr.	Description	€
20201	**Saddle rack, English model** with holder for bridle or halter **black**	16.95
20202	**red**	16.95



Art.-Nr.	Description	€
20203	**Bridle holder metal** plastic coated **black**	4.00
20204	**red**	4.00
20226	**silver**	4.00



Art.-Nr.	Description	€
20222	**Saddle rack for western saddle** **black**	17.95
20223	**red**	17.95

Horse netting on **page 62 – 63.**



Art.-Nr.	Description	€
20205	**Bridle holder plastic** plastic coated, with holder for bridle or halter **black**	1.80
20206	**red**	1.80
20225	**blue**	1.80



Art.-Nr.	Description	€
20207	**Boot jack made of hardwood**	6.49
20208	**Boot jack made of synthetic material**	4.00

Manure removal



Art.-Nr.	Description	€
20209	**Horse manure fork plastic with handle** metal shaft with handle supplied unassembled fork made of unbreakable plastic	23.40
20211	**Replacement fork for plastic horse manure fork** fork made of unbreakable plastic	11.70
20217	**Box fork plastic for horse manure fork** fork made of unbreakable plastic	12.95
29209	**Replacement shaft for horse manure fork**	11.40



Art.-Nr.	Description	€
20210	**Fork made of metal**	27.30
20212	**Replacement fork for metal horse manure fork**	15.95
29210	**Replacement shaft for box fork plastic**	11.40



Art.-Nr.	Description	€
21201	**V-Plast Star – navy**	22.95
29202	**Replacement fork – navy**	8.80
29203	**Replacement shaft – navy**	7.60

Art.-Nr.	Description	€
21200	**V-Plast Star – pink**	22.95
29200	**Replacement fork – pink**	8.80
29201	**Replacement shaft – pink**	7.60

Art.-Nr.	Description	€
21202	**V-Plast Star – green**	22.95
29204	**Replacement fork – green**	8.80
29205	**Replacement shaft – green**	7.60



Art.-Nr.	Description	€
20220	**Horse manure fork plastic for children** fork made of unbreakable plastic, metal shaft with handle, dimensions: 29 x 31 cm, handle: 100cm	21.60
29220	**Replacement shaft for horse manure fork for children** metal shaft with handle. length: 100cm	10.80



Art.-Nr.	Description	€
20235	**V-Fork Sweden**	30.40
20236	**Replacement fork for V-Fork**	10.90



Art.-Nr.	Description	€
20218	**Mustang multifunctional fork blue** fork made of polycarbonate, metal shaft with handle	29.95
20219	**Replacement fork multifunctional fork**	14.95
29219	**Replacement shaft for multifunctional fork**	14.70

Mistboy





Art.-Nr.	Description	€
20214	**Mistboy** shovel: height: 78 cm, fork: height: 85 cm **black**	19.95
20230	**red**	19.95
20232	**yellow**	19.95
20233	**green**	19.95
20234	**orange**	19.95
20238	**rosé**	19.95
20239	**aquamarin**	19.95
29214	**Replacement fork for Mistboy** height: 85 cm	9.95
29215	**KS shovel with shaft for Mistboy**	15.00



Art.-Nr.	Description	€
20213	**Mistboy with telescopic handle** shovel and fork are height adjustable, shovel adjustable 70-95 cm, fork adjustable 85-115 cm.	32.50
29213	**Replacement fork for Mistboy with telescopic shaft**	8.20



Art.-Nr.	Description	€
21238	**Mini Mistboy** **pink**	19.95
21239	**aquamarin**	19.95
21233	**green**	19.95

Grooming products



Art.-Nr.	Description	€
20301	**Hoof pick with brush** red	1.60
20302	black	1.60
20303	green	1.60
20304	blue	1.60
20306	purple	1.60
20307	yellow	1.60



Art.-Nr.	Description	€
20323	**Curry comb plastic** orange	0.90
20324	white	0.90
20325	petrol	0.90
20326	brown	0.90



Art.-Nr.	Description	€
20370	**Weaving comb** red	0.30
20376	yellow	0.30



Art.-Nr.	Description	€
20385	**Mane comb** black	0.30
20386	green	0.30
20387	blue	0.30
20388	bordeaux	0.30
20389	purple	0.30
20390	yellow	0.30



Art.-Nr.	Description	€
20345	**Curry comb toothed, plastic** black	1.20
20346	green	1.20
20347	mint green	1.20
20348	bordeaux	1.20
20350	yellow	1.20



Art.-Nr.	Description	€
20367	**Curry comb metal,** semicircular	2.40



Art.-Nr.	Description	€
20369	**Curry comb metal adjustable** with plastic handle	4.70



Art.-Nr.	Description	€
20368	**Metal curry comb adjustable** with plastic handle	4.49





Art.-Nr.	Description	€
20261	**Horse grooming box with lid compartment** – with carrying handle – removable inner component – lockable model – dimensions: (B x H x T) 406 x 244 x 252 mm **black/fuchsia**	18.95
20262	black/green (pistazie)	18.95

Stable panel



Art.-Nr.	Description	€
20215	**Stable panel 30 x 20 cm** for horses	3.95

Saddle care products



Art.-Nr.	Description	€
20270	**Leather oil clear 1000 ml** 1000 ml plastic bottle, low viscosity, guaranteed acid-free, train oil **16/box**	11.30



Art.-Nr.	Description	€
20271	**Dubbin 1000 ml** plastic bucket, 1000 ml content, with Vaseline **12/box** **yellow**	11.90
20272	**black**	11.90



Art.-Nr.	Description	€
20273	**Saddle soap 500 ml** paste form, plastic jar 500 ml, highly concentrated special soap **27/box**	8.70

Animal care products



Art.-Nr.	Description	€
20275	**Cooling and soothing gel 500 ml** plastic jar 500 ml, Parisol Arktis **18/box**	9.60

Art.-Nr.	Description	€
21279	**Star Finish** Spray for mane, tail and fur with soil-resisting effect. Makes the hair loose and glossy, the non-soiling effect lasts for several days. Dermatologically tested, for intensive but gentle care. **Aerosol 500 ml**	10.10



Art.-Nr.	Description	€
20288	**Hoof oil 500 ml with brush** with real bay leaf oil	11.00




Art.-Nr.	Description	€
20285	**Ballistol animal** Versatile care product for humans and animals, horse grooming for tail, hoof and coat, very compatible, supports wound treatment, relieves itching, acts as a disinfectant **20/box** **100 ml**	5.30
20296	**Ballistol Stichfrei Animal 5 liter**	146.90
21297	**Spray 750 ml**	31.30



Art.-Nr.	Description	€
20286	**Ballistol – animal** **12/box** **500 ml**	16.50



Art.-Nr.	Description	€
20294	**Ballistol Stichfrei** Skin care oil with sun protection, protects against annoying and dangerous insect bites such as mosquitoes, horseflies, etc. "Stichfrei" is tested for safety and proven to be effective. Sprayed directly onto the skin for up to 8 hours protection. **pump-action spray 100 ml**	7.14



Hay net





Art.-Nr.	Description	€
20533	**Hay net** version with ring, close meshed, approx 5 x 5 cm **red**	3.20
20534	**blue**	3.20
20535	**green**	3.20
20536	**Hay net - extra large** close meshed, approx 5 x 5 cm, without ring **black**	9.70


Art.-Nr.	Description	€
21530	**Hay net for round bales** **1.40 x 1.40 m**	124.95
21531	**Hay net for round bales** **1.50 x 1.50 m**	129.95
21532	**Hay net for round bales, to hang** **1.50 x 1.80 m**	132.95
21533	**Hay net for round bales** **1.60 x 1.60 m**	132.95
21534	**Hay net for round bales** **1.80 x 1.80 m**	139.95

! **Attention: Danger of horseshoeing.**

NEW

Hay dispender





Art.-Nr.	Description	€
21536	**Hay dispenser "Iglu" for hay balls** two-piece diameter bottom part: 135 cm diameter upper partl: 140 cm The main idea for this hay dispenser is to keep the hay at the same place so that animals don't spread or tread down on it. If it lies on the floor horses for example won't touch it again. It would mean higher losses which the "Iglu" dispenser should avoid. **Additional shipping losts, transport only via truck**	549.95

Art.-Nr.	Description	€
21535	**Hay dispenser "Slow Feeder" for hay balls**	266.10

Art.-Nr.	Description	€
21537	**Lid for hay dispenser "Iglu" and "Slow Feeder"**	89.95



Art.-Nr.	Description	€
20556	**Corner Hay Dispenser XL, 300L** The new Hay dispenser has 44 holes and narrow slots on both sides. This helps to ventilate the hay. Also, this generates a better hygiene because dust and germs are falling through the holes and no food leftovers remain in the dispenser. Please be aware of additional freight charges! **Attention:** Additional shipping costs.	79.95



Art.-Nr.	Description	€
20558	**Hay dispenser Easy 200 liters** Keeps hay fresh and minimizes losses, large volume for corner mounted models,offers horses a more natural posture during feeding. volume **200 liters** weight **5.5 kg** approx **80 H x 81 W x 30 D cm**	99.95

NEW



Art.-Nr.	Description	€
21556	**Hay dispenser for wall mounting** Hay dispenser with holes for air ventilation. Made for mounting on a wall. **Attention: Additional shipping costs.**	83.95



Art.-Nr.	Description	€
21557	**Hay dispenser for wall mounting 240l with bottom**	89.95

Hay racks



Art.-Nr.	Description	€
20557	**Hay rack "Slow Feeder"** capacity: 140L = approx. 8 kg food The grid is easy to open and to fill up. With two latches you lock the grid. Due to the grid the horse has to eat very slowly, that's important for the gastrointestinal system of the horse. The rack offers the horse a natural posture while eating. Furthermore, the risk of respiratory diseases is low because dust falls on the floor through small holes on the bottom of the feeder.	189.95



Art.-Nr.	Description	€
20530	**Hay rack wall-mounted, galvanized** **large** – approx. 77 x 44 x 44/31 cm	66.60
20531	**small** – approx. 50 x 35 x 20/14 cm	24.50



Art.-Nr.	Description	€
20532	**Hay rack,** fits corner, **galvanized** approx. 90 x 55 x 46 cm	45.95



Art.-Nr.	Description	€
20539	**Hay rack wall-mounted, small, galvanized** ca. 73 x 62 x 42 cm	59.95

Plastic feeding troughs



Art.-Nr.	Description	€
20501	**Plastic rectangular trough 12 liters** 45 cm wide **brown**	19.95
20601	**green**	19.95
29501	**Bite protecting edge** for 20501	12.00



Art.-Nr.	Description	€
20504	**Bite protection edge 11.5 liters** 31 cm wide, for Derby trough **– brown**	15.90
20604	**– green**	15.90



Art.-Nr.	Description	€
20502	**Plastic rectangular trough 15 liters** 57 cm wide	44.90
29502	**Bite protecting edge** for 20502	9.40



Art.-Nr.	Description	€
20503	**Plastic rectangular trough 25 liters** 63 cm wide	45.30
29503	**Bite protecting edge** for 20503	7.10



Art.-Nr.	Description	€
20559	**Plastic foal trough 7 liters without partitions** without partitions, also suitable for sheep **27 cm wide**	12.50



Art.-Nr.	Description	€
20564	**Plastic foal trough 7 liters** with partitions **27 cm wide**	28.30



Art.-Nr.	Description	€
20505	**Tournament feeding trough 13 liters** 30 cm wide, suitable as stable and transport hay boxmounting and trough forming one part	25.20



Art.-Nr.	Description	€
20570	**Plastic show manger 11 liters**	15.00



Art.-Nr.	Description	€
20560	**Jumbo horse bucket 20 liters** 38 cm wide	34.60



Art.-Nr.	Description	€
20571	**XL plastic transporter manger 30 liters**	34.10



Art.-Nr.	Description	€
20506	**Transport hay box with green metal holders** with 2 metal clips for hanging into horsebox transporter and for use inside stable **green**	13.95
20507	**blue**	13.95
20508	**red**	13.95
20509	**black**	13.95



Art.-Nr.	Description	€
20510	**Stable bucket with clip** **green**	15.20
20511	**blue**	15.20
20512	**red**	15.20
20513	**black**	15.20



Art.-Nr.	Description	€
20518	**Wall mounted plastic trough** with feed saver edge and drain plug **approx 47 x 41 x 16 cm = 23 l**	53.95
29518	drain plug for **plastic trough** 20518	3.70



Art.-Nr.	Description	€
20519	**Plastic corner trough** with feed saver edge and drain plug **approx 47 x 41 x 16 cm = 23 l**	53.10
29518	drain plug for **plastic trough** 20518	3.70



Art.-Nr.	Description	€
20565	**Plastic wall-mounted trough for horses** with all-round protective edge to avoid feed waste **16 liters, 34 cm wide**	33.95



Art.-Nr.	Description	€
20522	**Plastic feeding trough DERBY** corner fit, impact and shatterproof, space-saving design, molded soft corners prevent injuries, easy to clean, therefore very hygienic **24 liters, 63 cm wide**	24.95
29522	**Bite protection edge for Derby trough**	6.95



Art.-Nr.	Description	€
20562	**Plastic triangular trough 21 liters** 65 cm wide	23.00
29562	**Bite protection edge for plastic triangular trough 21 liters**	8.80



Art.-Nr.	Description	€
20563	**Plastic corner trough for horses 16 liters** 46 cm wide	18.50

Long trough



Art.-Nr.	Description	€
70109	**XL long trough for replacement** **160 cm - 120 litre**	149.10
70110	**Long trough for replacement** **200 cm - 100 litre**	139.95
20568	**XXL Long trough for replacement** **100 cm - 180 litre**	182.70



Art.-Nr.	Description	€
70107	**Plastic long trough 50 liters** 120 cm length, for calves and sheep	80.40



Art.-Nr.	Description	€
20566	**Plastic for horses long trough 50 liters** 123.5 cm length	91.10
20567	**Plastic float bowl for long trough**	49.60

Feeding through



Art.-Nr.	Description	€
20605	**Rubber feeding through** The rubber baskets have been specially designed to combine resistance and flexibility, with the aim of being able to transport the basket with one hand. All rubber baskets are characterised by their optimal behaviour at low temperatures, remain unchanged down to - 60 ° C and are made from 100% recyclable materials. **11 litre** bucket height: 14 cm, top diameter: 350 mm	11.70
20606	**20 litre** bucket height: 17 cm, top diameterr: 400 mm	17.50
20609	**32 litre**	19.60



Art.-Nr.	Description	€
20608	**Rubber Wall Trough „Feeder“** **25 litre**	28.99

Flexi trough



Art.-Nr.	Description	€
	Flexi Trough 14 litres	
20610	black	5.50
20614	yellow	5.85
20618	green	5.85
	Flexi Trough 26 litres	
20611	black	6.90
20615	yellow	9.20
20619	green	9.20
	Flexi Trough 38 litres	
20612	black	7.80
20616	yellow	11.85
20620	green	11.85

Metal troughs



Art.-Nr.	Description	€
20543	**Metal trough for foals** with protective edge adjustable partitions **approx 30 x 15 x 25 cm**	37.95



Art.-Nr.	Description	€
20544	**Rectangular metal trough with pipe and drain plug** galvanized, with drain plug **approx 48 x 24 x 35 cm**	52.40

Lick Stone Holder

Inhouse



Art.-Nr.	Description	€
20523	**Salt lick stone holder plastic** expedient design made of plastic, suitable for 10 kg round/square lick stones **brown**	2.65
20524	green	2.65
20525	black	2.65
20526	blue	2.65



Art.-Nr.	Description	€
20529	**Salt lick stone holder for 2 kg lick stones**	4.85

NEW



Salt lickstone

Art.-Nr.	Description	€
21520	**Himalayan Rock Crystal Salt Lickstone** Himalayan rock crystal salt lick with a robust hanging rope for easy attachment. Made from 100% natural minerals and supplied shrink-wrapped. **1,75kg**	3.99
21521	2,5kg	5.99



Stable Equitement

High-quality and functional accessories such as cleaning materials, milking equipment and various floor coverings for the professional keeping of farm animals and horses.



Scratch brush



Art.-Nr.	Description	€
71465	**Scratch brush green/red** Ideally for cleaning and care of the fur, especially for head and neck, for cattle, calves, horses, goats and many more, different possibilities for installation (wall, corner, stable, posts)	49.95

Back scrub brushes



Art.-Nr.	Description	€
70460	**Back scrub brush** Practical scrubbing brush for animals, metal frame made of U-iron for stable mounting, with swivel spring, providing optimum setting for the animalbrushes are replaceable. **brush with wooden back**	99.95
70461	**brush with plastic back**	109.95



Art.-Nr.	Description	€
71461	**Back scrub brush - with pipe**	125.95



70462



70463



70464

Art.-Nr.	Description	€
70462	**Replacement brush with wooden back**	14.20
70463	**Replacement brush with plastic back**	24.30
70464	**Replacement spring for back scrub brush**	25.30

Feed ball toy



20580

20582

20581

20583

Art.-Nr.	Description	€
20580	**Feed ball toy** For use in a stable, on a pasture or an paddock, it´s recommended to hang it on a chair or rope Attention: the use on the ground should always be supervised due to risk of injuries Ø 40 cm, feeding hole 6 cm PU 2 pcs. / box **blue**	49.95
20581	**red**	49.95
20582	**green**	49.95
20583	**pink**	49.95

Feed scoops



Art.-Nr.	Description	€
70111	**Plastic feed scoops green** light and handy **approx. 2000 g**	3.30
70113	**approx. 500 g**	2.70
70114	**approx. 250 g**	2.20



Art.-Nr.	Description	€
70118	**Plastic inner bucket scoop approx. 2000 g**	7.10




Art.-Nr.	Description	€
70122	**Aluminum inner bucket scoop 2000 g**	32.95



Art.-Nr.	Description	€
70120	**Weighing scoops made of aluminum 1600 g**	17.95



Art.-Nr.	Description	€
70121	**Aluminum grain shovel** **2000 g round shaft**	24.50



70481



70482

Art.-Nr.	Description	€
70481	**Stable panels** 40 x 30 cm for cows	4.25
70482	40 x 22 cm for cows	4.40
70483	30 x 20 cm for cows	3.95

70401

Art.-Nr.	Description	€
70401	**Safety barn latch**	9.50





Art.-Nr.	Description	€
70473	**Stable blackboard holder 1"** made of plastic, for mounting on pipes	1.30
70474	**Stable blackboard holder 1 1/4"**	1.30
70475	**Stable blackboard holder 1 1/2"**	1.30



Art.-Nr.	Description	€
20216	**Dehumidifier Multi Dry** – no drip natural product – reusable granules – prevents mildew, rust and mildew odor – removes excessive humidity – product is regenerated by placing it in the oven or on a heater – very absorbent, removes and stores up to 600 g of water, no odor – ideal for saddle lockers, armories, etc.	13.90
21216	**Dehumidifier Drypearl**	11.85



70822



70823



70863



70892



70891



70893



70894



70900



70903

Art.-Nr.	Description	€
70822	**Animal transport sign, plastic**	9.20
70823	**Prohibition sign** **"Wertvoller Tierbestand"**	4.20
70863	**"Bitte nicht füttern"** plastic sign 1 mm, yellow sign with black print 200 x 200 mm	3.75
70891	**"Pferdeweide"** plastic sign 1 mm, white sign with red/black print 300 x 200 mm	6.20
70892	**"Freilaufender Bulle"** plastic sign 1 mm, yellow sign with black print 300 x 200 mm	3.60
70893	**"Pflanzenschutzmittel"** plastic sign 1 mm, yellow sign with black print 250 x 150 mm	3.50
70894	**"Selbstschussgerät"** plastic sign 1 mm, 300 x 200 mm	3.20
70900	**"Vergiftungsgefahr"** plastic sign 1 mm, yellow sign with black print 300 x 200 mm	5.90
70903	**Warning sign "Hundekot"**	3.70

Restraints and bindings



Art.-Nr.	Description	€
60175	**Eyebolt with** zinc plated, with ring 9 x 45 mm **with wood screw 12 x 70 mm**	3.15
60176	**with wood screw 12 x 100 mm**	3.35
60177	**with through bol 12 x 70 mm**	3.15
60178	**with through bol 12 x 100 mm**	3.35
60179	**with through bol 12 x 140 mm**	3.95
60180	**with zinc plated, for stone**	5.40



Art.-Nr.	Description	€
60104	**Shackle 3/8" rounded**	1.49
65104	**Shackle 3/8" galvanized, SB 3/bag**	3.80
60105	**Shackle 1/2" rounded**	1.90
65105	**Shackle 1/2" galvanized, SB 2/bag**	3.80
60106	**Shackle 5/16" rounded**	1.20
65106	**Shackle 5/16" galvanized SB 4/bag**	5.70



Art.-Nr.	Description	€
60181	**Bottom plate with movable galvanized ring** bottom plate approx. 5.5 cm, with movable galvanized ring Ø approx. 5.5 cm	5.40




Art.-Nr.	Description	€
60184	**Swivel with ring 4 mm**	2.50
60185	**Swivel with ring 5 mm**	3.40
60186	**Swivel with ring 6 mm**	4.25
60187	**Swivel with ring 7 mm**	4.35
60188	**Swivel with ring 8 mm**	4.45

Tine security system



Art.-Nr.	Description	€
70224	**Tine security system** Special protection for tedders, made of unbreakable nylon, with self-locking nuts, suitable for any tedder. **4/box**	2.70



Lamps









Infrarot-bulbs



Infrarot enery-saving bulbs

Art.-Nr.	Description	€
70601	**Aluminum lamp** reflector with chain, snap hook and ceiling hook, cable with three-pin plug, 230 V **2.5 m cable** 2/box	19.95
70602	**2.5 m cable with economy switch** 2/box	21.95
70603	**5 m cable** 2/box	22.95
70604	**5 m cable with economy switch** 2/box	23.95

Art.-Nr.	Description	€
70609	**Infrared bulbs 150 Watt** 12/box	4.95
70610	**Infrared bulbs 250 Watt** 15/box	5.45
70613	**Infrared energy-saving bulbs 100 Watt** 15/box	8.95
70614	**Infrared energy-saving bulbs 175 Watt** 15/box	10.95
70605	**Infrared bulbs 150 Watt Philips** 10/box	9.40
70606	**Infrared bulbs 250 Watt Philips** 10/box	9.85
70611	**Infrared energy-saving bulbs 100 Watt Philips** 15/box	12.10
70612	**Infrared energy-saving bulbs 175 Watt Philips** 15/box	12.10

Working lights




Art.-Nr.	Description	€
60600	**Work Light** 30 W, 2500 lm, 4000 K, IP65	**36.20**




Art.-Nr.	Description	€
60601	**Work Light** 50 W ,4200 lm, 4000 K, IP65	**52.50**



Art.-Nr.	Description	€
60602	**Work Light** 150 W, 13000 lm, 4000 K, IP65 rough service, protection class II	**177.40**





LED LAMPS

We offer a wide range of different LED for your barn.

The variation of working LED's improves your tasks on the farm. It offers the best possible comfort through integrated long-lasting batteries and a supporting frame.

Different LED's with different wattage offers the best light in the stable.

Every Lamp has a 5 year warranty.

Rechargeable Worklight with power tool



Art.-Nr.	Description	€
60610	**Rechargeable Worklight** 20 W, 2500 lm, 5000 K, IP20	**87.10**



Art.-Nr.	Description	€
60611	**Power Tool Battery Work Light** 20 W, 2900 lm, 5000 K, IP54, rough service	**87.10**



Every LED lamp includes adapters for DeWalt, Milwaukee, Festool, Makita and Bosch.



Art.-Nr.	Description	€
60612	**Power Tool Battery Work Light** 40 W, 5500 lm, 5000 K, IP54, rough service	**135.40**

LED luminaire



Art.-Nr.	Description	€
60630	**LED luminaire with strip** 1 x 18 W, 60 cm, 2880 lm, 4000 K, UGR < 21 IP65	**46.30**
60631	**LED luminaire with strip** 1 x 36 W, 120 cm, 5760 lm, 4000 K, UGR < 21 IP65	**68.40**
60632	**LED luminaire with strip** 1 x 50 W, 150 cm, 8000 lm, 4000 K UGR < 21 IP65	**82.30**

LED handlamp



Art.-Nr.	Description	€
60640	**Handlamp** **10 W, 1000 lm, 6500 K, IP54,** **lithium-ion, 24.42 Wh**	**71.10**

LED stable lamp



Art.-Nr.	Description	€
60650	**LED stable lamp** 40 W, 6000 lm, 150 cm Resistant against ammonia gas, therefore it's specifically suitable in stables for pigs, it has a DLG certificate, the lamp can be cleaned with high water pressure (IP69K) and has a efficiency factor of 150 lumen/watt	**179.10**

LED High bay



Art.-Nr.	Description	€
60620	**High Bay** 100 W, 14500 lm, 4000 K, IP65, CREE LED	**113.95**



Art.-Nr.	Description	€
60621	**High Bay** 150 W, 21750 lm, 4000 K, IP65, CREE LED	**134.95**



Art.-Nr.	Description	€
60622	**High Bay** 200 W, 28000 lm, 4000 K, IP65, CREE LED	**196.95**



Art.-Nr.	Description	€
60623	**LED High Bay** 100, 150 or 200 W, 3000, 4000 or 5000 K, 14500 lm	**99.95**

Flooring

Inhouse



Art.-Nr.	Description	€
70815	**General-purpose flooring** Whether inside the house or out in the yard, terrace or balcony, this flooring can be used anywhere, even near swimming pools, in car trunks, behind counters, on tennis courts, etc. Here are some of the great benefits: UV-stabilized, slip-proof and shatter-proof, maintenance-free and weather-proof, long service life, easy and quick to install due to its special eyelet design, Size of elements 25 x 25 cm, Height: 1.80 cm, easy to carry ($1m^2$ = 3.20 Kg = 16 elements). **polyproyplene green**	41.60
70816	**polyproyplene rust brown**	41.60
70817	**polyproyplene chocolate brown**	41.60
71818	**polyproyplene grey**	41.60

Handles

Inhouse



Art.-Nr.	Description	€
70818	**Plastic handle** extremely sturdy, compact design, universal use **140 mm**	2.90
70819	**150 mm**	3.60
71820	**Plastic handle Mustang 210 mm** extremely sturdy, compact design, universal use, mustang, 210 mm hole spacing, total length 380 mm, with injected screws, M8 thread	10.80

Safety cabinets



Art.-Nr.	Description	€
70949	**Safety cabinet** Specifically designed for farming purposes. For safe and proper storage of pesticides! TÜV certificate - GS light gray for up to 160 kg hazardous materials Dimensions: 1016 x 950 x 420 mm 2 tray shelves. Load capacity 80 kg / 20 liters	999.95



Art.-Nr.	Description	€
70948	**Safety cabinet** Specifically designed for farming purposes. For safe and proper storage of pesticides! TÜV certificate - GS light gray for up to 500kg hazardous materials Dimensions: 1950 x 950 x 500 mm 4 tray shelves. Load capacity 75 kg / 23.5 liters	644.20

All prices ex works. Freight costs on request.

Welding helmet



Art.-Nr.	Description	€
70484	**Automatic welding helmet** This automatic welding helmet features a built-in automatic darkening filter (ADF) and your eyes are optimally protected during welding jobs against light flashes. Two built-in light sensors photo-electronically register changes in light conditions (welding arc) during the welding process and react immediately. The liquid crystal panel darkens in 1/15000 seconds to a preset darkness value and protects your eyes from harmful UV and IR radiation. The helmet is easily fitted and adjustable to any head shape,light-weight, provides extra protection for your face against harmful sparks.	47.30
79484	**Outer sheet** for **Automatic welding helmet** 6/box	2.00
79485	**Inner sheet** for **Automatic welding helmet** 6/box	1.40

Specifications

Field of view	90 x 35 mm
Light filter cassette	110 x 90 x 9 mm
Slight darkening	DIN 4
Adjustable darkening	DIN 9 - 13
Supply voltage	Solar + 2 AAA Alkaline inkl.
UV + IR protection	DIN 16
Weight	480 g

The auto-darkening welding helmet is suitable for electrode welding (MMA) / MIG / MAG / TIG, plasma welding, and plasma cutting.

Brushs



70425 70424 70423

Art.-Nr.	Description	€
70423	**Scrubbing brush wood S-shape**	2.10
70424	**Scrubbing brush wood pointed/round**	2.00
70425	**Can brush plastic white**	5.85

Water broom



Art.-Nr.	Description	€
70417	**Water broom** A lightweight and handy cleaning device for any purpose, 1/2" Hose coupling.	37.50
70418	**Replacement broom red for water broom**	16.80
70420	**Replacement broom white/red for water broom**	25.95

Wash throughs



Art.-Nr.	Description	€
70426	**Wash trough** discharge line coupling 11/4" with plug for hose and pipe connections **Capacity 100 liters, dimentions: 98 x 55 x 33 cm**	128.60
70427	**Wall rack for** wash trough	49.95
70428	**Table rack for** wash trough	69.95
79426	**Closure plug set for flushing tray** consisting of plastic plug, ball chain and chain holder	18.50
79427	**Tube holder set for** 70427	11.30
79428	**Tube holder set for** 70428	11.30

Squeegees



Art.-Nr.	Description	€
71560	**Squeegee metal** without handle, made of galvanized sheet steel with water groove and riveted handle holder, dual 10 mm foam rubber matching handle see Item No. **70517** **45 cm without handle** 10/box	7.40
71561	**55 cm without handle** 10/box	8.75
71562	**75 cm without handle** 10/box	10.50



Slurry scrapers

Art.-Nr.	Description	€
70491	**Slurry scraper half-round without shaft,** Powder-coated **55 cm**	25.95
70492	**Replacement rubber for slurry scraper half-round 55 cm**	5.80
70493	**75 cm**	27.95
70494	**Replacement rubber for slurry scraper half-round 75 cm**	8.49



Art.-Nr.	Description	€
70465	**Slurry scraper without shaft.** The universal cleaning scraper for farm use. **55 cm**	21.70
70466	**40 cm**	10.30
70467	**Replacement rubber for slurry scrape 55 cm**	6.50
70468	**Replacement rubber for slurry scrape 40 cm**	3.90

Slurry scoop



Art.-Nr.	Description	€
70485	**Slurry scoop brown** made of plastic. 7.5 l	10.95



Art.-Nr.	Description	€
70542	**Litter tray - without strap** 62 x 39 cm, green **Capacity 20 liters**	13.95
70543	**Strap for litter tray**	4.10





Art.-Nr.	Description	€
71450	**slurry scraper „Dual scrape" 555mm** The „dual scrape" combines two functions. The rubberized side can be used for soft and wet materials – ideal for example for muddy floors. The other side has a sturdy aluminium end to clean hard dirt. Very handy for narrow barn passages or fast uses.	119.95
71451	**slurry scraper „Super Scraper" 755mm** The „super scraper" is made of top-quality materials and has a thought out design. Due to his wing-formed design it slips in any corner and angle. Iti s used best in big barns, passages and through the whole yard.	149.95

Both scrapers are made of aluminium, can be cleaned with a high-pressure cleaner and therefore more hygenic than other scrapers with a wodden post.

Shovels



Art.-Nr.	Description	€
70550	**Frankfurt shovel** hardened, red lacquered, 300 x 270 mm	8.95
71552	**Frankfurt shovel with stick** hardened, red lacquered, 300 x 270 mm **Stick lenght 1300 mm**	13.90



Art.-Nr.	Description	€
70546	**Aluminium shovel Mustang with steel edge** **size 9, 38 cm wide**	18.95
70547	**size 7, 33 cm wide**	16.95
70553	**size 5, 27 cm wide**	13.95

! **Also available with a handle on request.**

Art.-Nr.	Description	€
70551	**Holsteiner shovel** hardened, red lacquered, 270 x 250 mm	8.95
71553	**Holsteiner shovel with stick** hardened, red lacquered, 270 x 250 mm **Stick lenght 1300 mm**	16.00

Art.-Nr.	Description	€
71551	**Aluminium shovel Bison** with riveted steel edge, 2.5 mm thick **size 9, 38 cm wide**	20.95

Art.-Nr.	Description	€
79546	**Replacement edge for aluminum blade size 9**	2.70
79547	**Replacement edge for aluminum blade size 7**	3.40
79553	**Replacement edge for aluminum blade size 5**	2.70
79554	**Replacement rivets for replacement edge (aluminum pan)**	0.30

Scrapers



Art.-Nr.	Description	€
70469	**Scraper without shaft** sheet steel, replaceable hardened sheet. **150 mm**	8.80
79469	**Replacement panel for scraper 150 mm**	4.50
70470	**300 mm**	9.95
79470	**Replacement panel for scraper 300 mm**	7.30
70471	**500 mm**	13.49
79471	**Replacement panel for scraper 500 mm**	10.30

Art.-Nr.	Description	€
70529	**Shaft for scraper 1200 mm**	6.95

Snow shovel



Art.-Nr.	Description	€
70549	**Snow shovel plastic with aluminum edge** snow shovel, plastic with plastic shaft and D grip **Dimensions:** **shovel pan: approx. 50 x 37 cm** **length: 150 cm** 12/box	35.00



Street broom "Bauernlob"

corbel piece, elastane bristles, red, wooden back with hole for shaft

Art-Nr.	Mass	VPE	€
70532	32 cm	10 Stück/Karton 600 Stück/Palette	5.95
70540	40 cm	10 Stück/Karton 560 Stück/Palette	7.10
70541	50 cm	10 Stück/Karton	9.10
70558	60 cm	10 Stück/Karton 420 Stück/Palette	11.50



Large broom

pure hair (stabilized), saddle wood natural with handle hole

Art-Nr.	Mass	VPE	€
71564	40 cm	10 Stück/Karton 320 Stück/Palette	6.70
71565	50 cm	10 Stück/Karton 270 Stück/Palette	10.20
71566	60 cm	10 Stück/Karton 240 Stück/Palette	11.60



Hall broom

with blended fabric Arenga/Elastene, wooden back with shaft hole

Art-Nr.	Mass	VPE	€
70573	40 cm	10 Stück/Karton 600 Stück/Palette	7.70
70559	50 cm	10 Stück/Karton	8.95
70574	60 cm	10 Stück/Karton 360 Stück/Palette	9.95



Large broom

bristles made of elastane, wooden back with shaft hole

Art-Nr.	Mass	VPE	€
70533	40 cm	10 Stück/Karton 480 Stück/Palette	6.00
70535	60 cm	10 Stück/Karton	8.70
70536 mit Metall-halterung	80 cm	10 Stück/Karton 180 Stück/Palette	11.95



Bahia broom

made of guaranteed pure, and highly durable Bahia fiber, moisture resistant, corbel piece, wooden back with shaft hole

Art-Nr.	Mass	VPE	€
70554	32 cm	10 Stück/Karton	10.90
70555	40 cm	10 Stück/Karton	16.10
70556	50 cm	10 Stück/Karton	16.95
70557	60 cm	10 Stück/Karton	17.95

Brooms



70530



70531

Art.-Nr.	Description	€
70530	**Plastic rice straw broom 5 seams with shaft** yellow cap	12.95
70531	**Rice straw broom 5 seams with shaft**	8.50

Hand brushs



70512



70513

Art.-Nr.	Description	€
70512	**Hand brush Arenga Standard** box à 20 pcs, pallet à 1920 pcs	2.49
70513	**and brush Arenga Standard – long shaft** box à 640 pcs	2.79



Art.-Nr.	Description	€
70514	**Dustpan**	4.25

Rake

Inhouse



70545



70552



70548



70564

Art.-Nr.	Description	€
70545	**Multi-use broom for leaves, garden and lawn** 2 cross braces for stabilisation **27 teeth, back length 40 cm**	4.00
70548	**Plastic hay and lawn rake** made of unbreakable material **19 teeth, back length 60 cm**	6.20
70552	**Garden rake with smoothing edge** with 16 straight tines on one side and additional cross tines versatile with additional edge for tillage **working width 64 cm** 10/box – without shaft	14.95
70564	**Hay rake double-sided** classic model for hay work, 16 straight tines on both sides shaft is slightly slanted to rake **working width 64 cm** 10/box – without shaft	14.85

Forks

Art.-Nr.	Description	€
70501	**Dung fork 135 cm / ash tree 4 prongs** with 135 cm ash tree shaft and chromed rail clamp, 4 prongs, forged from one piece **31 x 23 cm**	33.10

Art.-Nr.	Description	€
70502	**Hay and straw fork 135 cm / ash tree 3 prongs** with 135 cm ash tree shaft and chromed rail clamp, 3 prongs, forged from one piece **26 x 20cm**	32.50
70507	**30 x 30cm**	32.60

Art.-Nr.	Description	€
70505	**Spade fork with T-handle 4 prongs** with 110 cm ash tree T-shaft and chromed rail clamp, 5 prongs forged from one piece	25.95

Art.-Nr.	Description	€
70506	**Compost fork with T-handle 5 prongs** with 110 cm ash tree T-shaft and chromed rail clamp, 5 prongs forged from one piece	31.10

Art.-Nr.	Description	€
70508	**Dung fork "Erntekönig" 3 prongs** with 135 cm ash tree shaft **31 x 22 cm**	43.95
70509	**Dung fork "Erntekönig" 4 prongs** with 135 cm ash tree shaft **31 x 23 cm**	44.00

Art.-Nr.	Description	€
70510	**Dung fork "Erntekönig" 3 prongs** with 135 cm ash tree shaft **26 x 20 cm**	39.20
70511	**30 x 30 cm**	39.70


70501

70502

70507


70505


70506


70509


70510

Shafts


70515


70526


70516

70517

70520


70521


70523


70524


70525

Art.-Nr.	Description	€
70515	**Dung and straw fork ash tree** curved with rail clamp **1350 mm**	11.70
70526	**Dung fork shaft - ash tree** without rail clamp **1350 mm**	8.45
70516	**Shovel shaft** made of ash tree, curved **1300 mm**	6.95
70528	**Shovel shaft** made of aspen **1500 mm**	8.95
71522FS	**Shovel shaft** **140 cm**	4.95
70517	**Tool shaft** made of aspen, curved **1600 x 28 mm**	5.95
71521FS	**Shovel shaft** **170 cm**	6.35
70527	**Tool shaft** made of aspen **1800 x 28 mm** **Attention:** Additional shipping costs because of extra length when shipped with parcel service	6.55
70518	**Shovel shaft T-handle** made of beech wood **900 x 40 mm**	7.95
70519	**Broomstick** made of aspen **1300 x 24 mm**	4.55
70520	**Slurry scraper shaft** without pin **1600 x 30 mm**	13.20
70521	**Pickaxe shaft ash tree - top quality** **950 x 42 x 76 mm**	6.95
70522	**Hatchet shaft shaped like a cow foot** **400 mm**	5.90
70523	**Axe shaft shaped like a cow foot** **700 mm**	8.20
70524	**Axe shaft shaped like a cow foot** **800 mm**	9.50
70525	**Sledgehammer shaft ash tree** **800 mm**	7.80
70529	**Shaft for scraper** **1200 mm**	6.95

Grease gun



Art.-Nr.	Description	€
70387	**Greasing gun with short hub** - 4500 PSI working pressure - For 400 g multi purpose grease cartridges or 450 g loose grease - With 300 mm flexible tube - Hydraulic xx with four hardened chuck jaws	18.95



Art.-Nr.	Description	€
70388	**One hand greasing gun** - 4500 PSI working pressure - For 400 g multi purpose grease cartridges or 450 g loose grease - With 300 mm flexible tube - Hydraulic xx with four hardened chuck jaws	22.95



Art.-Nr.	Description	€
70381	**Grease gun set E500M MATO silver + PH-30C M10x1** high-pressure plastic hose + 4-jaw hydraulic gripper mouthpiece **packed in display box PU 20**	39.80



Art.-Nr.	Description	€
70371	**Göbel special coupling for grease presses** M10x1	19.95



Art.-Nr.	Description	€
70372	**Hydraulic safety-mouth piece M10x1**	34.95



Art.-Nr.	Description	€
70392	**Special coupling for grease presses** Enables safe and easy lubrication during maintenance work, no grease loss even under high-load use - simple couple, release and work without holding!	31.20



Art.-Nr.	Description	€
70389	**High pressure hose to grease gun**	9.95
70393	**Handle for high pressure hose 70389**	4.00
79393	**Replacement set for Handle**	10.70



Art.-Nr.	Description	€
70378	**Multiple purpose grease K2K-30** Rektol multi-purpose grease K2K-30 is produced based on high-quality base oils using lithium soaps (Li-12-hydroxystearate) as a thickener and contains additives to improve the rust and corrosion protection. It is particularly resistant to flexing, corrosion and oxidation	5.95

Grooming products



70866



70889

Art.-Nr.	Description	€
70889	**WD-40** Lear more about the benefits and multifunctional uses of WD-40. It acts simultaneously as: Water displacement agent, corrosion protection, penetrating oil, cleaner, lubricant. WD 40 has become the best-selling multi-purpose spray oil in the world. **Smart Straw** 400 ml VPE 4 Stück	9.60
70866	**Can** 5 l	59.95
70867	**Atomizer (spray bottle)**	11.85



Art.-Nr.	Description	€
20284	**Ballistol spray** Universal oil, for any and all purposes, tried and tested unrivalled. For the care of metal, wood, leather, rubber, plastic, coat, skin, and much more. For industry, crafts, automotive, home and garden, agriculture, hunting and equestrian. **200 ml** – 20/box	7.20
20292	**400 ml** – 20/box	11.40
20298	**Ballistol oil** **500 ml** – 20/box	13.45
20299	**Ballistol H1 food oil** **200 ml** – 20/box	8.40





Art.-Nr.	Description	€
71840	**SONAX SX90 PLUS with EasySpray** The ideal problem solver for car, hobby, household, factory and workshop: Loosens rusted or stuck parts (e.g. nuts, bolts and switches) and protects against renewed corrosion. Makes locks, lock cylinders, **400 ml** – PU 6 pieces	8.49



Art.-Nr.	Description	€
71843	**SONAX SX90 PLUS** **5 liters** – PU 1 piece	99.99



Art.-Nr.	Description	€
70808	**Chain-saw lubricant oil** Compliant with the requirements of well-known chainsaw manufacturers, original manufacturer filling, high adhesion, therefore excellent wear protection for chain and star wheel, economical in use. **1 litre**	6.95
70809	**5 litre**	24.95
70810	**20 litre**	71.90
70845	**Bio chain-saw lubricant oil** **5 litre**	49.95
70846	**20 litre**	124.95



79839

Art.-Nr.	Description	€
79833	**Rubber hose 2 m / 1" - with 1" connections**	39.30
79834	**Rubber hose 4 m / 3/4" - with 1" connections**	49.10
79835	**Foot valve with filter for rubber hose 1"**	24.20
79836	**Rubber hose 7m / 3/4" - with 1" connections**	89.95
79840	**Hose connector 25 mm - 1" thread**	6.95



Art.-Nr.	Description	€
70833	**Counter (up to 999 liters)** for diesel pump Midi, up to 999 liters Technical Data: display of individual quantity: 4-digit (0.1 l/digit) display of total quantity: 8-digit (1.0 l/digit) flow rate: 20 to 120 litres/min. working temperature: -10 °C to +60 °C connection thread: 1" BSP IG max. pressure: 20 bar operating pressure: 3.5 bar	127.95

Pumps



Art.-Nr.	Description	€
70830	**Hornet electric pump W 40** Includes dosing equipment and manual operation, for heating oil and diesel oils of hazard class A3, 230 V, with 4 m hose, pumping capacity approx. 40 liters / min.	269.95



Art.-Nr.	Description	€
70831	**Diesel pump - Midi, self-priming** Self-priming pump to pump diesel fuel. Includes 2 m suction hose 1" and 4 m pressure hose 3/4", oil-proof rubber hose, brass fittings, pressed connections, brass foot valve, aluminum nozzle, cable, switch and three-pin plug, pump connectors 1".	237.40



Art.-Nr.	Description	€
70834	**Diesel station with counter** To refuel your vehicle on your court. With a pressure of 1,5 bar you can gas up vehicles up to 60 liters diesel / minute. Dependent on conditions like suction lift, pressure, hose, nozzle and filter. Technical Data: line voltage: 230 V / 50 Hz line performance: 370 Watt dimensions mm (BxHxT): 310 x 340 x 230	362.40



Art.-Nr.	Description	€
70832	**Automatic nozzle automatic shut-off** automatic shut-off, for diesel pump Midi, 1" connection female thread	89.20
79839	**Diesel hose adapter ROTABLE** **3/4" AG to 1" IG**	25.95

Pumps



Art.-Nr.	Description	€
70837	**PTO pump ML 20, accessories included** Heavy cast pump with PTO connection, and safety chain for safe and secure attachment to the tractor. **Supplied with:** 3 m suction hose - 30 mm Ø, 7 m pressure hose - 19 mm Ø, clamps with spray nozzle and strainer	219.95
70935	**without accessories**	189.40
79837	**Spare part kit** for PTO pump ML 20	59.70
79844	**Strainer** for PTO pump ML 20 / MLI 25	14.60



Art.-Nr.	Description	€
70868	**PTO pump MT 300** Heavy cast pump with PTO connection, and safety chain for safe and secure attachment to the tractor. **without accessories**	309.95
70870	**with accessories** 3 m suction hose - Ø 40 mm, 7 m pressure hose - Ø 19 mm, strainer and clamps	349.95
79868	**Spare part kit** for PTO pump MT 300	84.10
79846	**Strainer** for PTO pump MT 300	21.95

Art.-Nr.	Description	€
79087	**Suction hose 1 1/4" inside diameter 32 mm**	7.50
79841	**Pressure hose sold by the meter** **inside diameter 19 mm**	9.20
79842	**Suction hose sold by the meter** **inside diameter 30 mm**	6.25
79843	**inside diameter 40 mm**	7.50

Art.-Nr.	Description	€
70869	**Hose set with suction and discharge hose MT 300** 3 m suction hose – Ø 40 mm, 7 m outlet hose – Ø 40 mm, strainer and clamps	79.95
70872	**Hose set with suction and spray hose MT 300** 3 m suction hose – Ø 40 mm, 7 m pressure hose – Ø 19 mm, clamps with spray nozzle and strainer	79.95

Spare parts on request

Art.-No.	Model	Max. Pressure	Inlet/Outlet	Achieve-ment	Air flow High pressure	Air flow Irrigate	Metrics	Weight
70837	ML 20	25 bar	30-19 mm	4 kW	70 l/min	180 l/min	18 x 22 x 19	11 kg
70868	MT 300	30 bar	40-40 mm	7,5 kW	150 l/min	280 l/min	24 x 28 x 25	21 kg
70934	MLI 25	25 bar	30-19 mm	4 kW	70 l/min	180 l/min	18 x 22 x 19	15 kg



Art.-Nr.	Description	€
70934	**PTO pump MLI 25 incl. accessoires** The difference in diameter between the suction connection and the pressure connection (30-19) allows a maximum pressure of 25 bar. The PTO pumps for the ML.I. 25 tractor allow the flow rate to be adjusted. Thanks to the brass pressure control valve. Due to a device for circulating the liquids, this pressure control valve makes it possible: – to set the flow rate per minute – to set the pressure	299.95



Art.-Nr.	Description	€
70871	**PTO compressor unit,** complete with pressure equalizing boiler drum 2 cylinders - 58 mm diameter, 1.5 liters tank with pressure gauge for pressure regulation, maximum pressure 7 bar, up to 700 RPM. Air flow 170l/min., supplied with 4 mm rubber hose and tire valve connection **Maße: 225 x 400 x 270 mm**	299.95

Spare parts on request





Tree watering bag



71780, 71781
+ 71784



71782

NEW
100 liters

Art.-Nr.	Description	€
71782	**Tree watering bag** Trees can be waterd over 5 - 9 Hours with just one filling. Due to the regular irrigation the trees can absorb the water much better. Made of extremely resistant PVC, manufactured with UV stabilizer. **lying 56 liters**	16.20
71781	**56 liters**	15.95
71780	**75 liters**	17.95
71784	**100 liters**	21.95

Silage





Art.-Nr.	Description	€
71600	**Silage protection nets approx. 240 g/m²** green base color, HDPE, guaranteed UV-resistance: 7 years, seamed / sewn edges, better than 4 t tensile strength / m², Edges: closed seamed edges We recommend these nets to protect the cover sheets on the silage. This will protect the silage film, and result in a perfectly covered silage, which will prevent damages.The nets are relatively light and therefore easy to handle. **5 x 6 m**	64.95
71601	**5 x 7 m**	82.00
71602	**5 x 8 m**	92.50
71603	**5 x 9 m**	104.10
71604	**5 x 10 m**	114.70
71606	**5 x 12 m**	138.70
71631	**6 x 25 m**	279.95
71607	**8 x 10 m**	200.50
71608	**10 x 12 m**	243.95
71632	**10 x 25 m**	558.80
71609	**12 x 15 m**	395.00
71610	**14 x 16 m**	423.20



Art.-Nr.	Description	€
71633	**PVC-tape - black** · extremely high adhesive strength · universally applicable for round and square bales as well as flat films · highly UV-stable and weather-resistant · robust and water-repellent · 0.1 x 10 m / 40 pcs. per box	3.70
71634	**green**	3.70
71635	**white**	3.70



Art.-Nr.	Description	€
71611	**Silage sacks** Approx. 190 g/m², green base color, guaranteed UV-resistance: 7 years, tear-proof, frost-proof, with handle, including stainless steel closure wire. Silage sacks fix the silo cover to the silo. The silage sacks are filled with round gravel and then sealed with the supplied stainless steel lock wires. The integrated carrying handle facilitates easy handling. Using the one-sided colored strip one can extend the service life of the silage sacks by one year by laying the sacks with the strip upwards during the first year and in the next year with the strip downwards. with wires **100 x 25 cm**	1.60
71612	**120 x 27 cm**	1,70
71615	**Binding wires for silage sacks** for closing silage sacks, green plastic coated, length 14 cm **1000 pcs/bundle.**	19.99/Tsd.
71620	**Drill apparatus**	19.95

Measuring instruments



Art.-Nr.	Description	€
70820	**Weather station, wireless** This wireless rain gauge features a large container to collect rainfall, and transmits the measured quantities wirelessly to the display device. The rain gauge shows the total amount of rainfall, rainfall during the last 24 hours and within the last hour. In addition, the device also measures each precipitation separately. On the monitor, the rainfall is displayed as a proper bar chart. The wireless rain gauge is self-draining and frost-proof. Can be hanged or stands on its own. Other features of the rain gauge include: rain alarm (start of rain), exterior temperature, interior temperature, minimum and maximum temperatures, temperature alarm, display of date and time.	48.95



Art.-Nr.	Description	€
70844	**Rain gauge plastic 1 - 35 mm** made of plastic, with scale 1 - 35 mm, supplied with holder	2.70




Art.-Nr.	Description	€
70862	**Digital hay and straw gauge** For measuring temperature and moisture content in hay and straw bales. Measuring range: Humidity 8 % to 45 % - Temperature 0 °C to 105 °C. Calibration is done in less than 20 seconds due to simple clip on function. Comes with 2 standard AA batteries and LED display. Length of the lance 50 cm.	330.80



Art.-Nr.	Description	€
70849	**Grain hygrometer Unimeter** This grain tester features a sturdy and shock-proof aluminum housing. The device is able to perform measurements of up to 19 different crops and allows calculation of average values. Since the grain is ground, very accurate measurements of water content are obtained. The instrument can be calibrated.The following crops are directly displayed: Wheat, oats, barley, rye, rapeseed, corn, yellow mustard, beans, sunflower, peas, triticale.	451.80



Scythes



Art.-Nr.	Description	€
70201	**Scythe shaft - tubular steel** galvanized and chromated steel tube, 150 cm, with 2 adjustable wooden handles	20.50
79200	**Handle for scythe**	6.50



Art.-Nr.	Description	€
70202	**Folding scythe** galvanized and chromated scythe shaft, 150 cm, with 2 adjustable wooden handles fully assembled with scythe blade 60 cm, with cutting guard	38.50



Art.-Nr.	Description	€
70203	**Scythe ring with key** **for scythe shaft metal**	4.60
70204	**Scythe ring with key** **for scythe shaft wood**	4.40

Scythes



Art.-Nr.	Description	€
70207	**Scythes standard** hand-forged, hardened, ready-to-use **60 cm**	10.95
70208	**65 cm**	12.30
70209	**70 cm**	12.95
70210	**80 cm**	15.95



Art.-Nr.	Description	€
70212	**Scythes "Zwei Rinder"** best quality, hand forged, polished, sharpened, whetted ready-to use, with cutting guard **60 cm**	46.10
70213	**65 cm**	47.10



Art.-Nr.	Description	€
70217	**Silviculture scythe** hand-forged, made of best quality cutting steel, whetted ready-to-use **40 cm**	19.50



Art.-Nr.	Description	€
70230	**Scythes razor cut narrow blade** sharpened ready-to-use, with plastic cutting guard, without shaft **65 cm**	63.95
70231	**70 cm**	68.95
70235	**75 cm**	70.95



Art.-Nr.	Description	€
70232	**Scythes "Hahnkopf" narrow blade** **65 cm**	61.95
70233	**70 cm**	63.95

Scythe whetting machine



Art.-Nr.	Description	€
70218	**Scythe whetting machine** Much faster, more convenient and cleaner with Dengelmax Extra. A machine capable to produce a whetted scythe or sickle in a few minutes, sharp and clean. With detailed instruction manual. **20 pcs.**	32.20

Sickles



Art.-Nr.	Description	€
70205	**Round sickle** styrian form, hand-forged, hardened, ready-to-use	8.10



Art.-Nr.	Description	€
70206	**Scythe sickle** hand-forged, hardened, ready-to-use	8.50

Whetstones



Art.-Nr.	Description	€
70225	**Replacement whetstones cylindrical**	1.90
70226	**Replacement whetstones conical**	2.60
70227	**Replacement whetstones top pin**	4.40

Whetstones



Art.-Nr.	Description	€
70219	**Whetstone "Wetzblitz"**	1.20
70220	**Whetstone Silifix ®**	3.00
70221	**Whetstone "Silicar"**	9.95



Art.-Nr.	Description	€
70222	**Scythe sharpener "Batavia" red / blue**	7.45



Art.-Nr.	Description	€
70223	**Whetstone cup** made of plastic with belt clip	4.40

Linch pins





Art.-Nr.	Description	€
70301	**Safety linch pin** Forged and hardened shaft ensures maximum protection against wear and deformation over the entire lifetime. Spring is made of special spring wire in conjunction with a locking device in the shaft (spring clip locks) which offers maximum security against accidental opening. Additional bore to accept the safety chain prevents damages or opening of spring clip (Note: Never hang safety chain inside spring clip) Permanent rust protection (galvanized parts). **7.5 mm**	4.00
75301	7.5 mm SB 5/box	21.00
70302	9,5 mm	4.00
75302	9.5 mm SB 5/box	21.00
70303	10,5 mm	4.10
75303	10.5mm SB 5/box	21.00
70304	11,5 mm	4.10
75304	11.5 mm SB 5/box	21.00
70305	Quick-disconnect coupling KI 11.5 mm	4.75
70306	Quick-disconnect coupling KII 15.5 mm	8.40

Art.-Nr.	Description	€
70307	**Linch pin** **4,5 x 32 mm**	0.30
75307	4.5 x 32 mm SB 5/box	2.10
70308	6 x 41 mm	0.30
75308	6 x 41 mm SB 5/box	2.20
70309	7 x 41 mm	0.30
70310	8 x 41 mm	0.40
75310	8 x 41 mm SB 5/box	2.75
70311	9 x 41 mm	0.55
70312	10 x 41 mm	0.55
75312	10 x 41 mm SB 5/box	3.25
70313	11 x 41 mm	0.65

Quick links



Art.-Nr.	Description	€
70326	**Quick links galvanized** **4 mm**	0.60
70327	5 mm	0.50
70328	6 mm	0.80
70329	7 mm	1.50
70330	8 mm	1.80
70331	9 mm	1.40
70332	10 mm	2.10
70333	12 mm	3.20

R-split





Art.-Nr.	Description	Price per 100 pcs.	€
70314	**R-split single** **2 mm**		5.60
70316	3 mm		12.50
70317	4 mm		14.20
70318	5 mm		31.80
70319	6 mm		66.50
70320	7 mm		71.10
75317	4 mm SB 3/box	Preis per Pack	1.50
75318	5 mm SB 3/box	Preis per Pack	1.80
75319	6 mm SB 3/box	Preis per Pack	2.20

Art.-Nr.	Description	Price per 100 pcs.	€
70321	**R-split double** **3 mm**		18.70
70322	4 mm		35.30
70323	5 mm		54.10
70324	6 mm		67.20
70325	7 mm		150.00
75321	3 mm SB 5/box	Preis per Pack	1.60
75322	4 mm SB 5/box	Preis per Pack	2.20

Snap hooks



Art.-Nr.	Description	€
70334	**Snap hooks galvanized** **40 x 4 mm**	0.40
75334	40 x 4 mm SB 5/box	2.30
70335	50 x 5 mm	0.50
70336	60 x 6 mm	0.60
75336	60 x 6 mm SB 5/box	3.85
70337	70 x 7 mm	0.70
70338	80 x 8 mm	0.90
75338	80 x 8 mm SB 3/box	3.10
70339	90 x 9 mm	1.20
70340	100 x 10 mm	1.40
75340	100 x 10 mm SB 3/box	5.00
70341	120 x 11 mm	2.10
70342	140 x 12 mm	2.60
70343	160 x 13 mm	4.30
70344	180 x 14 mm	4.90

Spare links



Art.-Nr.	Description	€
70345	**Spare links galvanized** **4 mm**	0.29
70346	5 mm	0.30
70347	6 mm	0.70
70348	7 mm	0.50
70349	8 mm	1.09

Engine oil



Art.-Nr.	Description	€
70375	**Engine oil** High-alloy engine oil, ideally suited for year-round use in state-of-the-art Otto and Diesel engines. **10 W - 40, 1 liter**	7.40
70376	**10 W - 40, 5 liters**	32.15
70379	**15 W - 40, 5 liters**	29.95
70380	**10 W - 40, 20 liters**	127.10



Art.-Nr.	Description	€
70383	**Lawn mower and tractor oil 10W-30** 4-stroke engine oil for year-round use, which is suitable for ride-on mowers, hand mowers and other garden tools, as well as for drives of generators and pumps. High proportions of hydrocracking oils (HC synthesis) ensure safe continuous operation even at continuous full load operation. Suitable for turbo and compatible with catalytic converters. **1 liter**	9.95

Hydraulic Accessories



Art.-Nr.	Description	€
70390	**Oil pressure relief pliers** No more problems with the coupling of hydraulic connections, no more oil soiled clothing and deformed coupler plugs. The pliers accommodate the leakage oil cleanly, safely and environmentally-friendly. **25 pcs**	46.10

Vehicle tester



Art.-Nr.	Description	€
70396	**Vehicle lighting tester kit**	40.80
70397	**Adapter 13 to 7 pin Car 13 - Trailer 7**	11.60
70398	**Adapter 7 to 13 pin Car 7 - Trailer 13**	11.60
70399	**Vehicle lighting tester**	24.60



Start aid



Art.-Nr.	Description	€
70885	**Ballistol start aid spray (Startwunder)** quick Start for cold engines. Ideally suited for cars, motorcycles, tractors, lawn mowers (2- and 4-stroke), and emergency generators. Works anywhere to start up difficult-to-start, cold and damp engines **200 ml** – 12/box	4.95
70895	**Ballistol teflon spray** **200 ml** – 12/box	5.40
70896	**Ballistol teflon spray** **400 ml** – 12/box	9.00
79885	**Extension hose ca. 60 cm to Ballistol-Spray**	1.80

Art.-Nr.	Description	€
71880	**Start-Pilot** Consists of a special mixture of hydrocarbon compounds whose boiling points extend chain-like over a range of -40 to +200 °C. This mixture contains not only substances which will readily ignite, but also inhibitors to achieve soft, progressive combustion. In addition, Startpilot contains lubricants which transfer by air to the cold cylinder to avoid harmful dry rubbing during the starting phase. This anti-slip properties as well as the already mentioned rapid ignition and rapid warm-up are important factors to extend the life of any engine. **200 ml** 12/box	11.20
71881	**300 ml** 12/box	15.00

Motor start aids



Art.-Nr.	Description	€
70576	**Jumper cable 25 mm² x 3.5 m** fully insulated cable for tractors and cars, very durable, features StartSafe to protect against overloading, cable made of pure copper **25 mm² x 3.5 m** with charging clamp 200	98.80
70577	**25 mm² x 3.5 m** with charging clamp 200 **and Startsafe**	117.30
70578	**35 mm² x 4.5 m** with charging clamp 500	177.20
70579	**35 mm² x 4.5 m** with charging clamp 500 **and Startsafe**	189.95

LED emergency light



Art.-Nr.	Description	€
71999	**LED emergency light** – 9 different light/flashing modes – early warning of danger points – compact form and very good visibility – the strong magnet adheres to all metal surfaces and protects the paintwork – made of high-strength plastic in thermoplastic rubber casing – can be driven over with a vehicle – is completely waterproof – is capable of floating – battery lasts up to 10 years	17.20

Steering knobs



70413



70414



70415



70416

Art.-Nr.	Description	€
70413	**Steering knob Agropa Tulpe**	59.20
70414	**Steering knob Agropa Variant**	18.80
70415	**Steering knob Agropa with ball bearing**	25.10
70416	**Steering knob Agropa Universal**	24.85

Seat cushions



70498



71476

Art.-Nr.	Description	€
70498	**Tractor seat cushion** comfortable and soft padded, wide rubber profile, synthetic leather, suitable for all tractor seats, 45 cm width, 40 cm length **20 cm backrest**	42.10
70499	**30 cm backrest**	44.00

Art.-Nr.	Description	€
71476	**Tractor seat cushion with throw** **20 cm backrest**	74.80
71477	**30 cm backrest**	77.60

Tow pins



Art.-Nr.	Description	€
70802	**Tow pins with TÜV symbol** attaches to tow bar, top ring 26mm, suitable for any trailer, ball diameter 50 mm, in accordance with DIN 74058, with TÜV mark **Up to 3.5 tons, M22 thread**	20.30

Pumps



Art.-Nr.	Description	€
70402	**Manual air compressor SKS** with 1.25 m compressor hose, easy operation, high performance, approx. 520 ccm per stroke, with pressure gauge up to 16 bar	69.95



Art.-Nr.	Description	€
70403	**Tyre inflator** with pistol grip and pressure gauge in rubber cap, hose length approx. 40 cm	16.95
79404	**Gauge for tyre inflator**	8.95
79405	**Replacement hose 150 cm for tire inflator**	6.95
79406	**Replacement hose 40 cm for tire inflator**	3.95



70404/75404



70405/75405



70406/75406

Art.-Nr.	Description	€
70404	**Lever valve plug**	3.80
75404	**Lever valve plug SB 1/pack**	4.70
70405	**Michelin valve connector**	2.50
75405	**Michelin valve plug SB 1/pack**	3.30
70406	**Bicycle nipple**	3.10
75406	**Bicycle nipple SB 1/pack**	3.95

Tyres and tubes





Art.-Nr.	Description	€
70407	**Pneumatic tires with axle** 400 x 100 4PR, with steel rim, with 20 mm diameter axle	**24.95**
70411	**Pneumatic tires with roller bearings** 400 x 100 4PR, with steel rim	**23.95**
71407	**Pneumatic tires with axle** Ø 25 mm	**24.95**

Art.-Nr.	Description	€
71400	**Puncture proof tires, made of polyurethane** – 100 % puncture proof – absorbs shock just like conventional pneumatic tires – load capacity comparable to pneumatic tires – maintenance free – lightweight – with roller bearing – as replacement for wheel 400 x 100 (4.00-8) **yellow** includes axle Ø = 20 mm	**42.20**
71403	**black** includes axle Ø = 20 mm	**42.20**
71402	**green** includes axle Ø = 25 mm	**42.80**
71404	**black** includes axle Ø = 25 mm	**42.80**



Art.-Nr.	Description	€
70408	**Tyre and tube 400 x 100** 400 x 100 4PR, tube with valve TR 13	**12.95**
70409	**Tyre 400 x 100** 400 x 100 4PR	**9.20**
70410	**Tube 400 x 100** tube with valve TR 13	**4.60**

Art.-Nr.	Description	€
79407	**Axle to tires 71400, 71401, 71403, 70407** for wheels with ø 20 mm bearing x 128 mm. Supplied with 2 hexagon head bolts and washers for mounting!	**3.50**



Art.-Nr.	Description	€
71401	**Puncture proof tires 3.00-4 / 260 x 85 mm** – suitable for hand trucks – 100% puncture-proof – shocks are absorbed as with pneumatic tyres – load capacity comparable to pneumatic tyres – maintenance free – low own weight – with roller bearings – as replacement for wheel 3.00-4 / 260x85 mm – load limit at 4 km/h = 100 kg	**18.95**

PA wheels

Inhouse



Art.-Nr.	Description	€
70901	**Polyamide wheels** Temperature-resistant from -30 °C to +90 °C, wheels run well on smooth floors due to their low rolling resistance, good resistance against salt water, acid and lye. Electrically conductive and glass fiber reinforced, also available for higher temperature **80 mm**	**3.00**
70902	**100 mm**	**3.80**
70904	**125 mm**	**5.80**
70906	**150 mm**	**8.60**
70908	**160 mm**	**11.00**
70909	**175 mm**	**13.00**
70911	**200 mm**	**15.60**

	70901	70902	70904	70906
Wheel	80	100	125	150
Hub diamater	30	35	40	40
Hub hole diameter	40	40	50	50
Hub edge	12	12	15/23	15/20
Load capacity	25	25/35	35	35
Tread width for outer axle	150	150	225	250

	70908	70909	70911
Wheel	160	175	200
Hub diamater	40	45	50
Hub hole diameter	50	50	60
Hub edge	15	15/20	20
Load capacity	35	35	50
Tread width for outer axle	350	350	450

Covering items





70598

Art.-Nr.	Description	€
70590	**Tarpaulin** polypropylene fabric - extremely tear-proof, 120 g/ m2, with reinforced edges and eyelet for attachment **2 x 3 m** – 10/box	5.95
70591	**3 x 4 m** – 10/box	12.45
70681	**3 x 5 m** – 10/box	16.95
70682	**4 x 5 m** – 5/box	19.95
70592	**4 x 6 m** – 5/box	26.50
70593	**6 x 8 m** – 3/box	51.50
70683	**6 x 10 m** – 3/box	55.95
70594	**8 x 10 m** – 2/box	69.95
70595	**10 x 12 m** – 2/box	89.95
70688	**Tarpaulin for wood** **1.5 x 5 m** – 10/box	7.85
70689	**1.5 x 10 m** – 10/box	13.70
70598	**Loop set and loop pincer for tarpaulin** set of 100 loops	8.75

Cordon Off Items



Art.-Nr.	Description	€
70588	**Barrier tape red/white** **50 m**	5.30
70589	**500 m**	20.20


Load securing



Art.-Nr.	Description	€
70690	**Net for securing of load** For all truck beds, car trailers, and containers. Polypropylene mesh high-strength. Cord strength 3 mm. Hemmed edge. Individually packed. Colour: green **With surrounding elastic cord 6mm** **150 x 220 cm** Mesh size 30 mm	11.95
70691	**150 x 270 cm** Mesh size 30 mm	13.95
70692	**200 x 300 cm** Mesh size 30 mm	18.95
70693	**200 x 350 cm** Mesh size 30 mm	22.15
70694	**200 x 450 cm** Mesh size 45 mm	37.95
70695	**250 x 350 cm** Mesh size 30 mm	41.95
70696	**300 x 500 cm** Mesh size 45 mm	49.95
70698	**350 x 600 cm** Mesh size 45 mm	69.95
70679	**450 x 250 cm** Mesh size 45 mm	48.30



Art.-Nr.	Description	€
70699	**Elastic rubber loop with hook 140 x 5 mm**	1.40



Tow sling





Art.-Nr.	Description	€
71546	**Tow sling** tensile strength 35,000 kg, for towing of heavy wheeled vehicles such as trucks and construction machinery, sturdy design, low weight, with reinforced loo **4 m - tensile strength 35 tons**	46.95
71547	**6 m - tensile strength 35 tons**	69.95
71548	**10 m - tensile strength 35 tons**	99.95
71549	**6 m - tensile strength 56 tons**	109.95

Lashing straps

For lashing and securing loads on vehicles not suitable for lifting, made of polyester, may be used in a temperature range from -40 °C to +100 °C



1-piece

Art-Nr.	Length	Width	Load capacity	Marking	Color	PU	€
70565	5 m	25 mm	800 kg	CE	blue	86 pieces/box, 1800 pieces/palette	**134.70**
71507	6 m	35 mm	2000 kg	GS, CE	green	40 pieces/box, 720 pieces/palette	**247.90**





2-piece

Art-Nr.	Length	Width	Load capacity	Marking	Color	PU	€
70566	6 m	25 mm	800 kg	CE	yellow	80 pieces/box, 1440 pieces/palette	**7.85**
70567	6 m	35 mm	2000 kg	GS, CE	green	27 pieces/box, 486 pieces/palette	**11.95**
70568	8 m	50 mm	4000 kg	GS, CE	orange	10 pieces/box, 240 pieces/palette	**21.30**
70569	8 m	50 mm	5000 kg	GS, CE	yellow	10 pieces/box, 240 pieces/palette	**27.90**
70572	9 m	50 mm	5000 kg	GS, CE	yellow	10 pieces/box, 240 pieces/palette	**22.70**
70570	10 m	50 mm	4000 kg	GS, CE	orange	10 pieces/box, 240 pieces/palette	**19.95**
71503	12 m	50 mm	4000 kg	GS, CE	orange	10 pieces/box, 180 pieces/palette	**19.95**
70571	15 m	50 mm	4000 kg	GS, CE	orange	10 pieces/box, 180 pieces/palette	**21.95**



Art.-Nr.	Description	€
79570	**Edge protection for lashing straps closed**	**1.40**
79571	**Edge protection for lashing straps with slit**	**1.40**
79572	**Edge protection PROFI for lashing straps up to 60 mm**	**3.60**



Piece 9 m

Art-Nr.	Length	Width	Load capacity	Marking	Color	PU	€
71504	9 m	50 mm	2500/5000 daN	GS, CE	orange	8 pieces/box, 144 pieces/palette	**32.60**
71505	8 m	50 mm	2500/5000 daN	GS, CE	orange	8 pieces/box, 192 pieces/palette	**29.95**
71506 Pointed hook with safety	8 m	50 mm	2500/5000 daN	GS, CE	orange	8 pieces/box, 144 pieces/palette	**29.95**



Pressure ratchet

Art-Nr.	Length	Width	Load capacity	Marking	Color	PU	€
71509	5 m	25 mm	1500 daN	GS, CE	red	60 pieces/box, 1080 pieces/palette	**7.95**
71508	6 m	25 mm	750 daN	GS, CE	red	50 pieces/box, 900 pieces/palette	**10.40**



Automatic

Art-Nr.	Length	Width	Load capacity	Marking	Color	PU	€
71515	180 cm	25 mm	300/600 daN	GS	black	32 pieces/box, 1024 pieces/palette	**10.99**
71516	300 cm	25 mm	250/500 daN	GS	black	24 pieces/box, 720 pieces/palette	**12.95**
71517	180 cm	50 mm	750/1500 daN	GS	black	18 pieces/box, 792 pieces/palette	**17.95**
71518	300 cm	50 mm	750/1500 daN	GS	black	8 pieces/box, 320 pieces/palette	**20.95**





Art.-Nr.	Description	€
71520	**Belt rewinder plastic**	**13.30**
71521	**Belt rewinder metal**	**8.95**


PE-rope



Art-Nr.	Thickness	Length	Tearing force	Color	€
70651	6 m	10 m	450 kg	orange	**2.65**
70652	6 m	20 m	450 kg	orange	**4.65**
70653	6 mm	30 m	450 kg	orange	**7.45**
70580	8 mm	10 m	960 kg	orange	**3.95**
70581	8 mm	20 m	960 kg	orange	**6.30**
70582	8 mm	30 m	960 kg	orange	**8.70**
70585	10 mm	10 m	1425 kg	orange	**4.95**
70586	10 mm	20 m	1425 kg	orange	**8.35**
70587	10 mm	30 m	1425 kg	orange	**12.95**
70654	12 mm	10 m	1995 kg	orange	**6.80**
70655	12 m	20 m	1995 kg	orange	**9.95**
70656	12 mm	30 m	1995 kg	orange	**16.95**

Lifting belt

Two layers, both with end loops, GS-approved according to DIN EN 1492-1, universal use, length: 100 cm, width: 3.5 cm, permitted load capacity/kg straight: 1000, strapped: 2000



Art-Nr.	Load capacity	Length	Width	Color	€
71497	1000 kg	100 cm	3,5 cm	violett	**5.95**
71498	1000 kg	400 cm	3,5 cm	violett	**13.80**
71499	2000 kg	200 cm	6 cm	green	**15.20**
71500	2000 kg	400 cm	6 cm	green	**19.65**
71501	2000 kg	500 cm	6 cm	green	**27.40**
71502	2000 kg	600 cm	6 cm	green	**32.50**
71526	3000 kg	200 cm	9 cm	yellow	**18.95**
71527	3000 kg	400 cm	9 cm	yellow	**31.60**
71528	3000 kg	600 cm	9 cm	yellow	**43.20**
71529	4000 kg	400 cm	12 cm	grey	**40.60**

Round sling

Round slings double sheathed, suitable for lifting materials of all kinds, for use at home, in the yard, forest, and other areas, GS-approved according to DIN EN 1492-2



Art-Nr.	Load capacity	Length	Scope	Color	€
71530	1000 kg	200 cm	400 cm	violett	**7.50**
71531	1000 kg	300 cm	600 cm	violett	**7.50**
71532	1000 kg	400 cm	800 cm	violett	**12.70**
71533	1000 kg	300 cm	600 cm	green	**16.60**
71534	1000 kg	400 cm	800 cm	green	**15.95**
71535	1000 kg	500 cm	1000 cm	green	**22.10**
71536	1000 kg	600 cm	1200 cm	green	**23.40**
71537	3000 kg	300 cm	600 cm	yellow	**19.99**
71538	3000 kg	400 cm	800 cm	yellow	**23.40**
71539	3000 kg	600 cm	1200 cm	yellow	**24.90**
71540	4000 kg	300 cm	600 cm	grey	**19.95**
71541	4000 kg	400 cm	800 cm	grey	**26.70**
71542	4000 kg	600 cm	1200 cm	grey	**34.20**

Insect killer

Flies and other insects are attracted by the ultraviolet light of the device. Due to the high voltage wires located in the fly killer, flies and other insects are killed by current without chemical and toxic substances involved. The drip tray located below collects the killed insects and prevents soiling of the environment.

The devices work perfect both in daylight and under artificial lighting and are suitable for the stable and around the house.







Art.-Nr.	Description	€
70856	**Electric Fly killer** **2 x 8 Watt** aluminium-case	94.95
70857	**2 x 15 Watt** aluminium-case	132.10

Art.-Nr.	Description	€
71868	**Flytrap 30 LED** Energieeffiziente und nachhaltige LED-Fliegenvernichter mit einer hohen Wirksamkeit. Sie zeichnen sich durch ihren geringen Stromverbrauch sowie eine längere Lebensdauer aus als bei herkömmlichen Modellen mit UV-Leuchtstoffröhren. – 2 x 18 und 2 x 30 LED Lampen – 1 x Universal Easy Count Klebefolie – Abmessungen 500 x 370 x 75 mm	269.95
71869	**Flytrap 80 LED**	339.95





Flytrap FT40 Insect Adhesive Film Device

For hygienic insect control in sensitive areas. Made from high quality components as a ceiling, wall and stand-standing unit. Powerful UV blue light tubes 2 x 20 watts. Designed for use with Glupac pheromone impregnated, UV-stable adhesive films.

CE certified and approved according to RoHS and all relevant European safety standards.

Recommended by the Federal Association of Food Inspectors e. V.





Art.-Nr.	Description	€
70930	**Flytrap FT 40 Insect Adhesive Film Device**	235.70
70931	**Replacement film** for Flytrap FT 40 **6er pack**	48.70

Specifications

	Flytrap FT 40
Size	160 x 650 x 355 mm
Lights output	40 W
Weight	5,5 kg
Range	120 m²
Power consumption	90 W



Flybucket



Art.-Nr.	Description	€
71863	**Flybucket Fly X** - 90% less flies - capacity: 250000 flies - long term effect: attractant activ for 60 days - ecofriendly - attractant isn't included in delivery	30.50
71864	**Attractant**	23.70



Art.-Nr.	Description	€
70858	**Fly reel** with holder, adhesive catcher for control of flies in stables **7 m x 30 cm** 15/box	11.80



Art.-Nr.	Description	€
70859	**Window trap for flying insects** discreetly trapping of flying insects, dead insects are not visible, around-the-clock protection for your home, pesticide free and safe for children 4/box	8.10



Art.-Nr.	Description	€
70860	**Flypaper** Attracts flies with effective bait and UV-enhanced color! The flies are drowned without poison. 12/box	10.70
79862	**Replacement bait for fly trap 2/pack**	7.10



Art.-Nr.	Description	€
70971	**Wasp spray Multi** Ready-to-use aerosol spray against wasps and other insect pests, for household use, industrial or commercial applications, excellent, safe, and immediate effect through targeted application, ideally applied in the evening, with special nozzle device for application to nest entrances, Active ingredient: 9.9 g/kg dichlorvos, 3 g/kg d-phenothrin. **750 ml content** 12/box	14.90

NEW



Art.-Nr.	Description	€
70946	**Insect Spray 2000** Quickly and effectively eliminates all types of ants, horseflies, lice, flies, fleas, hair lice, woodlice, clothes moths, cockroaches, blackflies, lice, mites, moths, mosquitoes, silverfish, spiders, bugs, wasps, ticks, and many other insects. **500ml with spray head**	14.95
70947	**1000ml with spray head**	25.95





Art.-Nr.	Description	€
70861	**Wasp trap** Wasp trap for exteriors, suitable for yards, patios, sheds, garbage areas and recycling areas. Very efficient with multiple acting wasp bait. The wasps are drowned without poison. Very effective, since some insects are allowed to escape back to the nest and return with more wasps. Therefore even more wasps are caught in the trap! 12/box	10.70
79861	**Replacement bait for wasp trap 2/pack**	7.00



Art.-Nr.	Description	€
70878	**Mosquito and fly repeler** Expels mosquitoes, flies and other insects in houses, apartments, farm buildings, but also outdoors. Range in closed rooms approx. 25m², outdoors approx. 6 m². Chemical-free, no traps. **Ultrasonic** power supply via 230 V socket outlet	11.60



Art.-Nr.	Description	€
70879	**Solar** power supply via solar power or 230 V power adapter (not included)	18.20

Horsefly traps




Art.-Nr.	Description	€
71861	**Wasp and horsefly trap H-TRAP** The wasp & horsefly trap should be placed outdoors and works without the use of chemicals and/or electricity. Thorough testing has proven that horseflies in the immediate vicinity of the trap are reduced by 90-95%. Horseflies mistake the centrally placed ball for a large animal and fly there. · application area up to max. 5 horses or 10,000 m² · weight: 15 kg · circumference: 1.20 m, height approx. 2 m	205.60



Art.-Nr.	Description	€
70880	**Cockroach trap 2/pack** The strong natural bait (no toxic chemical) attracts moths and cockroaches to the trap where they get stuck on the adhesive surfaces and die. Access to trap from four sides, therefore very efficient. Ready-to-use straight out of the pack, supplied with self-adhesive mounting strips. Hygienic no-touch disposal of dead moths and cockroaches	8.60



Art.-Nr.	Description	€
70881	**Clothes moth trap 2/pack**	9.70



Art.-Nr.	Description	€
70882	**Food moth trap 2/pack**	8.40





Art.-Nr.	Description	€
71862	**Wasp and horsefly trap MT-TRAP** The original wasp & horseflies trap "MT-TRAP" has been developed to catch aggressive insects that cause problems outdoors. · horseflies (May-August) · wasps (August/September) · dimensions: 40 x 50 cm (D x H) · weight: 1.5 kg · application range: 25 m² (intensive control) up to 100 m²	64.99





Art.-Nr.	Description	€
70974	**Snail trap** The slug and snail bait produces active attractants for slugs and snails. Embed traps in the corners of your garden. Place the traps deep enough so that the bottom of the entrance hole is located at the surface. 12/box	8.95



Art.-Nr.	Description	€
70976	**Anti-Bissan liquid** For many years a proven product to drive away and keep away snails, game, birds, moles and ants. Versatile concentrate which can be diluted depending on the application. **concentrate with 250 ml** 25 pcs. in counter display	8.90



Art.-Nr.	Description	€
70987	**Masta-Kill** Attention: Biozid regulation **can 400 ml** 12/box	9.60
70968	**Can 500 ml without spray head** 9/box	10.80
79968	**Brass spray head** for Masta-Kill 500 ml	3.80
70969	**2500 ml**	39.00
70988	**5000 ml**	66.90
71990	**10000 ml**	116.60



Art.-Nr.	Description	€
70975	**Ex Mites concentrate** Works against red mites and against hair and feather lice, especially in poultry stables. The new drug works particularly well against for resistant mites. Duration of action up to 6 weeks. 100 ml **concentrate** = 5 liters of working solution = up to 150 square meters of stable surface area **concentrate with 100ml** 12/box	13.20

Mousetraps



71950



71955

Art.-Nr.	Description	€
71950	**Wooden mousetrap Luna 2er pack** Mousetrap "LUNA" made of beech wood with bait hole for semolina, flour, cheese, bacon, etc. – easy handling – easy release and high impact – proven for generations	1.50
71955	**Wooden mousetrap 100er bucket**	61.90



71952



71954

Art.-Nr.	Description	€
71952	**Gabion cage for mice** Trap for catching mice alive. Animals can simply be released outdoors after capture. Bait the trap and place it in a suitable place. Traps for catching live animals must be checked at regular intervals. Immediately release the captured animals outdoors again to avoid unnecessary stress.	3.70
71954	**Basket mouse trap** The integrated sliding door in the floor facilitates the filling of the trap and also serves to release the captured mouse.	5.60



Art.-Nr.	Description	€
70972	**Super Cat live trap for mice Maushaus** counter display unit 12/box	8.50
79972	**Replacement bait for** live trap for mice Maushaus **6/pack**	4.90





79978



71979

Art.-Nr.	Description	€
70977	**Mousetrap SuperCat** **2/card** 40 cards / display.	5.10
70978	**Mousetrap SuperCat 2/pack refill** 40 cards	5.10
71977	**Mousetrap SuperCat Pro**	6.00
79978	**Replacement bait for** mice trap Super Cat Pro **2/pack**	4.40
71979	**Mousetrap no see no touch**	6.70



Art.-Nr.	Description	€
71997	**Mouse bait station** Weather-proof plastic box, e.g. for Ratzia bait and pellets. Set up along the pathways of the animals. Can be locked. 12.5 x 9.5 x 4.5 cm	1.80
79995	**Replacement key for bait station**	0.70

Art.-Nr.	Description	€
71993	**Mice snap trap box** Ready-to-use snap trap box for discrete and hygienic trapping of mice, factory installed snap trap. The trap is safely activated from outside by a pull cord. – sturdy transparent polypropylene with hinged lid – window to check trap activation – with Fix n Go fastening – lockable with SX universal key A or B to guard against unauthorized access **Accessories:** SX Fix n GO attachment, SX universal key A or B Size: 150 x 120 x 60 mm **15/box**	12.30











Rat traps



Art.-Nr.	Description	€
70980	**Rat trap SuperCat** **25 pcs. / display**	9.60
70981	**12 pcs. / display**	9.60
79978	**Replacement bait for** mice trap Super Cat Pro **2/pack**	4.40



Art.-Nr.	Description	€
71951	**Wooden rat trap Luna**	2.00



Art.-Nr.	Description	€
71953	**Gabion cage for rats**	9.00

Art.-Nr.	Description	€
70995	**Rat bait station** eather-proof plastic box, e.g. for Ratzia bait and blocks. Install in animal's traffic lanes. Must be closed. **large** – approx. 30 x 25 x 16 cm **8/box**	13.10
70996	**small** – approx. 23 x 19 x 10 cm **20/box**	9.90
79995	**Ersatzschlüssel für Köder Station**	0.70



Art.-Nr.	Description	€
71994	**Rats snap trap box** Size: 250 x 170 x 115 mm **10/box**	19.95

Vole traps



Art.-Nr.	Description	€
70993	**Vole trap SuperCat** quick and easy to handle, catches voles from both tunnel directions, success immediately recognizable, safe for users and pets **12/box**	18.80



Art.-Nr.	Description	€
70994	**Accessory SuperCat** **(search bar + tool for stabbing)** **4/box**	11.50



Art.-Nr.	Description	€
71995	**Vole pincer trap** **with plate & chain**	5.70



Art.-Nr.	Description	€
71996	**Vole pincer trap** **with hairspring**	5.80


Mole chaser

Our mole chaser offers a proven and animal-friendly solution to reduce the mole population – reliable, efficient and easy to use. The specially designed cartridges are „Made in Germany“ and guarantee highest safety regulations. Thanks to its sturdy structure and easy handling it can ideally be used in professional agriculture, gardening or on grassed areas.


For all who count on effective and responsible pest control.



Art.-Nr.	Description	€
70982	**Mole chaser** **50/box**	39.70
79982	**Replacement cartridge holder for vole spring gun**	7.60



Art.-Nr.	Description	€
70894	**Warning sign "Selbstschussgerät"** Plastic sign 1 mm, 300 x 200 mm	3.20



Art.-Nr.	Description	€
70985	**Protection cage green**	13.60



Art.-Nr.	Description	€
70986	**Holder for spring gun**	8.20

Cartridge



Art.-Nr.	Description	€
	Cartridge **caliber 9 x 17, 50 pcs.** **10/box**	
70983	**yellow** for mole chasers, for sheep, goat (1 year), cows, small ox	34.95
71986	**green** for poultry, rabbits from 5 kg, big fish, piglets (5 – 30 kg), pig, sheep (until 1 year), calf	34.95
71985	**blue** for small ox and bulls	34.95
71984	**red** for horse, big ox and bulls	34.95



Pest control



Art.-Nr.	Description	€
70805	**Marten repeller mobile** Raccoon or marten bites whether in the car or appearing in the attic, is a big problem for some and requires a solution. This battery operated device can be used around the home and in the car. Protection class IP 64, sound pressure level 85 dB / 1 m. 24/box	27.90



Art.-Nr.	Description	€
70812	**Pest repeller Ultrasonic** Ultrasonic operation, does not kill but repels rodents and pests with ultrasonic and frequency-adjustable tones, harmless to humans and domestic animals. 230 V with 9 V adapter, for interior use only	27.00



Art.-Nr.	Description	€
71811	**Marder Stop**	79.10



Art.-Nr.	Description	€
71972	**Marder Card**	11.95



Art.-Nr.	Description	€
70807	**Game scare – strip** Your car is protected. Game scare is a product that has been tried and tested over many years for the targeted chasing away and keeping away of martens and wild animals. The scent and active ingredients are perceived by the animals and drive them into flight. Game scare is effective over a long period of time.	11.00



Art.-Nr.	Description	€
70814	**Mole chaser Solar** as 70813 but with solar technology 10/box	19.90



Art.-Nr.	Description	€
70813	**Mole chaser Basic** Battery operated, expels moles by sending out constantly changing tone frequencies. For two D-cells. 20/box	18.20



Art.-Nr.	Description	€
70884	**Ant shock Solar Diamant** Just place unit in the garden, turn it on and it is ready to use.	39.90



Art.-Nr.	Description	€
85952	**Ultrasonic animal expeller** Detects and drives away disturbing animals in your garden. Safe for children and pets. Through powerful ultrasonic waves protect a Area of approx. 100 m2 in a radius of max. 120°. Equipped with a solar panel, the device uses AA rechargeable batteries (not included).	63.40

Box trap



Art.-Nr.	Description	€
70936	**Foldable box trap** A real innovation in the world of traps: Simple design and safe to use, can be dismantled to save space when storing or during transport, animals can be easily released via a mechanism, strong and sturdy darkened wire mesh. **60 x 20 x 20 cm**	53.10
70937	**100 x 30 x 30 cm**	92.55

Cattle stunning apparatus



Art.-Nr.	Description	€
70989	**Cattle stunning apparatus**	209.00

Lotion



Art.-Nr.	Description	€
71455	**Max hands clean lotion** With exfoliating elements, cleans heavily soiled hands. Fats, oils and other organic contaminants are easily removed. **500 ml** 12/pack	3.50

Disinfection and care



Art.-Nr.	Description	€
70952	**Chinoseptan blue spray** The tried and true product of surface disinfectants with blue color effect for visible disinfection with long-lasting effect. Provides optimal instrument protection. **200 ml can** 12 cans/box	9.95
70953	**400 ml can** 12 cans/box	13.95



Art.-Nr.	Description	€
70955	**Chinoseptan powder spray** Surface disinfectant for dry disinfection. Suitable for all surfaces, cavities, tools and materials can be neither heated nor washed, and/or must be kept dry or be kept in an antiseptic state. To protect against rot and mould, etc. **200 ml can** 12 cans/box	8.95
70959	**400 ml can** 12 cans/box	13.90



Art.-Nr.	Description	€
70956	**Silver spray** Aluminum-containing metallic bandage protection spray, water repellent and air-permeable. Protects against dust and dirt. **200 ml can** 12 cans/box	12.95

NEW



Disposable items



Art.-Nr.	Description	€
70662	**Nitrile Disposable Gloves Blue – XTRA STRONG** Extra-strong nitrile disposable gloves with increased wall thickness at the cuff, fingers, and palm. · extra strong construction (increased thickness at cuff, fingers, and hand) · textured fingertips · latex-free · suitable for allergy sufferers · good tear resistance and high elasticity · practical rolled cuff for quick and easy donning and removal Compliant with European Standards EN 374 and EN 455. Material Thickness · palm: 0.10 mm – 3.94 mil · fingers: 0.13 mm – 5.12 mil **PU 100 Stück** **Size S**	8.90
70663	**Size M**	8.90
70664	**Size L**	8.90
70665	**Size XL**	8.90



Art.-Nr.	Description	€
30661	**Disinfection mat** – preventive – for safeguarding your livestock – comes with cover as leakage protection **Dimensions: 90 x 60 x 4 cm**	44.95
30663	**Dimensions: 180 x 90 x 4 cm**	149.80

Art.-Nr.	Description	€
70477	**Disposable jumpsuit** with hood, elastic cuffs, front zipper **XL**	6.70
70478	**XXL**	6.70



Art.-Nr.	Description	€
70480	**Disposable gloves arm length** arm-length version with fingers **50/box**	7.70



Art.-Nr.	Description	€
70479	**Disposable Overboots** for CPE, blue, standard size 380 x 150 x 0.035 mm **100/box**	12.50

Prevents water pipes from freezing




Integrated automatic frost protection thermostat (switch-on temperature approx. +3 °C, switch-off temperature approx. +13 °C). The cable device requires no monitoring, ideally suited for exposed water pipes or oil and diesel lines to protect pipes from freezing in subzero temperatures. Operating voltage 230 V.

- protects water pipes to -40 °C
- fully assembled and ready-to-use
- including energy-saving thermostat



Art.-Nr.	Description	€
71012	**FrostSafe heating cable** **1 m 17 Watt**	22.70
71013	**2 m 32 Watt**	25.70
71014	**4 m 64 Watt**	32.10
71015	**8 m 128 Watt**	47.10
71016	**12 m 192 Watt**	49.30
71017	**14 m 224 Watt**	56.90
71018	**18 m 288 Watt**	69.10
71019	**24 m 384 Watt**	77.50
71020	**37 m 582 Watt**	97.60
71021	**48 m 768 Watt**	118.00

Heating cables for gutters



Prevents snow and ice forming in the gutter, bursting-down spouts and dangerous icicles, easy installation of the heating cable which is equipped with pre-asembled plug and thermostat, operating voltage 230 V, cable is completely waterproof and complies to protection standard DIN EN 60529 - IP 8, stainless steel spacer for double installation included.

Art.-Nr.	Description	€
71030	**Gutter heating cable** **10 m 160 Watt**	65.80
71031	**15 m 240 Watt**	71.60
71032	**20 m 320 Watt**	91.60
71033	**25 m 400 Watt**	114.10
71034	**30 m 480 Watt**	132.40
71035	**40 m 640 Watt**	166.50
71036	**50 m 800 Watt**	203.30



Art.-Nr.	Description	€
71040	**Aluminum adhesive foil** for gutters or pipes made of plastic, improves heat output since plastic is a poor heat conductor **50 m roll – 50 mm wide**	4.35

Plastic feed scoops for gutters

Inhouse



Art.-Nr.	Description	€
70114	**Plastic feed scoops green** light and handy, ideally for cleaning gutters. **ca. 250 g**	2.20

Pet supplies

Trainer



Art.-Nr.	Description	€
PDT19-16032	Lite remote trainer 100m	151.70
PDT19-16026	300m	178.20
PDT19-16029	600m	227.10

Art.-Nr.	Description	€
PDT19-16128	Remote trainer 100m	151.70
PDT19-16119	300m	178.20
PDT19-16122	600m	227.10
PDT19-16125	900m	251.00



Art.-Nr.	Description	€
SD-425X-E	Sports trainer long distance trainer 450m	284.60
SD-825X-E	700m	178.20
SD-1225X-E	1200m	359.00
SD-1825X-E	1600m	436.40



Art.-Nr.	Description	€
SD-875E	Sports trainer remote trainer DIGITAL 800m	319.20
SD-1275E	1200m	392.1



Art.-Nr.	Description	€
SD-1875E	Sports trainer remote trainer with beeper 1600m	618.00



Art.-Nr.	Description	€
PDT19-16397	Spray remote trainer 300m	194.10



Art.-Nr.	Description	€
PUPT-100-19	Ultrasound remote trainer 9m	52.40





Art.-Nr.	Description	€
CLKR-RTL	Clik-R Training Tool	4.00
PTA19-15090	Clik-R™ Clip	16.60



Art.-Nr.	Description	€
PDT19-17711	PetSafe® Teach & Treat Remote Reward Trainer	199.95

Anti bark collars



Art.-Nr.	Description	€
PBC19-17283	Anti-bark collar (acoustic)	61.00



Art.-Nr.	Description	€
PBC45-14035	Anti-bark collar with ultrasound	43.90



Art.-Nr.	Description	€
PBC19-16636	Anti bark collar for dogs	81.40



Art.-Nr.	Description	€
PBC19-10765	Anti bark collar	74.50



Art.-Nr.	Description	€
PBC19-11796	Deluxe anti-bark collar spray for small dogs	125.40



Art.-Nr.	Description	€
PBC19-16370	Spray anti-bark collar - rechargeable	99.20



Art.-Nr.	Description	€
SBC-R-E	NOBARK Rechargeable Collar	156.70



Art.-Nr.	Description	€
SBC-8E	NOBARK collar	102.80



Invisible fences



Art.-Nr.	Description	€
PIG19-15394	Invisible Dog Fence Radio Fence	257.50



Art.-Nr.	Description	€
PRF-3004XW-20	Invisible dog fence Radio Fence Super	267.00



Art.-Nr.	Description	€
PIG20-11041	Restraint system with wire for small dogs	399.90



Art.-Nr.	Description	€
PIF-300-21	Invisible dog fence Wireless Fence	464.30



Art.-Nr.	Description	€
PIG19-16412	Basic restraint system	192.10



Art.-Nr.	Description	€
PIG19-16413	Rechargeable restraint system	352.50



Art.-Nr.	Description	€
PIF45-13479	Wireless Fence Stay & Play	577.70



Art.-Nr.	Description	€
PCF-1000-20	Invisible cat fence	270.00

Manual flaps




Art.-Nr.	Description	€
K915SGIFD	**Staywell® Classic Manual Cat Flap** Overall size: 224 x 224 mm, Cutout area: 169 x 169 mm **gray**	22.90
K917SGIFD	**white with tunnel**	25.80
K919SGIFD	**white**	22.20




Art.-Nr.	Description	€
PPA191-6732	**Staywell® Luxury Manual Cat Flap** Overall size: 219 x 219 mm, Cutout area: 175 x 168 mm **white**	36.40
PPA19-16731	**brown**	36.40



Art.-Nr.	Description	€
K600ML	**Staywell® Aluminum Pet Door** Overall size: 298,7 x 201,6 mm, Cutout area: 245 x 150 mm – **small**	58.60
K620ML	Overall size: 400 x 277,6 mm, Cutout area: 348 x 225 mm – **medium size...**	82.80
K640ML	Overall size: 502,6 x 329,1 mm, Cutout area: 451 x 277 mm – **big**	86.70
K660ML	Overall size: 692,6 x 417 mm, Cutout area: 642 x 366 mm – **extra big**	114.70




Art.-Nr.	Description	€
K715SGIFD	**Staywell® Original 2-Way Pet Door (small)** Overall size: 236 x 198 mm, Cutout area: 185 x 158 mm **white**	.,80
K730SGIFD	**brown**	13.80



Art.-Nr.	Description	€
PPA19-15794	**Pet door for extreme weather** The 3-flap system helps protect against extreme weather conditions and increases energy efficiency. Overall size: 298,7 x 201,6 mm, Cutout area: 245 x 150 mm – **small**	58.00
PPA19-15795	Overall size: 400 x 277,6 mm, Cutout area: 348 x 225 mm – **medium**	77.70
PPA19-15796	Overall size: 502,6 x 329,1 mm, Cutout area: 451 x 277 mm – **big**	103.60

Magnetic flaps



Art.-Nr.	Description	€
K932SGIFD	**Staywell® Classic Magnetic Cat Flap** Overall size: 224 x 224 mm, Cutout area: 169 x 169 mm **white**	41.40




Art.-Nr.	Description	€
K400SGIFD	**Staywell® Luxury Magnetic Cat Flap** Overall size: 252 x 241 mm, Cutout area: 175 x 168 mm **white**	47.60
K420SGIFD	**brown**	52.30

Microchip flaps




Art.-Nr.	Description	€
PPA19-16145	**Microchip cat flap** Overall size: 219 x 219 mm, Cutout area: 175 x 168 mm – **white**	95.00
PPA19-16811	**brown**	95.00

Spare parts on request

Drinking fountain



Art.-Nr.	Description	€
AVA-LON-EU-45	Avalon Drinking Fountain	114.70



Art.-Nr.	Description	€
D360SS-EU-45	Stainless steel drinking fountain 360	107.00



Art.-Nr.	Description	€
D2-EU-45	Drinkwell® Pet Fountain - Platinum	81.60



Art.-Nr.	Description	€
MINI-EU-45	Drinkwell® Pet Fountain - Mini	50.40



Art.-Nr.	Description	€
PWW19-16562	Drinkwell® Pet Fountain 7.5 Liters	93.20

Spare parts on request

Automatic feeders



Art.-Nr.	Description	€
PFD11-13707	Food reservoir for 5 meals	70.10



Art.-Nr.	Description	€
PFD19-15521	Digitally programmable automatic pet feeder	187.60

Harness

Art.-Nr.	Description	€
ESPH-L-BK-19	Easysport Harness large, black	30.20
ESPH-L-BL-19	big, blue	30.20
ESPH-L-RD-19	big, red	30.20
ESPH-M-BK-19	medium, black	25.20
ESPH-M-BL-19	medium, blue	25.20
ESPH-S-BK-19	small, black	20.10
ESPH-S-BL-19	small, blue	20,.10
ESPH-S-RD-19	small, red	20.10



Art.-Nr.	Description	€
EW-HD-S-OCN-19	Easy Walk Deluxe Harness (Large, Ocean Blue) small	15.50
EW-HD-M-OCN-19	medium	17.40
EW-HD-ML-OCN-19	medium large	19.30
EW-HD-L-OCN-19	large	19.30



Kurgo



Art.-Nr.	Description	€
K81053	Townie harness, black, size S	47.90

Art.-Nr.	Description	€
K01972	Townie harness blue XS	47.90



Art.-Nr.	Description	€
K01600	Rear seat cover, grey melange	64.30



Art.-Nr.	Description	€
K81012	Coast to Coast hammock, grey melange	104.50



Art.-Nr.	Description	€
K01969	Blue pannier	21.00



Art.-Nr.	Description	€
K01179	Red seat belt retaining clip	31.10



Art.-Nr.	Description	€
K01255	Safety belt harness black XS	38.60



Art.-Nr.	Description	€
K01683	G-Train Dog Backpack Black/Orange	163.10



Art.-Nr.	Description	€
K81024	K9 Backpack grey/blue	134.90



Art.-Nr.	Description	€
K81051	RSG 335ml black water bottle	21.00



Art.-Nr.	Description	€
K00018	Collaps-A-Bowl orange	10.40
K00098	blue	10.40
K01136	red	10.40

Toy



Art.-Nr.	Description	€
TOY 00001	SlimCat™ blue	7.40
TOY 00002	green	7.40
TOY 00003	orange	7.40
TOY 00004	pink	7.40



Art.-Nr.	Description	€
PTY19-17297	Frolicat Bolt	35.10



Art.-Nr.	Description	€
PTY19-16225	FroliCat® Multi-Laser Light Toy	27.90



Art.-Nr.	Description	€
BB-CHK-11	Busy Buddy Chuckle™	10.80



Art.-Nr.	Description	€
PTY19-15850	Automatic ball launcher	216.50



Art.-Nr.	Description	€
PTY19-15241	Frolicat CHEESE	31.10



Art.-Nr.	Description	€
PTY19-16224	FroliCat® RoloRat Automatic Cat Teaser	26.60

Ramps



Art.-Nr.	Description	€
RAMP 62305-PTV17-16898	Deluxe telescopic ramp	156.20



Art.-Nr.	Description	€
RAMP 62420-PTV17-16878	Deluxe Tri-Scope Ramp	196.80



Art.-Nr.	Description	€
RAMP 62320-PTV17-16899	Deluxe Telescopic Ramp - Extra Large	237.50

Clothing

Weatherproof and practical workwear,
with which you are prepared and ideally suited
for year-round use.

Boots



PU safety boot S5S-X-Agrifood

Toe protection: composite material
Pass trough blocking: kevlar midsole
Cold isolation: until -20 degrees

Polyurethane ensures lightness, flexibility and air permeability

X-Agrifood matches the body musculature. Thanks to ergonomic design and special sole structure it minimizes physical fatigue and maximizes the comfort. Antiperspirant, antistatic and smell inhibiting soles.

Patented sole design makes the boot nonskid and easy to clean.

Art.-Nr.	Size
40530	36
40531	37
40532	38
40533	39
40534	40
40535	41
40536	42
40537	43
40538	44
40539	45
40540	46
40541	47
40542	48
40543	49

59.95 €



Art.-Nr.	Size
40545	36
40546	37
40547	38
40548	39
40549	40
40550	41
40551	42
40552	43
40553	44
40554	45
40555	46
40556	47
40557	48
40558	49

89.99 €



PU safety boot S5 X-Thermo

The X-Thermo boot protect your feet during winter from the ice cold ground and offers a solid foothold due to TPU supported PU sole design. The X-Thermo brings comfort and safety to a new level with its protecting toe area of composite and the kevlar material.

Toe protection: composite material
Pass trough blocking: kevlar midsole
Cold isolation: until -50 degrees

Polyurethane ensures lightness, flexibility and air permeability

CE certificate EN 20345 2022



Dunlop Purofort

- toe protection: Steel toecap
- protection against perforation: Steel midsole
- upper material foamed polyurethane
- NEW: Antibacterial lining in Dunlop Red
- insole with improved comfort and durability
- slip and stain proof PU outsole
- antistatic
- resistant to oil, fuel and acid, anti-static
- **color: green/black**
- **EN ISO20345: 2011.S5.CI.SRA**



Art.-Nr.	Size
40001	37
40002	38
40003	39
40004	40
40005	41
40006	42
40007	43
40008	44
40009	45
40010	46
40011	47
40012	48

79.95 €

Dunlop Purofort +

- toe protection: Steel toecap
- protection against perforation: Steel midsole
- extra room in the toe area
- anatomically shaped footbed
- upper material foamed polyurethane
- NEW: Antibacterial lining in Dunlop Red
- anatomically shaped premium insole
- slip and stain proof PU outsole
- antistatic
- resistant to oil, fuel and acid, anti-static
- color: green / black
- perating temperature up to -20°C
- EN ISO20345: 2011.S5.CI.SRC



Art.-Nr.	Size
40075	36
40076	37
40077	38
40078	39
40079	40
40080	41
40081	42
40082	43
40083	44
40084	45
40085	46
40086	47
40087	48
40088	49/50

112.40€

Boots Dunlop Dee short form



Art.-Nr.	Size
40119	37
40120	38
40121	39
40122	40
40123	41
40124	42
40125	43
40126	44
40127	45
40128	46
40129	47

19.95 €



Dunlop Thermo Field Pro

- toe protection: Steel toecap
- NEW: Protection against perforation: Steel midsole
- upper material foamed polyurethane
- NEW: Antibacterial lining in Dunlop Red
- anatomically shaped premium insole
- slip and stain proof PU outsole
- antistatic
- resistant to oil, fuel and acid, anti-static
- **color: green / black**
- operating temperature up to -50 °C
- EN ISO20345: 2011.S5.CI.SRC



Art.-Nr.	Size
40170	5 - **37**
40171	5 - **38**
40172	5 - **39**
40173	6 - **40**
40174	6 - **41**
40175	7 - **42**
40176	8 - **43**
40177	9 - **44**
40178	10 - **45**
40179	10 - **46**
40180	11 - **47**
40181	12 - **48**
40182	13 - **49**

154.99 €

Dunlop Blizzard

This winter boot guarantees warm feet up to a temperature of - 15 degrees. The midsole is shock-absorbent. The boot is synthetic-lined and has an optimal fit thanks to the practical and waterproofed lacing. The shoe sole offers a good hold on slippery surface.

Colour of the boot: **green**



Art.-Nr.	Size
40136	36
40137	37
40138	38
40139	39
40140	40
40141	41
40142	42
40143	43
40144	44
40145	45
40146	46
40147	47
40148	48

58.20€

Working gloves

NEW

NanoFlex:

· seamless, lightweight assembly glove with durable PU coating
· good fit and high wearing comfort
· excellent finger dexterity
· secure grip, even on smooth objects

Packaging:
• bag of 12 pairs
• carton of 120 pairs



Art.-Nr.	Size
40600	8/M
40601	9/L
40602	10/XL
40603	11/XXL

2.79 €
Price per piece

TopFlex:

· glove made of nylon/elastane
· comfortable, seamless 15-gauge knit
· particularly robust nitrile coating
· excellent tactile sensitivity
· moisture-repellent
· good fit
· approved for contact with food (frozen and dry)
· certified according to OEKO-TEX® STANDARD 100

Packaging:
• bag of 12 pairs
• carton of 120 pairs



Art.-Nr.	Size
40605	8/M
40606	9/L
40607	10/XL
40608	11/XXL

4.49 €
Price per piece

Wet Guard:

· glove made of polyester
· robust, seamless 13-gauge knit
· ¾-dipped nitrile coating
· oil- and water-resistant
· good fit
· excellent grip on wet objects

Packaging:
• bag of 12 pairs
• carton of 120 pairs



Art.-Nr.	Size
40610	8/M
40611	9/L
40612	10/XL
40613	11/XXL

3.39 €
Price per piece

Master Flex Touch

· seamless, lightweight glove with nitrile coating and sandy finish
· very good fit and high wearing comfort
· excellent finger dexterity and secure grip, even on smooth objects
· good resistance to oils and greases
· touchscreen function for operating smartphones, tablets, and displays

Packaging:
• bag of 12 pairs
• carton of 72 pairs



Art.-Nr.	Size
40615	8/M
40616	9/L
40617	10/XL
40618	11/XXL

5.19 €
Price per piece

Winter Grip

· seamless medium-knit glove made of brushed acrylic
· latex foam coating with sandy finish
· optimal fit and high wearing comfort
· very good grip
· moisture-repellent coating
· suitable for all tasks in cold environments

Packaging:
• bag of 6 pairs
• carton of 72 pairs



Art.-Nr.	Size
40620	8/M
40621	9/L
40622	10/XL
40623	11/XXL

5.99 €
Price per piece

Winter Extreme

· seamless winter glove with double latex coating and sandy finish
· coating is water- and oil-repellent
· double liner keeps hands extra warm
· secure grip, even on smooth objects
· perfect fit for work in cold conditions

Packaging:
• bag of 6 pairs
• carton of 36 pairs



Art.-Nr.	Size
40625	9/L
40626	10/XL
40627	11/XXL

9.99 €
Price per piece

Worker

· leather thickness approx. 1.0 mm
· knuckle protection and finger caps made of split cowhide leather
· double stitching for extended durability
· rubberized cuff, approx. 7 cm
· lined palm
· back of hand and cuff made of canvas

Packaging:
• bag of 12 pairs
• carton of 120 pairs

Art.-Nr.	Size
40630	10,5/ XL

6.90 €
Price per piece



Glove Activ Grip Advance

- seamless fine knitted glove made of nylon (13-gauge)
- high-quality nitrile coating, thus very good mechanical Properties (abrasion), oil-resistant
- "MicroFinish" (surface structure resembles suction cups), this makes it particularly grippy even under dry, damp or oily conditions
- elastic nylon fabric ensures perfect fit, glove is like a second skin
- universally applicable

Bag 6/pieces
Box 144/pieces



Art.-Nr.	Size
40500	7/S
40501	8/M
40502	9/L
40503	10/XL
40504	11/XXL

5.49 €
Price per piece



Winter glove Power Grab Thermo

- finely knitted glove made of polyester/cotton
- extra warmth with napped acrylic liner
- dipped in latex
- back of hands and fingers free
- fully coated thumb area for more protection
- palm with "MicroFinish"
- washed, therefore protection against latex allergies

Bag 6/pieces
Box 72/pieces



orange

Art.-Nr.	Size
40511	7/S
40512	8/M
40513	9/L
40514	10/XL
40515	11/XXL

6.95 €
Price per piece

yellow

Art.-Nr.	Size
40505	7/S
40506	8/M
40507	9/L
40508	10/XL
40509	11/XXL

6.95 €
Price per piece

Boot cleaner




70495 **70496**

Art.-Nr.	Description	€
70495	**Boot cleaner Vink** with 3 brushes	231.20
70496	with 5 brushes	259.90

Hunting

Accessories and useful things for the hunter.



All for hunting



Art.-Nr.	Description	€
70838	**Game and universal tub** length: 93 cm, width: 62 cm, height: 21 cm content: approx. 80 liters	**42.30**



Art.-Nr.	Description	€
70352	**Meat hook** stainless steel, S-shape 1 tip, DIN 5046 10/bag **120 x 5 mm**	**1.70**
70353	**140 x 5,5 mm**	**1.90**
70354	**160 x 6 mm**	**2.29**



Art.-Nr.	Description	€
71838	**Game and universal tub 80 liters green** Stackable inside each other, circumferential rim, temperature resistant from -30 °C to +40 °C, for short periods up to +90 °C Resistant to most chemicals and cleaning agents, suitable for food, HACCP compliant outer dimensions L x W x H (mm): 760 x 500 x 320 inner dimensions L x W x H (mm): 680 x 445 x 295 contents: 80 l load capacity: 80 kg	**36.70**



Art.-Nr.	Description	€
70394	**Safety vest** certified to EN 471, brightest color in daylight, one size fits all, adjustable with Velcro fastener **yellow**	**4.50**
70395	**orange**	**4.50**



Art.-Nr.	Description	€
70835	**Seat and foot heater** No more cold feet, no electricity or fuel gas required, therefore completely safe and environmentally friendly, easy to carry and use anywhere. dimentions: 320 x 250 x 60 mm	**72.10**



Art.-Nr.	Description	€
71999	**LED emergency light** – 9 different light/flashing modes – early warning of danger points – compact form and very good visibility – the strong magnet adheres to all metal surfaces and protects the paintwork – made of high-strength plastic in thermoplastic rubber casing – can be driven over with a vehicle – is completely waterproof – is capable of floating – battery lasts up to 10 years	**17.20**



Art.-Nr.	Description	€
85950	**Pepper KO 50 ml** Pepper KO spray with 11% OC (highly concentrated, natural pepper concentrate Oleoresin Capsicum) is one of the strongest defence sprays. Protect yourself when walking or jogging with PEPPER KO, it works not only against attacking dogs. Also a convincing weapon against ruthless people. Officially approved as defence against attackers in Switzerland, Austria and the United States. In Germany, only the police are currently allowed to use it. Nevertheless, you are entitled to self-defence in justified cases. The ingredients of PEPPER KO are environmentally friendly and biodegradable. Range approx. 4 to 6 m - the 50 ml spray is enough for several applications and is freely available. PU 20 pieces	**7.80**



Art.-Nr.	Description	€
79133	**Gun oil 100 ml**	**4.00**



Art.-Nr.	Description	€
70824	**Dial scale** for agricultural purposes and hunting, for domestic and industrial use. For rapid determination of weight, for economical feed contro **measures up to 5 kg** – graduation 20 g	33.30
70825	**up to 10 kg** – graduation 50 g	33.30
70826	**up to 25 kg** – graduation 100 g	33.30
70827	**up to 50 kg** – graduation 200 g	33.30
70828	**up to 100 kg** – graduation 500 g	33.30
70829	**up to 250 kg** – graduation 1000 g	39.95



Art.-Nr.	Description	€
70804	**Digital suspension scale** batteries included (use with 2 CR2032 button cells) – selectable mode: kg = kilogram – LB = pounds (1 pound = 0.453592370 kg) – ST = Stone (1 Stone = 6.35 kg) – maximum suspended load 200 kg – readability of 0.1 kg – no load weight adjustments **200 kg –** 100 g indexing	74.10



Art.-Nr.	Description	€
70806	**Electronic suspension scale LCD 50 kg** This accurate measuring device is very handy, compact and suitable for everyday use. – pull-out tape measure at scale base, length 100 cm – scale net weight approx. 200 g – including Battery – trailer load maximum 50 kg, minimum 0.2 kg – CE mark, LCD display	20.95



Art.-Nr.	Description	€
30641	**Beechwood tar** For hoof and claw treatment, against thrush, also being used as a lure for red deer and wild boar. **1 kg**	4.95
30642	**2,5 kg**	9.95
30643	**5 kg**	17.95
30644	**10 kg**	31.95
30677	**25 kg**	79.95



Art.-Nr.	Description	€
20285	**Ballistol animal** versatile care product for humans and animals, horse grooming for tail, hoof and coat,very compatible, supports wound treatment, relieves itching, acts as a disinfectant **20/box**	5.30

100 ml



Art.-Nr.	Description	€
20296	**Ballistol Stichfrei animal 5 litre**	146.90



Art.-Nr.	Description	€
20284	**Ballistol spray** Universal oil, for any and all purposes, tried and tested unrivalled. For the care of metal, wood, leather, rubber, plastic, coat, skin, and much more. For industry, crafts, automotive, home and garden, agriculture, hunting and equestrian **200 ml** – 20/box	7.20
20292	**400 ml** – 12/box	11.40
20298	**Ballistol oil** **500 ml** – 20/box	13.45
20299	**Ballistol H1 food oil** **200 ml** – 20/box	8.40



Art.-Nr.	Description	€
20286	**Ballistol – animal** **12/box** **500 ml**	16.50



Art.-Nr.	Description	€
70897	**Resin remover**	18.30

ECO Forestry Marker

NEW

Special marking spray for highly visible markings.
The binder is made from 100% renewable raw materials.


Ideal for marking wood, metal, concrete, asphalt, and stone.
Excellent adhesion even on damp and frozen surfaces.
Low risk of contamination thanks to an optimized spray nozzle.

Packaging:
- **12 cans per carton**
- **540 cans per pallet**



Art.-Nr.	Description	€
71892	**ECO Forestry Marker** **500 ml** – neon-red	7.59
71894	**500 ml** – neon-blue	7.59
71893	**500 ml** – neon-pink	7.59
71890	**500 ml** – neon-orange	7.59
71891	**500 ml** – neon-yellow	7.59
71895	**500 ml** – neon-green	7.59

fluo PAINT · RENEWABLE RESOURCES · 12-24 MONTH · PROFI kwf



Ihr Ansprechpartner für Göbel-Produkte

Fritz Göbel GmbH & Co. KG

Am Friedrichsplatz 4

34508 Willingen-Rattlar

Telefon +49 (0)5632 9484 0

Telefax +49 (0)5632 9484 74

E-Mail info@fritzgoebel.de

www.fritzgoebel.de